



Product Code	Product Description	MSRP	AV Discount	AV Price
MP-A20V	400W FlexAmp technology Hi-Z / Lo-Z amplifier, 2 x 200W into 4 Ω , 8 Ω , 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status.	\$990.00	25%	\$742.50
MP-A40V	800W FlexAmp technology Hi-Z / Lo-Z amplifier, 4 x 200W into 4 Ω , 8 Ω , 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status	\$1,650.00	25%	\$1,237.50
MP-A80V	1600W FlexAmp technology Hi-Z / Lo-Z amplifier, 8 x 200W into 4 Ω , 8 Ω , 70V and 100V, Highpass filter per channel, GPIO for Remote Standby and Amp Status	\$2,530.00	25%	\$1,897.50
CXD4.2-xx	2000W Amplifier using FAST channel combining technology. 4 channels, 500 watts/ch at 8 Ω , 700 watts/ch at 4 Ω , 625 watts/ch at 2 Ω , with Euro connectors and GPIO.	\$1,840.00	25%	\$1,380.00
CXD4.3-xx	4000W Amplifier using FAST channel combining technology 4 channels, 900 watts/ch at 8 Ω , 1400 watts/ch at 4 Ω , 1200 watts/ch at 2 Ω , 625 watts/ch into 100V loads, 500 watts/ch direct drive 70V, with Euro connectors and GPIO	\$2,670.00	25%	\$2,002.50
CXD4.5-xx	8000W Amplifier using FAST channel combining technology 4 channels, 1200 watts/ch at 8 Ω , 2000 watts/ch at 4 Ω , 1600 watts/ch at 2 Ω , 1250 watts/ch into 100V loads, 1000 watts/ch direct drive 70V, with Euro connectors and GPIO.	\$3,340.00	25%	\$2,505.00
PC13L1M-NA	Accessory, North American Power Cord, 14AWG, 1M, LOCKING IEC	\$15.00	25%	\$11.25
SPA2-60	1/2 RU 2 Channel ENERGY STAR amplifier / Stereo operation 60 watts into 8Ω & 4Ω, Bridged operation 200 watts into 8Ω & 4Ω, and 250 watts into 70v and 100v / 100-240 VAC Operation.	\$585.00	25%	\$438.75





Product Code	Product Description	MSRP	AV Discount	AV Price
SPA2-200	1/2 RU 2 Channel ENERGY STAR amplifier / Stereo Operation 200 watts into 8Ω & 4Ω, Bridged operation 400 watts into 8Ω & 4Ω, and 350 watts into 70v and 100v / 100-240 VAC Operation.	\$685.00	25%	\$513.75
SPA4-60	1/2 RU 4 Channel ENERGY STAR amplifier / Multichannel operation 60 watts into $8\Omega \& 4\Omega$, Bridged pair operation 200 watts into $8\Omega \& 4\Omega$, and 250 watts into 70v and 100v / 100-240 VAC Operation.	\$835.00	25%	\$626.25
SPA4-100	1/2 RU 4 Channel ENERGY STAR amplifier / Multichannel Operation 100 watts into $8\Omega \& 4\Omega$, Bridged pair operation 200 watts into $8\Omega \& 4\Omega$, and 350 watts into 70v and 100v / 100-240 VAC Operation	\$960.00	25%	\$720.00
GXD4	Lightweight, class-D professional power amplifier with DSP, 2 channels, 400 watts/ch at 8 Ω , 600 watts/ch at 4 Ω , total power capacity of 1600 watts	\$689.99	25%	\$517.49
GXD8	Lightweight, class-D professional power amplifier with DSP, 2 channels, 800 watts/ch at 8 Ω , 1200 watts/ch at 4 Ω , total power capacity of 4500 watts.	\$1,099.99	25%	\$824.99
GX3	2 channels, 300 watts/ch at 8 Ω , 425 watts/ch at 4 Ω .	\$439.99	25%	\$329.99
GX5	2 channels, 500 watts/ch at 8 Ω , 700 watts/ch at 4 Ω .	\$569.99	25%	\$427.49
GX7	Lightweight, professional power amplifier, 2 channels, 725 watts/ch at 8Ω , 1000 watts/ch at 4Ω .	\$819.99	25%	\$614.99
PLD4.2-xx	2000W Amplifier using FAST channel combining technology. 4 channels, 500 watts/ch at 8 Ω , 700 watts/ch at 4 Ω , 625 watts/ch at 2 Ω , with XLR and NL4 connectors.	\$1,419.99	25%	\$1,064.99





Product Code	Product Description	MSRP	AV Discount	AV Price
PLD4.3-xx	4000W Amplifier using FAST channel combining technology. 4 channels, 900 watts/ch at 8Ω ,	\$1,999.99	25%	\$1,499.99
	1400 watts/ch at 4 Ω , 1200 watts/ch at 2 Ω , with XLR and NL4 connectors.			
PLD4.5-xx	8000W Amplifier using FAST channel combining technology. 4 channels, 1200 watts/ch at 8Ω ,	\$2,579.99	25%	\$1,934.99
	2000 watts/ch at 4 Ω , 1600 watts/ch at 2 Ω , with XLR and NL4 connectors.			
CX302	2 channels, 200 watts/ch at 8 Ω , 325 watts/ch at 4 Ω , 600 watts/ch at 2 Ω .	\$1,280.00	25%	\$960.00
CX302V	2 channels, 250 watts/ch at 70V.	\$1,280.00	25%	\$960.00
CX502	2 channels, 300 watts/ch at 8 Ω , 500 watts/ch at 4 Ω , 800 watts/ch at 2 Ω .	\$1,710.00	25%	\$1,282.50
CX602V	2 channels, 550 watts/ch at 8 Ω , 440 watts/ch at 70V.	\$2,125.00	25%	\$1,593.75
CX702	2 channels, 425 watts/ch at 8 Ω , 700 watts/ch at 4 Ω , 1200 watts/ch at 2 Ω .	\$2,125.00	25%	\$1,593.75
CX902	2 channels, 550 watts/ch at 8 Ω , 900 watts/ch at 4 Ω , 1500 watts/ch at 2 Ω .	\$2,535.00	25%	\$1,901.25
CX1102	2 channels, 700 watts/ch at 8 Ω , 1100 watts/ch at 4 Ω , 1700 watts/ch at 2 Ω .	\$2,750.00	25%	\$2,062.50
CX1202V	2 channels, 700 watts/ch at 8 Ω , 1100 watts/ch at 4 Ω , 1000 watts/ch at 70V.	\$2,500.00	25%	\$1,875.00
CX204V	4 channels, 200 watts/ch at 70V.	\$1,835.00	25%	\$1,376.25
CX254	4 channels, 170 watts/ch at 8 Ω , 250 wMattIsX/cEhR aSt 4 Ω , 450 watts/ch at 2 Ω .	\$1,835.00	25%	\$1,376.25
CX404	4 channels, 250 watts/ch at 8 Ω , 400 watts/ch at 4 Ω .	\$1,835.00	25%	\$1,376.25
CX108V	8 channels, 100 watts/ch at 70V.	\$2,245.00	25%	\$1,683.75
CX168	8 channels, 90 watts/ch at 8 Ω , 130 watts/ch at 4 Ω .	\$2,245.00	25%	\$1,683.75





Product Code	Product Description	MSRP	AV Discount	AV Price
ISA280	2 channels, 185 watts/ch at 8 Ω , 280 watts/ch at 4 Ω , 430 watts/ch at 2 Ω .	\$660.00	25%	\$495.00
ISA450	2 channels, 260 watts/ch at 8 Ω , 425 watts/ch at 4 Ω , 700 watts/ch at 2 Ω .	\$800.00	25%	\$600.00
ISA750	2 channels, 450 watts/ch at 8 Ω , 650 watts/ch at 4 Ω , 1200 watts/ch at 2 Ω .	\$1,080.00	25%	\$810.00
ISA1350	channels, 800 watts/ch at 8 Ω , 1300 watts/ch at 4 Ω , 2000 watts/ch at 2 Ω , 1500 watts/ch at 70V (direct output).	\$2,015.00	25%	\$1,511.25
ISA300Ti	2 channels, 185 watts/ch at 8 Ω , 280 watts/ch at 4 Ω , 430 watts/ch at 2 Ω , 300 watts/ch at 70V.	\$875.00	25%	\$656.25
ISA500Ti	2 channels, 260 watts/ch at 8 Ω , 425 watts/ch at 4 Ω , 700 watts/ch at 2 Ω , 500 watts/ch at 70V.	\$1,015.00	25%	\$761.25
ISA800Ti	2 channels, 450 watts/ch at 8 Ω , 650 watts/ch at 4 Ω , 1200 watts/ch at 2 Ω , 800 watts/ch at 70V.	\$1,320.00	25%	\$990.00
CMX300Va	Contractor power amplifier/ 2 channel, 200 watts/ch at 8 Ω , 300 watts/ch at 4 Ω , 70V/mono at 600 Watts.	\$645.00	25%	\$483.75
CMX500Va	Contractor power amplifier/ 2 channel, 300 watts/ch at 8 Ω , 500 watts/ch at 4 Ω , 70V/mono at 1200 Watts.	\$885.00	25%	\$663.75
CMX800Va	Contractor power amplifier/ 2 channel, 500 watts/ch at 8 Ω , 800 watts/ch at 4 Ω , 70V/mono at 2000 Watts.	\$1,100.00	25%	\$825.00
CMX2000Va	Contractor power amplifier/ 2 channel, 1100 watts/ch at 8 Ω , 2000 watts/ch at 4 Ω , 70V/mono at 1000 Watts.	\$2,200.00	25%	\$1,650.00
CORE 510i CTO	QSC CORE 510i CTO Integrated Core with eight I/O card slots, 256 x 256 networked audio channels, dual redundant media LAN ports, one Auxiliary LAN port, 16 configurable GPIO, 64 next-generation AEC processors, 2RU	\$7,085.00	25%	\$5,313.75





Product Code	Product Description	MSRP	AV Discount	AV Price
CIML4	QSC CIML4 Four channels of microphone / line-level analog audio input with 48V phantom power	\$350.00	25%	\$262.50
I/O FRAME CTO	QSC I/O FRAME CTO I/O Frame with four card slots, 16x16 network I/O channels, dual LAN ports for network redundancy, and 8 configurable GPIO, 1RU	\$2,630.00	25%	\$1,972.50
NS-1108P	QSC NS-1108P 10-port network switch preconfigured for Q-SYS Audio, Video and Control with 4x PoE+ ports. With advanced QoS and IGMP to also support AES67 and Dante in same VLAN	\$1,085.50	25%	\$814.13
RMX850a	2 channels, 200 watts/ch at 8 Ω , 300 watts/ch at 4 Ω , 430 watts/ch at 2 Ω .	\$619.99	25%	\$464.99
RMX1450a	2 channels, 280 watts/ch at 8 Ω , 450 watts/ch at 4 Ω , 700 watts/ch at 2 Ω .	\$829.99	25%	\$622.49
RMX2450a	2 channels, 500 watts/ch at 8 Ω , 750 watts/ch at 4 Ω , 1200 watts/ch at 2 Ω .	\$999.99	25%	\$749.99
RMX4050a	2 channels, 850 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω (bridged).	\$1,799.99	25%	\$1,349.99
RMX5050a	2 channels, 1100 watts/ch at 8 Ω , 1800 watts/ch at 4 Ω , 2500 watts/ch at 2 Ω , 5000 watts/ch at 4 Ω (bridged).	\$2,119.99	25%	\$1,589.99
PL380	2 channels, 1500 watts/ch at 8 Ω , 2600 watts/ch at 4 Ω , 4000 watts/ch at 2 Ω .	\$2,939.99	25%	\$2,204.99
PLX1802	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user configurable signal processing, 330 watts/ch at 8Ω, 575 watts/ch at 4Ω, 900 watts/ch at 2Ω.	\$1,299.99	25%	\$974.99
PLX2502	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 450 watts/ch at 8 Ω , 750 watts/ch at 4 Ω , 1250 watts/ch at 2 Ω .	\$1,349.99	25%	\$1,012.49





Product Code	Product Description	MSRP	AV Discount	AV Price
PLX3102	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier,600 watts/ch at 8 Ω , 1000 watts/ch at 4 Ω , 1550 watts/ch at 2 Ω .	\$1,419.99	25%	\$1,064.99
PLX3602	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 775 watts/ch at 8 Ω , 1250 watts/ch at 4 Ω , 1800 watts/ch at 2 Ω .	\$1,829.99	25%	\$1,372.49
REAR RACK EAR KIT 7IN	7" Rear support rack ear kit.	\$39.99	25%	\$29.99
REAR RACK EAR KIT 3IN	3" Rear support rack ear kit.	\$29.99	25%	\$22.49
IT-42	Isolation Transformer – 25V, 70V , and 100V dual output transformer for CX302.	\$300.00	25%	\$225.00
PLENUM KIT	The UL-approved Plenum Kit enables SPA amplifiers to be used in plenum systems	\$100.00	25%	\$75.00