## Statewide Term Contract for Audio/Visual # 4400026081



BridgeTek Solutions, LLC. 110 Connector Park Ct, Piedmont, SC 29673 864-214-0221 www.bridgeteksolutions.com



SN2106

MFG Part #	Product Description	MSRP	AV Discou	AV Price
RK-1	19-inch rack adapter for mounting multiple desktop and/or MultiTOOLS models			
KK-1	into a 1U rack space.	\$105.00	30%	\$73.50
RC-8IR	8-Button Universal Room Controller	\$595.00	30%	\$416.50
	The VM-4HDCPxI is a high-performance distribution amplifier for DVI signals. The			
VM-4HDCPXL	unit reclocks and equalizes one input signal and distributes it to four identical			
	outputs.	\$578.00	30%	\$404.60
	The VM-24HDCP is an HDCP compliant distribution amplifier for DVI-D signals.			
VM-24HDCP	The unit accepts one of two DVI inputs, and distributes the selected signal to four			
	outputs.	\$805.00	30%	\$563.50
	The VM22H is a distribution amplifier for HDMI signals. The unit reclocks and			
VM-22H	equalizes one of two selectable input signals and distributes it to two identical			
	outputs.	\$486.00	30%	\$340.20
VM-2HXL	The VM-2Hxl is a distribution amplifier for HDMI signals. The unit reclocks and			
	equalizes the signal and distributes it to two identical outputs.	\$295.00	30%	\$206.50
	The VM-24H is a distribution amplifier for HDMI signals. The unit reclocks and			
VM-24H	equalizes one of two selectable input signals and distributes it to four identical			
	outputs.	\$695.00	30%	\$486.50
VM-8H	The VM-8H is a distribution amplifier for HDMI signals. It reclocks and equalizes			
VIVI-OF	the signal and distributes it to 8 identical outputs.	\$967.00	30%	\$676.90
VM-16H	The VM-16H is a distribution amplifier for HDMI signals. It reclocks and equalizes			
V IVI- IOH	the signal and distributes it to 16 identical outputs.	\$1,442.00	30%	\$1,009.40
	The PT-102AN is a high-performance audio distribution amplifier for unbalanced			
PT-102AN	stereo signals. The unit takes on stereo input and distributes the signal to two			
	identical stereo outputs.	\$120.00	30%	\$84.00
	The VP-300K is a distribution amplifier for computer graphics signals with			
VP-300K	resolutions up to and exceeding UXGA. The unit takes one input, provides correct			
	buffering and isolation, and distributes the signal to three identical outputs.	\$200.00	30%	\$140.00
W-DP(W)	Wall Plate Insert - DisplayPort	\$36.00	30%	\$25.20
WXA-2P	Computer Graphics Video & Stereo Audio Wall Plate Insert.	\$65.00	30%	\$45.50
W-BLANK	Wall Plate Insert - Blank Slot Cover	\$5.00	30%	\$3.50

	The 105A is a high-performance distribution amplifier for unbalanced stereo audio	1		
105A	signals. It takes one stereo input and distributes the signal to five identical stereo			
	outputs.	\$180.00	30%	\$126.00
	The VP-411DS is a high-performance switcher for computer graphics video			·
VD 444D0	signals, with resolutions up to and exceeding UXGA, and unbalanced stereo			
VP-411DS	audio signals. When configured as a standby switcher, the switching priority can			
	be set for each of the four	\$855.00	30%	\$598.50
	The TP-114 is a high-performance distribution amplifier for computer graphics			·
TP-114	video or HDTV signals. It converts a computer graphics video or HDTV signal on			
	a 15-pin HD connector to four identical twisted pair signals.	\$375.00	30%	\$262.50
	The PT-102VN is a distribution amplifier for composite video or SDI signals. It			
90-102090	takes one input, provides correct buffering and isolation and distributes the signal			
	to two identical outputs.	\$155.00	30%	\$108.50
	The VP-4X4K is a high-performance matrix switcher for computer graphics video	ľ		
VP-4X4K	signals, with resolutions up to and exceeding UXGA, and balanced stereo audio			
	signals. The unit can route any or all inputs to any or all outputs simultaneously.	\$1,242.00	30%	\$869.40
	The VP-409 is a high quality low cost converter for up-scaling composite video			
VD 400	and s-Video to up to WUXGA. It accepts PAL-B/D/G/H/I, NTSC 3.58, and NTSC			
VP-409	4.43 video formats. This compact, multi-standard unit has a built-in 3D de-			
	interlacer and a 3D comb-fi	\$555.00	30%	\$388.50
	The VP-410 is a high-performance scaler for composite video and audio to HDMi			
90-041090	signals. It scales the composite video, embeds stereo audio and converts the			
	signal to an HDMI output.	\$445.00	30%	\$311.50
	The VP-201xl is a high-performance switcher for computer graphics video signals			
VP-201XL	with resolutions up to and exceeding UXGA. It switches either of two signals to a			
	single output.	\$205.00	30%	\$143.50
	The high quality PT-201VGA 2x1 VGA Switcher is a micro-sized mechanical			
PT-201VGA	switcher designed for VGA/XGA/UXGA signals using high-density 15 pin HD			
	connectors.	\$130.00	30%	\$91.00
	The VP-400K is a distribution amplifier for computer graphics signals with			
VP-400K	resolutions up to and exceeding UXGA. The unit takes one input, provides correct			
	buffering and isolation, and distributes the signal to four identical outputs.	\$245.00	30%	\$171.50
	The VP-242 is a high-performance switcher for computer graphics video signals			
VP-242	with resolutions up to and exceeding UXGA. It switches one of two inputs			
	simultaneously to four identical outputs.	\$305.00	30%	\$213.50
WXA-1	WXA-1 is a computer graphics video and stereo audio passive wall plate.	\$70.00	30%	\$49.00
	The 104LN is a high-performance line amplifier for composite or SDI video			
90-0104490	signals. It includes differential circuitry to help eliminate noise often found on the			
	input cable in a long run.	\$195.00	30%	\$136.50
	The VP-2L is a high-performance line amplifier for computer graphics video			
VP-2L	signals with resolutions up to and exceeding UXGA. It provides controls to			
	compensate for signal losses inherent in long cable runs.	\$215.00	30%	\$150.50

	The VP-200AK is a high-performance distribution amplifier for computer graphics		I	
	video signals, with resolutions up to and exceeding UXGA, and unbalanced			
VP-200AK				
	stereo audio. It takes a computer graphics video and stereo audio input and	£440.00	200/	<b>#007.00</b>
	outputs two computer graph	\$410.00	30%	\$287.00
	The TP-205A is a high-performance transmitter. It accepts a computer graphics			
P-205A	input signal, a selectable unbalanced stereo analog audio signal or a digital audio			
	(S/PDIF) signal, and unidirectional (TxD) RS-232 control commands (that can be			
	embedded when	\$1,035.00	30%	\$724.50
	The 106 is a high-quality distribution amplifier for balanced mono mircrophone			
106	signals. It takes one dynamic or condenser microphone input and distributes the			
	signal to two line-level outputs.	\$185.00	30%	\$129.50
	The 810 is a high-performance composite video and s-Video (Y/C) color bar and			
810	1kHz audio tone generator. It outputs two composite video and one s-Video color			
	bar signal in either NTSC or PAL, and a 1kHz audio tone simultaneously.	\$375.00	30%	\$262.50
	The 907 is a high-performance power amplifier for line-level stereo audio signals.			
907	It accepts a balanced stereo audio signal on a terminal block connector and			
	delivers 40 watts per channel into and 8ohms load.	\$445.00	30%	\$311.50
3502	The 6502 4xl S/PDIF Switcher/DA is a small-sized but efficient switcher and			
0002	distributor for S/PDIF digital audio signals.	\$395.00	30%	\$276.50
	The 102MX is a high-performance 2-channel stereo audio mixer for line level and			
102MX	mic level audio signals. It mixes one line level input with either a microphone or a			
	second line level input and produces a mixed audio output signal.	\$200.00	30%	\$140.00
	The 102xl is a high-performance 2-channel mono audio mixer for balanced line			·
102XL	level and mic level mono audio signals. The unit mixes two mono inputs and			
	produces a mixed audio output signal.	\$330.00	30%	\$231.00
	1:3 Audio-Stereo/Video DA, which accepts one audio input and one video input,	,		T
103AV	provides correct buffering and isolation, and distributes these signals to three			
	identical audio and video outputs.	\$260.00	30%	\$182.00
	The 104R is a high-performance distribution amplifier for RF signals. IT takes one			¥ : 0=:00
104R	RF (CATV/MATV) signal and distributes it to four identical outputs.	\$165.00	30%	\$115.50
	1:5 High Resolution Video DA, which accepts one video input and distributes it to	7		***************************************
105V	five identical outputs.	\$235.00	30%	\$164.50
	1:5 High Resolution Video DA, which accepts one video input and distributes it to	Ψ200.00	0070	φ101.00
90-013590	five identical outputs.	\$245.00	30%	\$171.50
	The KramerTOOLS 4x1V and 4x1VB are high-quality 4x1 mechanical switchers	Ψ2-10.00	0070	ψ171.00
	designed for composite video signals using RCA or BNC connectors. They accept			
4X1V	up to four inputs and let you select any input to be routed to one output using			
	buttons located on the f	\$160.00	30%	\$112.00
	The KramerTOOLS 4x1V and 4x1VB are high-quality 4x1 mechanical switchers	ψ100.00	3070	φ112.00
	designed for composite video signals using RCA or BNC connectors. They accept	.	l	
4X1VB	up to four inputs and let you select any input to be routed to one output using	·		
		t100 00	200/	<b>#406.00</b>
4)/4 A	buttons located on the f	\$180.00	30%	\$126.00
4X4A	4x1 Audio Switcher 1:4 Audio DA	\$165.00	30%	\$115.50

	The 673T is a high-performance fiber optic transmitter for 3G HD-SDI, HD-SDI,			
673R/T	SDI, and dual-link SDI signals. The unit converts up to four channels of serial			
07 01 01	digital signals on gold-plated BNC connectors to light pulses that are transmitted			
	over a single	\$5,235.00	30%	\$3,664.50
	The 711N is a twisted pair transmitter for composite video and unbalanced stereo			
711N	audio signals. The 711N transmitter converts composite video and stereo audio to			
7 1 11 <b>N</b>	a twisted pair signal and the 712N receiver converts the twisted pair signal back			
	into compos	\$245.00	30%	\$171.50
	The 711N and 712N are a twisted pair transmitter and receiver for composite			
712N	video and unbalanced stereo audio signals. The 711N transmitter converts			
IZN	composite video and stereo audio to a twiste pair signal and the 712N receiver			
	converts the twisted pair s	\$245.00	30%	\$171.50
	The 900N is a high-performance power amplifier for balanced or unbalanced			
900N	stereo audio signals. Either input can deliver a speaker output of 10 watts RMS			
	power per channel into a 4ohms load.	\$195.00	30%	\$136.50
	The 900xl is a high-performance power amplifier for line level stereo audio			
0001/1	signals. The unit accepts unbalanced audio signals on either of two RCA or			
900XL	3.5mm connectors and delivers a speaker output of 10 watts RMS per channel			
	into a 4ohms load.	\$295.00	30%	\$206.50
	The FC-113 is a high-performance format converter for HDMI signals. It converts	i i		·
FC-113	an HDMI input signal to two identical SDI video signals with embedded audio. The			
	FC-113-MD is certified for medical applications.	\$795.00	30%	\$556.50
	The FC-32 is a high-performance format converter for DVI-D signals. The unit	i i		·
FC-32	converts (without scaling) a DVI-D input to a computer graphics or component			
	video output on a 15-pin HD connector.	\$345.00	30%	\$241.50
	The FC-331 is a high-performance format converter for video signals up to 3G HD			•
FC-331	SDI (Level A). It converts the input video format (with embedded audio) to an			
	HDMI output signal.	\$795.00	30%	\$556.50
	The FC-332 is a high-performance format converter for video signals up to 3G HD			<del>-</del>
FC-332	SDI. The unit converts the input video format (with embedded audio) to two HDMI			
. 0 002	outputs.	\$995.00	30%	\$696.50
FRAME-1G/US(W)	1 GANG FRAME HOLDS 3 WALL PLATE INSERTS	\$30.00	30%	\$21.00
FRAME-2G	2GANG FRAME HOLDS 6WALL PLATE INSERTS.	\$55.00	30%	\$38.50
OC-1N	1 Channel Optical Video Isolator	\$415.00	30%	\$290.50
00 111	The Kramer Pic TOOLS PT-101Hxl si a high-quality repeater for HDMI signals	ψ 1.10.00	0070	Ψ200.00
PT-101HXL	that connects between an HDMI source and an HDMI display. For 1080p			
T TOTTINE	resolution, it extends the transmission range up to 15m (50ft).	\$255.00	30%	\$178.50
	The PT-102SN is a high-performance video distribution amplifier for s-Video (Y/C)		0070	ψ170.00
PT-102SN	video signals. The unit takes one input, provides correct buffering and isolation,			
1 1 102011	and distributes the signal to two identical outputs.	\$150.00	30%	\$105.00
	The PT-110EDID is a twisted pair transmitter for computer graphics video signals.	ψ100.00	30 70	ψ100.00
PT-110EDID	It converts a computer graphic signal into a twisted pair signal that is converted			
-	back to a computer graphics video signal when used with a compatible receiver.	\$245.00	30%	\$171.50
	pack to a computer graphics video signal when used with a compatible receiver.	φ <b>∠4</b> 3.00	30%	φ1/1.30

	THE DT AIDEN :	1		1
	The PT-4iREX is an infrared signal repeater that operates at distances of up to			
PT-4IREX	approximately 75m (240ft). It extends infrared signals in areas where there is no			
	direct line-of-sight for normal infrared signal operation.	\$350.00	30%	\$245.00
	The PT-571HDCP is a DGKat twisted-pair transmitter for DVI signals. The PT-			
PT-571HDCP	571HDCP converts the DVI to twisted pair signal and the PT-572HDCP+ converts			
F1-37 INDCF	the twisted pair signal back to a DVI signal. The PT-571HDCP-MD is certified for			
	medical applications.	\$265.00	30%	\$185.50
	The PT-572HDCP+ is a DGKat twisted-pair receiver for DVI signals. The PT-			
T 5701 IDOD.	571HDCP converts the DVI to twisted pair signal and the PT-572HDCP+ converts			
PT-572HDCP+	the twisted pair signal back to a DVI signla. The PT-572HDCP+-MD is certified for			
	medical applications.	\$265.00	30%	\$185.50
50.0	The RC-2 is ideal for simple, convenient control of small spaces with serial-			
RC-2	controlled devices such as projectors or displays.	\$210.00	30%	\$147.00
PC 2C	RC-2C is ideal for simple, convenient control of small spaces with serial and IR	,		•
RC-2C	controlled devices such as projectors and displays.	\$225.00	30%	\$157.50
	The RC-63AL is a 6-button room controller with an analog volume knob for	<b>Y</b> ==0:00		<del>-</del>
RC-63A RK-13	multimedia rooms. The unit can control audio components, video components			
	and other room facilities such as lights and screens.	\$615.00	30%	\$430.50
	19-inch rack adapter for mounting 3 one-third size desktop models into a 1U rack	ψο τοισο	0070	ψ100.00
	space.	\$110.00	30%	\$77.00
	The RK-1UTB is an under the table enclosure that is easily installed underneath a		0070	ψ11.00
RK-1UTB		\$175.00	30%	\$122.50
RK-4PT	19-inch rack adapter for mounting 4 Kramer Pico TOOLS into a 1U rack space.	\$97.00	30%	\$67.90
RK-81X	19-inch rack adapter for mounting 1 desktop model into a 1U rack space	\$55.00	30%	\$38.50
TAIX-OTX	The SG-6005xl is a broadcast quality, multi-standard SPG (Sync Pulse	ψ00.00	30 70	Ψ50.50
	Generator), with black burst, color bar, and audio tone outputs. The SG-6005xl			
SG-6005XL	has 10 composite video outputs on BNC connectors, which can be configured as			
	either a black burst or a colo	\$1,995.00	200/	\$1,396.50
	The TP-102HD is a twisted pair transmitter for computer graphics video and	φ1,995.00	30 %	\$1,390.50
TD 400UD	HDTV signals. It converts a computer graphics video or HDTV signal on a 15-pin			
TP-102HD	·	\$305.00	200/	¢242.50
	HD connector to two identical twisted pair signals.	\$305.00	30%	\$213.50
TD 40411D	The TP-104HD is a twisted pair transmitter for computer graphics video and			
TP-104HD	HDTV signals. It converts a computer graphics video or HDTV signal on a 15-pin	****	000/	****
	HD connector to four identical twisted pair signals.	\$315.00	30%	
TP-125-OD	XGA, Stereo RS-232 over Twisted Pair Transmitter with EMP Protection	\$319.00	30%	
TP-219HD	2x1 XGA HDTV Switcher over Twisted Pair Transmitter	\$195.00	30%	\$136.50
	Using the TP-41 Componen-S/PDIF Line Transmitter with the TP-42 Component-			
TP-41	S/PDIF Line Receiver constitutes a Component-S/PDIF Line transmitter/receiver			
11 71	system. The TP-42 receives the CAT 5 signal, decodes it and simultaneously			
	distributes it to the YUV ou	\$230.00	30%	\$161.00

	Using the TP-41 Componen-S/PDIF Line Transmitter with the TP-42 Component-			
TP-42	S/PDIF Line Receiver constitutes a Component-S/PDIF Line transmitter/receiver			
1 F <del>- 4</del> Z	system. The TP-42 receives the CAT 5 signal, decodes it and simultaneously			
	distributes it to the YUV ou	\$230.00	30%	\$161.00
	The TP-50 is a twisted pair receiver for computer graphics video and unbalanced			
P-50	stereo audio or S/PDIF audio signals. The unit converts the twisted pair signal			
17-50	back into two computer graphics video, stereo audio and S/PDIF audio signals			
1	simultaneously. A	\$455.00	30%	\$318.50
	The TP-573 is a DGKat twisted pair transmitter for HDMI, bidirectioanl RS-232			
TP-573	and infrared signals. The TP-573 converts the input signals to a twisted pair			
	signal and the TP-574 converts it back to HDMI, RS-232 and infrared signals.	\$295.00	30%	\$206.50
	The TP-574 is a DGKat twisted pair receiver for HDMI, bidirectional RS-232 and			
TP-574	infrared signals. The TP-573 converts the input signals to a twisted pair signal			
	and the Tp-574 converts it back to HDMI, RS-232 and infrared signals.	\$295.00	30%	\$206.50
TP-581T	HDMI, Bidirectional RS-232, Ethernet IR over Twisted Pair Transmitter	\$495.00	30%	\$346.50
	TP-582R is a high-performance, extended-reach HDBaseT receiver for 2 mirrored			
TP-582R	1080p60Hz HDMI, Ethernet, RS-232 and IR signals over twisted pair. The TP-			
	582R converts the transmitted HDBaseT signal to all output signals, and de-			
	embeds the audio to S/PDIF a	\$690.00	30%	\$483.00
	TP-582T is a high-performance, extended-reach HDBaseT switchable transmitter			
TD 500T	for 1080p60Hz HDMI, Ethernet, RS-232 and IR signals over twisted pair. The TP-			
TP-582T	582T converts all input signals into the transmitted HDBaseT signal. It extends			
	video signals to up	\$690.00	30%	\$483.00
	The TR-1 is a high-resolution isolation transformer for composite video signals. It			
TR-1	completely isolates devices to eliminate video hum, ground loops, and DC offsets			
	that can degrade picture quality.	\$150.00	30%	\$105.00
	The TR-1A is a high-performance isolation transformer for balanced mono audio			
TR-1A	signals. It completely isolates devices to eliminate hum, ground loops and DC			
	offsets that can degrade the audio quality.	\$95.00	30%	\$66.50
VA-100P	10-Outlet Power Supply for 12V DC Kramer Models	\$535.00	30%	\$374.50
	The VA-1DVIN is an EDID emulator for DVI-D signals. The unit can capture an			
VA-1DVIN	EDID setting in non-volatile memory from the output allowing convenient and			
	reliable connection to the source.	\$155.00	30%	\$108.50
	The VA-1VGAN is an EDID emulator for computer graphics video signals. The			
VA-1VGAN	unit can capture an EDID setting in non-volatile memory from the output allowing			
	convenient and reliable connection to the soure.	\$130.00	30%	\$91.00
	The VA-256xl is a high-performance audio delay for balanced stereo audio			
\/A 050VI	signals. It synchronizes the audio and video signals when they are out of sync.			
VA-256XL	This often happens in systems that perform heavy digital video processing, such			
	as with scalers.	\$715.00	30%	\$500.50
	The VA-50p is a 6-port 12V DC power supply. It replaces up to 6 separate 12 volt			
VA-50P	adapters for Kramer TOOLS and other models that use 12V DC power adapters.	\$420.00	30%	\$294.00

	The VA-8xl 8-channel Balanced Stereo Audio Amplifier is a high-performance 8-			
\	Channel, balanced stereo input volume controller for balanced audio signals on			
VA-8XL	terminal block connectors. The volume of each L and R stereo channel can be			
	adjusted independently	\$1,350.00	30%	\$945.00
	The VM-10HDxl is a high-performance distribution amplifier for 3G HD-SDI			
VM-10HDXL	signals. The unit takes one input, provides reclocking and equalization and			
	distributes the signal to ten identical outputs.	\$1,845.00	30%	\$1,291.50
	The VM-1110xl is a high-performance distribution amplifier for balanced mono			
VM-1110XL	audio signals on XLR connectors. It can also be configured as a 1:5 distribution			
	amplifier for stereo balanced audio signals.	\$713.00	30%	\$499.10
	The VM-1120 is a high-performance distribution amplifier for balanced mono			
VM-1120	audio signals on XLR connectors. It can also be configured as a 1:20 distribution			
	amplifier for mono balanced audio signals.	\$1,177.00	30%	\$823.90
	The VM-1610 is a high-performance distribution amplifier for balanced sterreo			
VM-1610	signals. It can also be configured as two 1:5 balanced stereo audio distribution			
	amplifiers.	\$895.00	30%	\$626.50
	The VM-22HD is a high-performance distribution amplifier for HD-SDI and dual			
VM-22HD	link HD-SDI signals. The unit can be configured as a dual 1:2 distribution			
	amplifier, or as one 1:2 dual-link distribution amplifier.	\$1,165.00	30%	\$815.50
	The Kramer TOOLS VM-2C is a high-performance distribution amplifier for			·
	component video (Y,Pb/Cb, Pr/Cr) signals. It takes one input, provides correct			
VM-2C	buffering and isolation and distributes the signal to two identical outputs on RCA			
	connectors.	\$225.00	30%	\$157.50
	The VM-2HD is a high-performance distribution amplifier for HD-SDI signals. It			
VM-2HD	takes one input, provides reclocking and equalization and distributes the signal to			
	two identical outputs.	\$485.00	30%	\$339.50
	The VM-2HDxl is a high-performance distribution amplifier for 3G HD-SDI signals.	.1		·
VM-2HDXL	The unit takes one input, provides reclocking and equalization and distributes the			
	signal to two identical outputs.	\$490.00	30%	\$343.00
VM-2N	1:2 Composite(U) Audio Distribution Amplifier	\$295.00	30%	\$206.50
	The VM-3VN is a distribution amplifier for composite video signals. The unit takes	T I		·
11-70799090	one input, provides correct buffering and isolation and distributes the signal to			
	three identical outputs.	\$215.00	30%	\$150.50
	The VM-50AN is a high-performance distribution amplifier for balanced and	T I		·
\	unbalanced stereo audio signals. It takes one balanced or unbalanced stereo			
VM-50AN	input and distributes the signal simultaneously to ten stereo outputs (five balanced	k		
	and five unbalanced)	\$285.00	30%	\$199.50
VM-50V	1:5 Composite Distribution Amplifier	\$295.00	30%	\$206.50
	The VM-51 is a high-performance distribution amplifier for composite or SDI video			
VM-51	signals. It takes on input, provides correct buffering and isolation and distributes			
-	the signal to five identical outputs.	\$345.00	30%	\$241.50
	The VM-92 is a high-performance universal style video distributor. It can be			, ,
VM-92	configured in several different ways.	\$1,035.00	30%	\$724.50

	The VP-100 is a high-performance format converter for computer graphics video			
VP-100	signals. It converts a computer graphics video signal on a 15-pin HD connector to			
	either RGBs, RGsB, or RGBHV video signals on BNC connectors.	\$495.00	30%	\$346.50
	The VP-123 is a high-performance amplifier for computer graphic video signals			
VP-123	with resolutions ranging from VGA through UXGA and higher. The unit takes one			
VP-123	input, provides correct buffering and isolation, and distributes the signal to three			
	identical outp	\$570.00	30%	\$399.00
VP-14	The VP-14 is a port extender for RS-2332 data signals. It send data from any port			
VP-14	to the other three.	\$195.00	30%	\$136.50
	The high performance VP-200Dxl XGA Differential Amplifier/ DA is a 1:2			
VP-200DXL	differential line amplifier/distributor for VGA/XGA signals that accepts one input,			
	provides correct buffering and isolation, and then distributes the signal to 2	\$310.00	30%	\$217.00
	The Vp-200xln is a high-performance line and distribution amplifier for computer			
VP-200XLN	graphics video signals with resolutions up to and exceeding UXGA. It provides			
	controls to compensate for signal losses inherent in long cable runs.	\$245.00	30%	\$171.50
	The high-performance VP-201K is a line amplifier for UXGA computer graphics			
VP-210K	signals that provides controls to compensate for signal losses inherent in long			
	cable runs.	\$260.00	30%	\$182.00
VP-222K	Your VP-222K UXGA Switcher/DA is a combined 2x1 swicher and 1:2 distribution			
	amplifier for computer graphics signals. The VP-222K UXGA Switcher/DA has			
	two inputs and a switch to select between the two sources.	\$173.00	30%	\$121.10
	The VP-27 is a high-quality presentation switcher designed for a wide variety of			
VP-27	presentation and multimedia applications. The VP-27 combines the functions of a			
VP-27	4xl switcher for composite video and audio, a 4xl switcher for s-Video and audio,			
	and 4xl swit	\$930.00	30%	\$651.00
	The Kramer MultiTOOLS VP-2K is a high-performance distribution amplifier for			
VD OK	computer graphics signals, with resolutions exceeding UXGA, and unbalanced			
VP-2K	stereo audio signals. It accepts one computer graphics input, and an unbalanced			
	stereo audio input, and	\$450.00	30%	\$315.00
VP-2X2	2x2 XGA(B) Audio Matrix Switcher	\$745.00	30%	\$521.50
VP-31	3x1 Computer Graphics Video Switcher	\$524.00	30%	\$366.80
VP-32K	3x1:2 XGA(B) Audio Switcher DA	\$690.00	30%	\$483.00
	The VP-41 is a high-performance switcher for computer graphics video signals			
VP-41	with resolutions up to and exceeding UXGA. It switches any one of four signals to			
	a single output.	\$285.00	30%	\$199.50
VP-4XL	1:4 XGA Distribution Amplifier	\$464.00	30%	\$324.80
VP-5XL	1:5 XGA Distribution Amplifier	\$460.00	30%	\$322.00
	The VP-61xl is a high-performance switcher for computer graphics video signals,			
VD C4VI	with resolutions ranging from VGA through UXGA and higher, and balanced			
VP-61XL	stereo audio signals. The VP-61N has all the same features of the VP-61xl but			
	without audio.	\$934.00	30%	\$653.80
VP-701XL	VP-701XL - Scan Converter - Wired - Rack-mountable	\$1,190.00	30%	\$833.00

	The Vp-88K is a high-performance matrix switcher for RGBHV video and			
VP-88K	balanced stereo audio signals. The unit can route any or all inputs to any or all			
	outputs simultaneously.	\$3,726.00	30%	\$2,608.20
	The VP-8K is a high-performance, HDTV compatible distribution amplifier for			
VP-8K	computer graphics signals, with resolutions exceeding UXGA. It accepts one			
	computer graphics input, and outputs it to eight computer graphics signals.	\$725.00	30%	\$507.50
	The VP-8x8 is a high-performance matrix switcher for computer graphics video			
VP-8X8	signals, with resolutions up to and exceeding UXGA on 15-pin HD connectors. It			
	can route any or all inputs to any or all outputs simultaneously.	\$2,479.00	30%	\$1,735.30
	The VP-8x8AK is a high-performance matrix switcher for computer graphics video			
/D 0V0AI/	signals, with resolutions up to and exceeding UXGA, and unbalanced stereo			
VP-8X8AK	audio signals. The unit can route any combination of inputs and outputs and			
	converts the audio to bala	\$4,131.00	30%	\$2,891.70
1/0 10101	The VS-1616A is a high-performance matrix switcher for balanced stereo audio			
VS-1616A	signals. It can route any or all inputs to any or all outputs simultaneously.	\$2,931.00	30%	\$2,051.70
VO 40411	The VS-161H is a high-performance switcher for HDMI signals. It equalizes the			
VS-161H	signal and switches one of the 16 inputs to a single HDMl output.	\$1,045.00	30%	\$731.50
	The VS-162V is a high-performance matrix switcher for composite video signals.			
VS-162V	It can also be configured as an 8x8 s-Video (Y/C) switcher, a 5x5 component			
	(YUV) switcher, or a 4x4 RGBS switcher.	\$2,106.00	30%	\$1,474.20
	The VS-211HDxl is a high-performance automatic switcher for 3G HD-SDI video			
VS-211HDXL	signals. When configured as a standby switcher, it switches to the secondary			
	input when the primary input is lost.	\$1,075.00	30%	\$752.50
	The VS-30FW is a high-performance bidirectional for 9-pin FireWire 800 (IEEE			
VS-30FW	1394b) signals. It increases the number of ports available and/ or extends the			
	distance of FireWire cable runs.	\$175.00	30%	\$122.50
	The VS-41H is a high-performance switcher for HDMI signals. It equalizes the	,		,
VS-41H	signal and switches one of the four inputs to a single HDMI output.	\$540.00	30%	\$378.00
	The VS-44HDXL is a high-performance matrix switcher for 3G HD-SDI and HD-	,		,
	SDI dual link video signals. The unit can switch any or all inputs to any or all			
VS-44HDXL	outputs. Switching is implemented during the vertical interval period according to			
	the SMPTE RP-168 s	\$3,559.00	30%	\$2,491.30
VS-55A	5x1(U) Audio Switcher	\$295.00	30%	\$206.50
	The VS-5x5 is a true 5x5 matrix switcher for composite video signals and	,		,
VS-5X5	balanced stereo audio signals. The VS-5x5 let you simultaneously route any or all			
	of the 5 inputs to any or all of the 5 outputs.	\$795.00	30%	\$556.50
	The VS-81H is a high-performance switcher for HDMI signals. It equalizes the	7.00.00		7000.00
VS-81H	signal and switches one of the 8 inputs to a single HDMI output.	\$895.00	30%	\$626.50
	The Kramer VS-81HDxl is a true 8x1 switcher for SD/HD/3G HD-SDI signals that	,	2070	Ţ = 2.00
VS-81HDXL	lets you switch any one of the eight inputs to two identical outputs.	\$3,295.00	30%	\$2,306.50
W1145	Ethernet & Telephone Wall Plate Insert.	\$27.00	30%	\$18.90
WA-1H	3.5mm (F) to Terminal Block Adapter	\$33.00	30%	\$23.10
WA-1XLF	XLR Wall Plate Insert/	\$30.00	30%	

WA-45	3.5mm & RJ-45 Pass-Through Wall Plate Insert.	\$27.00	30%	\$18.90
WAV-5	WAV-5 is a computer graphics video, composite video & stereo audio passive			
VVAV-5	wall plate.	\$90.00	30%	\$63.00
	The WAV-6H is a one gang wall plate insert with a pass-through female			
\\\A\\ GII	connector for HDMI at the front and a cable and femail HDMI connector at the			
WAV-6H	rear. In addition, the WAV-6H has a pass through connectro for: A PC (UXGA) on			
	a 15-pin HD computer graphics	\$98.00	30%	\$68.60
WD-2F	The WD-2F is a female DB-9 to Female DB-9 connection module.	\$25.00	30%	\$17.50
WD-FM	The WD-FM is a Female DB-9 to Male DB-9 connection module.	\$25.00	30%	\$17.50
W-H(W-HDMI)(W)	HDMI Wall Plate Insert.	\$36.00	30%	\$25.20
WP-110	15-Pin HD over Twisted Pair Transmitter (Requires TP-120)	\$245.00	30%	\$171.50
WP-H1M	HDMI TO HDMI WALL PLATE	\$74.00	30%	\$51.80
	WU-AA is a single insert wall plate with one USB connector (type-A) at the front	i i		
WU-AA	and a cable with a USB connector (type-A) connector at the rear.	\$30.00	30%	\$21.00
WU-AB	USB Wall Plate Insert	\$30.00	30%	\$21.00
WU-BA	USB-B TO USB-A INSERT	\$30.00	30%	\$21.00
WX-2F(W)	Computer Graphics Video Wall Plate Insert.	\$40.00	30%	\$28.00
WX-FM	The WX-FM is a Female VGA to Male VGA connection module.	\$35.00	30%	\$24.50
WXA-2	Computer Graphics Video & Stereo Audio Wall Plate Insert.	\$75.00	30%	\$52.50
WXL-2F	2 FEMALE XLRS TO TERMINAL BLOCK ADAPTER	\$49.00	30%	\$34.30
BC-1X59-300M	1 Coax: RG-59 Bulk Cable 985	\$359.00	30%	\$251.30
	Kramers BC-5X is a high-resolution, 75ohms 5 mini-coaxial cable perfect for			,
BC-5X-100M	routing RGBHV signals in commercial or residential AV systems.	\$400.00	30%	\$280.00
BC-5X-300M	5 Conductor Hi-Res Mini-Coax (28 AWG) Bulk Cable 985	\$1,190.00	30%	\$833.00
	Kramers C-A35M/A35M mini audio cable is constructed from high-quality shielded			,
95-0101006	pair style cable terminated with molded male 3.5mm stereo connectors on both			
	lends.	\$5.00	30%	\$3.50
	Kramers C-A35M/A35M mini audio cable is constructed from high-quality shielded			,
95-0101010	pair style cable terminated with molded male 3.5mm stereo connectors on both			
	lends.	\$5.00	30%	\$3.50
	Kramers C-A35M/A35M mini audio cable is constructed from high-quality shielded			,
95-0101015	pair style cable terminated with molded male 3.5mm stereo connectors on both			
	ends.	\$6.00	30%	\$4.20
	Kramers C-A35M/A35M mini audio cable is constructed from high-quality shielded			¥
95-0101025	pair style cable terminated with molded male 3.5mm stereo connectors on both			
00 0101020	lends.	\$8.00	30%	\$5.60
	Kramers C-A35M/A35M mini audio cable is constructed from high-quality shielded		33,0	Ţ2.50
95-0101035	pair style cable terminated with molded male 3.5mm stereo connectors on both			
	lends.	\$9.00	30%	\$6.30
	Kramers C-A35M/A35M mini audio cable is constructed from high-quality shielded		3370	ψ0.00
95-0101050	pair style cable terminated with molded male 3.5mm stereo connectors on both			
00 0101000	ends.	\$13.00	30%	\$9.10
	Toriuo.	ψ10.00	JU /0	ψυ. 10

95-0103110	Kramers C-A35/IRE is an infrared emitter permanently mounted on a 3m (10ft) cable.	\$12.00	30%	\$8.40
	Kramers C-A35/2IRE is a dual infrared emitter permanently mounted on a 3m	Φ12.00	3070	φ0.40
C-A35M/2IRE-10	(10ft) cable.	\$21.00	30%	\$14.70
	Kramers A35M/2RAM and A35F/2RAM series cables are simple adapters which	ֆ∠1.00	30%	\$14.70
	have a stereo 3.5mm connectors at the other. They provide passive conversion			
95-0112001	between 3.5mm and dual RCA connectors, most often adapting a PC sound card			
		\$5.00	30%	\$3.50
	or MP3 player to the audio input  Kramers C-A35M/2RAM is a simple adapter which has a stereo 3.5mm connector	\$5.00	30%	\$3.50
95-0122003	at one end, and two male RCA connectors at the other. It provides passive			
	conversion between 3.5mm and dual RCA connectors, most often adapting a PC	Φ <b>7</b> .00	000/	<b>#4.00</b>
	sound card or MP3 player to the	\$7.00	30%	\$4.90
	Kramers C-A35M/2RAM is a simple adapter which has a stereo 3.5mm connector			
95-0122006	at one end, and two male RCA connectors at the other. It provides passive			
00 0122000	conversion between 3.5mm and dual RCA connectors, most often adapting a PC			
	sound card or MP3 player to the	\$8.00	30%	\$5.60
95-0122010	Kramers C-A35M/2RAM is a simple adapter which has a stereo 3.5mm connector			
	at one end, and two male RCA connectors at the other. It provides passive			
	conversion between 3.5mm and dual RCA connectors, most often adapting a PC			
	sound card or MP3 player to the	\$8.00	30%	\$5.60
	Kramers C-A35M/2RAM is a simple adapter which has a stereo 3.5mm connector			
05 0400045	at one end, and two male RCA connectors at the other. It provides passive			
95-0122015	conversion between 3.5mm and dual RCA connectors, most often adapting a PC			
	sound card or MP3 player to the	\$12.00	30%	\$8.40
	Kramers C-A35M/2RAM is a simple adapter which has a stereo 3.5mm connector			•
05.0400005	at one end, and two male RCA connectors at the other. It provides passive			
95-0122025	conversion between 3.5mm and dual RCA connectors, most often adapting a PC			
	sound card or MP3 player to the	\$14.00	30%	\$9.80
	Kramers C-A35M/2RAM is a simple adapter which has a stereo 3.5mm connector	T		70.00
	at one end, and two male RCA connectors at the other. It provides passive			
95-0122035	conversion between 3.5mm and dual RCA connectors, most often adapting a PC			
	sound card or MP3 player to the	\$16.00	30%	\$11.20
	Kramers C-A35M/2RAM is a simple adapter which has a stereo 3.5mm connector	ψ10.00	3070	ψ11.20
	at one end, and two male RCA connectors at the other. It provides passive			
95-0122050	conversion between 3.5mm and dual RCA connectors, most often adapting a PC			
	sound card or MP3 player to the	\$22.00	30%	\$15.40
C-A35M/D9F-6	3.5mm (M) to 9-Pin D-Sub (F) 6	\$11.00	30%	\$7.70
C-M33IVI/D3F-0	Kramers C-GM/GF computer graphics video cable is a high-performance cable	φ11.00	30%	φ1.10
C-GM/GF-15	with molded 15-pin HD connectors on both ends. It is used for connecting			
	computer graphics video signals between computers or video scalers and	000 00	200/	<b>M40.00</b>
	plasma, LCD or other popular display	\$26.00	30%	\$18.20

	Kramers C-GM/GF computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. It is used for connecting			
C-GM/GF-25	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$38.00	30%	\$26.60
	Kramers C-GM/GM computer graphics video cable is a high-performance cable	φ30.00	30 %	φ20.00
	with molded 15-pin HD connectors on both ends. It is used for connecting			
C-GM/GM-1	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$7.00	30%	¢4.00
		\$7.00	30%	\$4.90
	Kramers C-GM/GM computer graphics video cable is a high-performance cable			
C-GM/GM-3	with molded 15-pin HD connectors on both ends. It is used for connecting			
	computer graphics video signals between computers or video scalers and	<b>*</b> 0.00	000/	<b>#</b> F 00
	plasma, LCD or other popular display	\$8.00	30%	\$5.60
	Kramers C-GM/GM computer graphics video cable is a high-performance cable			
C-GM/GM-6	with molded 15-pin HD connectors on both ends. It is used for connecting			
· · · · · · · · · · · · · · · · · · ·	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$12.00	30%	\$8.40
C-GM/GM-10	Kramers C-GM/GM computer graphics video cable is a high-performance cable			
	with molded 15-pin HD connectors on both ends. It is used for connecting			
	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$17.00	30%	\$11.90
	Kramers C-GM/GM computer graphics video cable is a high-performance cable			
C-GM/GM-15	with molded 15-pin HD connectors on both ends. It is used for connecting			
C-GIVI/GIVI-15	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$25.00	30%	\$17.50
	Kramers C-GM/GM computer graphics video cable is a high-performance cable			
00.7404005	with molded 15-pin HD connectors on both ends. It is used for connecting			
92-7101025	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$37.00	30%	\$25.90
	Kramers C-GM/GM computer graphics video cable is a high-performance cable			·
	with molded 15-pin HD connectors on both ends. It is used for connecting			
C-GM/GM-35	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$45.00	30%	\$31.50
	Kramers C-GM/GM computer graphics video cable is a high-performance cable	ψ.σ.σσ	3070	ψοσο
	with molded 15-pin HD connectors on both ends. It is used for connecting			
92-7101050	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$58.00	30%	\$40.60
	Kramers C-GM/GM computer graphics video cable is a high-performance cable	ψου.ου	30 70	ψ-τυ.υυ
	with molded 15-pin HD connectors on both ends. It is used for connecting			
C-GM/GM-125	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$155.00	30%	\$108.50
	Ipiasina, LOD on otner popular dispiay	φ 100.00	JU70	φ100.50

C-GM/GM-150  with molded 15-pin HD connectors on both ends. It is used for connecting computer graphics video signals between computers or video scalers and plasma, LCD or other popular display  Kramers C-MGM/MGM Micro computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  S20.00	30% 30% 30%	\$120.40 \$8.40 \$14.00
plasma, LCD or other popular display  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  \$20.00	30%	\$8.40
C-MGM/MGM-2  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  \$20.00	30%	\$8.40
C-MGM/MGM-2  performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  \$20.00		·
coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  \$20.00		·
graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  \$20.00		·
P2-7201006  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  \$26.00		·
performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  Kramers C-MGM/MGM Micro computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c  \$20.00	30%	\$14.00
coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c \$20.00  Kramers C-MGM/MGM Micro computer graphics video cable is a high-performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c \$26.00	30%	\$14.00
graphics video signals between c \$20.00  Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c \$26.00	30%	\$14.00
Kramers C-MGM/MGM Micro computer graphics video cable is a high- performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c \$26.00		
performance cable with molded 15-pin HD connectors on both ends. This micro coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c \$26.00		
coax cable is thin and flexible and is an excellent option for connecting computer graphics video signals between c \$26.00		
graphics video signals between c \$26.00		
	30%	\$18.20
Kramers C-MGM/MGM Micro computer graphics video cable is a high-		7 10120
nerformance cable with molded 15-nin HD connectors on both ends. This micro		
92-7201015 coax cable is thin and flexible and is an excellent option for connecting computer		
graphics video signals between c \$38.00	30%	\$26.60
Kramers C-MGM/MGM Micro computer graphics video cable is a high-		<del></del>
performance cable with molded 15-pin HD connectors on both ends. This micro		
92-7201025 coax cable is thin and flexible and is an excellent option for connecting computer		
graphics video signals between c \$58.00	30%	\$40.60
Kramers computer graphics video to component video breakout cables are		
constructed from 3 mini coay cables with 15-nin HD (M) connector at one end and		
C-GM/3RVM-3  3 RCA (M or F) connectors at the other. These cables send or receive computer		
graphics video or componen \$13.00	30%	\$9.10
Kramers C-GM/5BM is constructed of 5 mini coax cables with a molded 15-pin		Ψ0.10
HD (M or E) on one end and 5RNC (M or E) on the other. It converts between the		
C-GM/5BM-25 two most common cabling formats used for routing computer graphic video		
signals, 15-pin HD, and 5 BNC \$44.00	30%	\$30.80
Kramers C-GM/5BM is constructed of 5 mini coax cables with a molded 15-pin	0070	Ψ00.00
HD (M or E) on and and 5RNC (M or E) on the other. It converts between the		
C-GM/5BM-50 two most common cabling formats used for routing computer graphic video		
signals, 15-pin HD, and 5 BNC \$70.00	30%	\$49.00
Kramers C-GM/5BM is constructed of 5 mini coax cables with a molded 15-pin	3370	ψ 10.00
HD (M or E) on and and 5RNC (M or E) on the other. It converts between the		
C-GM/5BM-75 two most common cabling formats used for routing computer graphic video		
signals, 15-pin HD, and 5 BNC \$114.00	30%	\$79.80

	Kramers C-GM/5BF is constructed of 5 mini coax cables with a molded 15-pin HD			
	(M or F) on one end and 5 BNC (M or F) on the other. It converts between the			
C-GM/5BF-0.5	two most common cabling formats used for routing computer graphic video			
	signals, 15-pin HD, and 5 BN	\$15.00	30%	\$10.50
	Kramers C-GM/5BF is constructed of 5 mini coax cables with a molded 15-pin HD		3070	\$ 10.50
	(M or F) on one end and 5 BNC (M or F) on the other. It converts between the			
C-GM/5BF-3	two most common cabling formats used for routing computer graphic video			
		¢40.00	200/	¢42.20
	signals, 15-pin HD, and 5 BN  Kramers C-GM/5BF is constructed of 5 mini coax cables with a molded 15-pin HD	\$19.00	30%	\$13.30
1				
C-GM/5BF-6	(M or F) on one end and 5 BNC (M or F) on the other. It converts between the			
	two most common cabling formats used for routing computer graphic video	004.00	000/	<b>#</b> 40.00
	signals, 15-pin HD, and 5 BN	\$24.00	30%	\$16.80
C-GM/5BF-15	Kramers C-GM/5BF is constructed of 5 mini coax cables with a molded 15-pin HD			
	(M or F) on one end and 5 BNC (M or F) on the other. It converts between the			
	two most common cabling formats used for routing computer graphic video			
	signals, 15-pin HD, and 5 BN	\$33.00	30%	\$23.10
C-GF/5BM-1	Kramers C-GF/5BM graphics video breakout cable is constructed of 5 mini coax			
	cables with a molded 15-pin HD (M or F) on one end and 5 BNC (M or F) on the			
	other. It converts between the two most common cabling formats used for routing			
	computer graphic vide	\$14.00	30%	\$9.80
	Kramers C-GF/5BM graphics video breakout cable is constructed of 5 mini coax			
C-GF/5BM-3	cables with a molded 15-pin HD (M or F) on one end and 5 BNC (M or F) on the			
0-01 /3BIVI-3	other. It converts between the two most common cabling formats used for routing			
	computer graphic vide	\$18.00	30%	\$12.60
1	Kramers C-GMA/GMA is a high-performance cable with male 15-pin HD and			
92-2202003	3.5mm stereo audio connectors at each end. It is perfect for computer graphics			
	video to display installations that require an audio signal as well.	\$12.00	30%	\$8.40
	Kramers C-GMA/GMA is a high-performance cable with male 15-pin HD and			
92-2202006	3.5mm stereo audio connectors at each end. It is perfect for computer graphics			
	video to display installations that require an audio signal as well.	\$16.00	30%	\$11.20
	Kramers C-GMA/GMA is a high-performance cable with male 15-pin HD and			
92-2202010	3.5mm stereo audio connectors at each end. It is perfect for computer graphics			
	video to display installations that require an audio signal as well.	\$22.00	30%	\$15.40
	Kramers C-GMA/GMA is a high-performance cable with male 15-pin HD and			
92-2202015	3.5mm stereo audio connectors at each end. It is perfect for computer graphics			
	video to display installations that require an audio signal as well.	\$31.00	30%	\$21.70
	Kramers C-GMA/GMA is a high-performance cable with male 15-pin HD and			
C-GMA/GMA-25	3.5mm stereo audio connectors at each end. It is perfect for computer graphics			
-	video to display installations that require an audio signal as well.	\$43.00	30%	\$30.10
	Kramers C-GMA/GMA is a high-performance cable with male 15-pin HD and			
C-GMA/GMA-35	3.5mm stereo audio connectors at each end. It is perfect for computer graphics			
	video to display installations that require an audio signal as well.	\$49.00	30%	\$34.30
	1 1 7 1 5	1,		7230

	Kramers C-GMA/GMA is a high-performance cable with male 15-pin HD and			
92-2202050	3.5mm stereo audio connectors at each end. It is perfect for computer graphics			
	video to display installations that require an audio signal as well.	\$66.00	30%	\$46.20
	Kramers C-MGMA/MGMA is a micro sized, high-performance cable for computer			
C NACNAN /NACNAN 2	graphics and audio with slim molded 15-pin HD and 3.5mm connectors at both			
C-MGMA/MGMA-3	ends. This micro coax cable is thin and flexible and is an excellent choice for			
	connecting computer graphi	\$27.00	30%	\$18.90
	Kramers C-MGMA/MGMA is a micro sized, high-performance cable for computer			
00.7004000	graphics and audio with slim molded 15-pin HD and 3.5mm connectors at both			
92-7301006	ends. This micro coax cable is thin and flexible and is an excellent choice for			
	connecting computer graphi	\$33.00	30%	\$23.10
	Kramers C-MGMA/MGMA is a micro sized, high-performance cable for computer			,
	graphics and audio with slim molded 15-pin HD and 3.5mm connectors at both			
92-7301010	ends. This micro coax cable is thin and flexible and is an excellent choice for			
	connecting computer graphi	\$35.00	30%	\$24.50
	Kramers C-MGMA/MGMA is a micro sized, high-performance cable for computer	1		<b>4</b> =
	graphics and audio with slim molded 15-pin HD and 3.5mm connectors at both			
C-MGMA/MGMA-15	ends. This micro coax cable is thin and flexible and is an excellent choice for			
	connecting computer graphi	\$49.00	30%	\$34.30
	Kramers C-MGMA/MGMA is a micro sized, high-performance cable for computer	ψ 10.00	0070	ψο 1.00
	graphics and audio with slim molded 15-pin HD and 3.5mm connectors at both			
92-7301025	ends. This micro coax cable is thin and flexible and is an excellent choice for			
	connecting computer graphi	\$58.00	30%	\$40.60
	Kramers C-MH1/MH1 Hydra multi-head cable includes a 15-pin HD(M), 3.5mm	φοσ.σσ	0070	ψ+0.00
C-MH1/MH1-6	(M) & 3 RCA (M) cables. It is designed for applications that require multiple			
G-1011 11/1011 11-0	signals in a single jacket.	\$24.00	30%	\$16.80
	Kramers C-MH1/MH1 Hydra multi-head cable includes a 15-pin HD(M), 3.5mm	Ψ24.00	30 70	ψ10.00
C-MH1/MH1-10	(M) & 3 RCA (M) cables. It is designed for applications that require multiple			
C-IVII I I/IVII I I - I U	signals in a single jacket.	\$32.00	30%	\$22.40
	Kramers C-MH1/MH1 Hydra multi-head cable includes a 15-pin HD(M), 3.5mm	ψ32.00	30 70	ΨΖΖ.40
C-MH1/MH1-15	(M) & 3 RCA (M) cables. It is designed for applications that require multiple			
C-IVIH 1/IVIH 1-13	signals in a single jacket.	\$45.00	30%	\$31.50
	Kramers C-MH1/MH1 Hydra multi-head cable includes a 15-pin HD(M), 3.5mm	<del>\$4</del> 5.00	30%	φ31.3U
C MUI4/MUI4 05	(M) & 3 RCA (M) cables. It is designed for applications that require multiple			
C-MH1/MH1-25		¢67.00	200/	<b>#46.00</b>
0.014/0014.4	signals in a single jacket.	\$67.00 \$6.00	30%	\$46.90
C-SM/2BM-1	4-Pin (M) to 2 BNC (M) s-Video Breakout Cable 1		30%	\$4.20
C-SM/2BM-6	4-Pin (M) to 2 BNC (M) s-Video Breakout Cable 6	\$7.00	30%	\$4.90
C-SM/2BM-10	4-Pin (M) to 2 BNC (M) s-Video Breakout Cable 10	\$8.00	30%	\$5.60
0.014/014.45	Kramers C-SM/SM is a high-performance s-Video (Y/C) cable with molded 4-pin			
C-SM/SM-15	mini DIN connectors at each end. Luminance and chrominance signals are	<b>#</b> 0.00	200/	<b>#</b> = 22
	carried on separate internal coaxes for superior quality over composite video.	\$8.00	30%	\$5.60

	Kramers C-SM/SM is a high-performance s-Video (Y/C) cable with molded 4-pin			
C-SM/SM-25	mini DIN connectors at each end. Luminance and chrominance signals are			
	carried on separate internal coaxes for superior quality over composite video.	\$10.00	30%	\$7.00
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms			
91-01010015	BNC connectors at each end. It offers outstanding quality, durability, and high			
	performance for any video signal application.	\$6.00	30%	\$4.20
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms			
91-0101003	BNC connectors at each end. It offers outstanding quality, durability, and high			
	performance for any video signal application.	\$7.00	30%	\$4.90
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms			
91-0101006	BNC connectors at each end. It offers outstanding quality, durability, and high			
	performance for any video signal application.	\$9.00	30%	\$6.30
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms			
C-BM/BM-10	BNC connectors at each end. It offers outstanding quality, durability, and high			
	performance for any video signal application.	\$14.00	30%	\$9.80
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms			7
91-0101025	BNC connectors at each end. It offers outstanding quality, durability, and high			
0.0.0.020	performance for any video signal application.	\$20.00	30%	\$14.00
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms	<del>+</del> 20.00	3075	ψσσ
C-BM/BM-35	BNC connectors at each end. It offers outstanding quality, durability, and high			
O DIVI/DIVI OO	performance for any video signal application.	\$25.00	30%	\$17.50
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms	φ20.00	3070	ψ11.00
C-BM/BM-50	BNC connectors at each end. It offers outstanding quality, durability, and high			
O DIVI/DIVI OO	performance for any video signal application.	\$39.00	30%	\$27.30
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms	φοσ.σσ	0070	Ψ27.00
C-BM/BM-75	BNC connectors at each end. It offers outstanding quality, durability, and high			
O-DIVI/DIVI-73	performance for any video signal application.	\$50.00	30%	\$35.00
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms	ψ30.00	30 70	ψ00.00
C-BM/BM-100	BNC connectors at each end. It offers outstanding quality, durability, and high			
C-DIVI/DIVI-100	performance for any video signal application.	\$67.00	30%	\$46.90
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms	ψ01.00	30 /0	ψ40.30
C-BM/BM-150	BNC connectors at each end. It offers outstanding quality, durability, and high			
C-DIVI/DIVI-130	performance for any video signal application.	\$90.00	30%	\$63.00
	Kramers C-5BM/5BM is constructed of 5 mini coax cables in a single jacket with	φ90.00	30 /0	φ03.00
O EDM/EDM OF	750hms BNC connectors at each end. It offers outstanding quality, durability, and			
C-5BM/5BM-25		\$53.00	30%	<b>627.40</b>
	high performance for any RGBHV video signal application.	\$53.00	30%	\$37.10
O EDM/EDM 50	Kramers C-5BM/5BM is constructed of 5 mini coax cables in a single jacket with			
C-5BM/5BM-50	75ohms BNC connectors at each end. It offers outstanding quality, durability, and		200/	<b>ቀ</b> ደላ ደላ
	high performance for any RGBHV video signal application.	\$85.00	30%	\$59.50
0.501/5014.55	Kramers C-5BM/5BM is constructed of 5 mini coax cables in a single jacket with			
C-5BM/5BM-75	75ohms BNC connectors at each end. It offers outstanding quality, durability, and	0.100.00	222/	40405
	high performance for any RGBHV video signal application.	\$120.00	30%	\$84.00

	Kramers C-DPM/DPM cable for DIsplayPort helps set a new digital standard for			
97-0616003	high-resolution video. It offers a locking connector, higher bit rates, deep color			
91-0010003	modes, and supports optional 128-bit encryption, stereoscopic 3D, and other			
	advancements over	\$21.00	30%	\$14.70
	Kramers C-DPM/DPM cable for DIsplayPort helps set a new digital standard for			
97-0616015	high-resolution video. It offers a locking connector, higher bit rates, deep color			
91-0010013	modes, and supports optional 128-bit encryption, stereoscopic 3D, and other			
	advancements over	\$32.00	30%	\$22.40
	Kramers C-DPM/DPM cable for DIsplayPort helps set a new digital standard for			
97-0616025	high-resolution video. It offers a locking connector, higher bit rates, deep color			
97-0616025	modes, and supports optional 128-bit encryption, stereoscopic 3D, and other			
	advancements over	\$60.00	30%	\$42.00
	Kramers C-DPM/DPM cable for DIsplayPort helps set a new digital standard for			
97-0616035	high-resolution video. It offers a locking connector, higher bit rates, deep color			
	modes, and supports optional 128-bit encryption, stereoscopic 3D, and other			
	advancements over	\$75.00	30%	\$52.50
	Kramers DMA/5BM series DVI male to 5 BNC male are cables designed to adapt			
C-DMA/5BM-3	between the analog pins DVI-I and typical RGBHV. DVI video cards often output			
	signals in both digital and analog format and, conversely, display devices often			
	accept an analog RGBH	\$18.00	30%	\$12.60
	Kramers DMA/5BM series DVI male to 5 BNC male are cables designed to adapt	ľ		
04.0005000	between the analog pins DVI-I and typical RGBHV. DVI video cards often output			
94-0605006	signals in both digital and analog format and, conversely, display devices often			
	accept an analog RGBH	\$21.00	30%	\$14.70
	Kramers DMA/5BM series DVI male to 5 BNC male are cables designed to adapt			•
	between the analog pins DVI-I and typical RGBHV. DVI video cards often output			
C-DMA/5BM-10	signals in both digital and analog format and, conversely, display devices often			
	accept an analog RGBH	\$25.00	30%	\$17.50
	Kramers DVI cables are high-performance cables with molded DVI-D connectors	,		,
0.01/01/4.5	at both ends. These dual link cables are designed to carry digital-only signals			
C-DM/DM-1.5	(24+1 pin) used for direct digital connections between a source and display			
	device such as flat pan	\$13.00	30%	\$9.10
	Kramers DVI cables are high-performance cables with molded DVI-D connectors	ų veikė		¥ 0 1 1 0
	at both ends. These dual link cables are designed to carry digital-only signals			
94-0101003	(24+1 pin) used for direct digital connections between a source and display			
	device such as flat pan	\$17.00	30%	\$11.90
	Kramers DVI cables are high-performance cables with molded DVI-D connectors		33.3	Ţ : <b>0</b>
04.0404055	at both ends. These dual link cables are designed to carry digital-only signals			
94-0101006		1		
94-0101006	(24+1 pin) used for direct digital connections between a source and display			

	Kramers DVI cables are high-performance cables with molded DVI-D connectors			
94-0101010	at both ends. These dual link cables are designed to carry digital-only signals			
0101010	(24+1 pin) used for direct digital connections between a source and display			
	device such as flat pan	\$25.00	30%	\$17.50
	Kramers DVI cables are high-performance cables with molded DVI-D connectors			
C-DM/DM-15	at both ends. These dual link cables are designed to carry digital-only signals			
O-DIVI/DIVI-13	(24+1 pin) used for direct digital connections between a source and display			
	device such as flat pan	\$35.00	30%	\$24.50
	Kramers DVI cables are high-performance cables with molded DVI-D connectors			
C-DM/DM-25	at both ends. These dual link cables are designed to carry digital-only signals			
C-DIVI/DIVI-23	(24+1 pin) used for direct digital connections between a source and display			
	device such as flat pan	\$60.00	30%	\$42.00
	Kramers DVI cables are high-performance cables with molded DVI-D connectors			
C-DM/DM-33	at both ends. These dual link cables are designed to carry digital-only signals			
	(24+1 pin) used for direct digital connections between a source and display			
	device such as flat pan	\$65.00	30%	\$45.50
	Kramers DVI cables are high-performance cables with molded DVI-D connectors			
C-DM/DM-50	at both ends. These dual link cables are designed to carry digital-only signals			
	(24+1 pin) used for direct digital connections between a source and display			
	device such as flat pan	\$96.00	30%	\$67.20
	Kramers DVI cables are high-performance cables with molded DVI-D connectors			
O DM/DM CE	at both ends. These dual link cables are designed to carry digital-only signals			
C-DM/DM-65	(24+1 pin) used for direct digital connections between a source and display			
	device such as flat pan	\$105.00	30%	\$73.50
	C-FODM/FODM has four multi-mode fibers for TMDS transmission and copper			
04.0004040	wires for DDC/HDCP in a jacket. It transmits uncompressed 2K resolution at			
94-0201010	60Hz, 1080p up to 100m (328feet) and supplies +5V DC power either from video			
	sources or external power adapt	\$285.00	30%	\$199.50
	Kramers C-HM/DM is a high-performance cable with an HDMI connector at one			•
97-0201003	end and a DVI connector at the other. It is designed to connect between digital			
	video sources and displays and recorders that dont have both DVI and HDMI	\$22.00	30%	\$15.40
1	Kramers C-HM/DM is a high-performance cable with an HDMI connector at one	1		
97-0201006	end and a DVI connector at the other. It is designed to connect between digital			
	video sources and displays and recorders that dont have both DVI and HDMI	\$26.00	30%	\$18.20
	Kramers C-HM/DM is a high-performance cable with an HDMI connector at one			
97-0201010	end and a DVI connector at the other. It is designed to connect between digital			
	video sources and displays and recorders that dont have both DVI and HDMI	\$35.00	30%	\$24.50
	Kramers C-HM/DM is a high-performance cable with an HDMI connector at one		3370	, •
97-0201015	end and a DVI connector at the other. It is designed to connect between digital			
. 0201010	video sources and displays and recorders that dont have both DVI and HDMI	\$38.00	30%	\$26.60
	Kramers C-HM/DM is a high-performance cable with an HDMI connector at one	7.00.00	3370	Ψ_0.00
97-0201025	end and a DVI connector at the other. It is designed to connect between digital			

	Kramers C-HM/DM is a high-performance cable with an HDMI connector at one			
97-0201035	end and a DVI connector at the other. It is designed to connect between digital			
97-0201033	video sources and displays and recorders that dont have both DVI and HDMI	\$59.00	30%	\$41.30
	Kramers C-HM/DM is a high-performance cable with an HDMI connector at one	ψου.συ	0070	ψ11.00
C-HM/DM-50	end and a DVI connector at the other. It is designed to connect between digital			
O-I IIVI/DIVI-30	video sources and displays and recorders that dont have both DVI and HDMI	\$70.00	30%	\$49.00
	Kramers C-HM/HM cable is your default choice for high-performance, HDMI	ψ10.00	0070	ψ-10.00
97-0101003	cable. It supports signals up to 4K@60Hz (4:4:4), Deep Color, x.v.Color, Lip			
07 0101000	Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC.	\$13.00	30%	\$9.10
	Kramers C-HM/HM cable is your default choice for high-performance, HDMI	Ψ10.00	3070	ψ0.10
97-0101006	cable. It supports signals up to 4K@60Hz (4:4:4), Deep Color, x.v.Color, Lip			
0, 0,0,000	Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC.	\$15.00	30%	\$10.50
	Kramers C-HM/HM cable is your default choice for high-performance, HDMI	Ψ10.00	3070	ψ10.00
97-0101010	cable. It supports signals up to 4K@60Hz (4:4:4), Deep Color, x.v.Color, Lip			
	Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC.	\$20.00	30%	\$14.00
	Kramers C-HM/HM cable is your default choice for high-performance, HDMI	<del>+</del>	0070	ψσσ
97-0101015	cable. It supports signals up to 4K@60Hz (4:4:4), Deep Color, x.v.Color, Lip			
	Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC.	\$25.00	30%	\$17.50
	Kramers C-HM/HM cable is your default choice for high-performance, HDMI			,
97-0101025	cable. It supports signals up to 4K@60Hz (4:4:4), Deep Color, x.v.Color, Lip			
	Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC.	\$35.00	30%	\$24.50
	Kramers C-HM/HM cable is your default choice for high-performance, HDMI			
97-0101035	cable. It supports signals up to 4K@60Hz (4:4:4), Deep Color, x.v.Color, Lip			
	Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC.	\$55.00	30%	\$38.50
	The Fiber Optic HDMI Male Cable is a digital high-quality graphics interface			
	between and HDMI source (for example, a DVD player) and an HDMI acceptor			
C-FOHM/FOHM-66	(for example, and LCD TV). It consists of a transmitter (Tx) module and a receiver			
	(Rx) module, connected	\$511.00	30%	\$357.70
	The Fiber Optice HDMI Male Cable is a digital high-quality graphics interface			
C-FOHM/FOHM-164	between an HDMI source (for example, a DVD player) and an HDMI acceptor (for			
C-FUNIVI/FUNIVI-104	example, an LCD TV). It consists of a transmitter (Tx) module and a receiver (Rx)			
	module, connected	\$732.00	30%	\$512.40
C-2LC/2LC-99	2LC to 2LC Fiber Optic Cable 99 ft	\$154.00	30%	\$107.80
	Kramers C-4LC/4LC is constructed of four color coded multi-mode 50/125um			
C-4LC/4LC-328	simplex cables of 2.0mm (0.079in) diameter each, contained in a round overall			
C-4LC/4LC-320	orange jacket. It is intended primarily as a companion to various Kramer			
	detachable transmitter/receiver	\$530.00	30%	\$371.00
	Kramers C-RVM/RVM is constructed of RG-59 cable with male RCA connectors			
C-RVM/RVM-3	at each end. It offers outstanding quality, durability, and high-performance for any			
	composite video or mono audio signal.	\$4.00	30%	\$2.80
	Kramers C-RVM/RVM is constructed of RG-59 cable with male RCA connectors			
C-RVM/RVM-25	at each end. It offers outstanding quality, durability, and high-performance for any			
	composite video or mono audio signal.	\$18.00	30%	\$12.60

	Kramers C-RVM/RVM is constructed of RG-59 cable with male RCA connectors			
C-RVM/RVM-35	at each end. It offers outstanding quality, durability, and high-performance for any			
5 1 (VIII) 1 (VIII) 5 5	composite video or mono audio signal.	\$25.00	30%	\$17.50
	Kramers C-2RAM/2RAM is a high quality dual RCA cable assembly designed for	<del></del>		¥
95-0202003	stereo audio signals. It is perfect for audio connection of DVD players, VCRs, and			
00 00000	other consumer style devices that are routinely used in professional AV systems.	\$7.00	30%	\$4.90
	Kramers C-2RAM/2RAM is a high quality dual RCA cable assembly designed for			
95-0202006	stereo audio signals. It is perfect for audio connection of DVD players, VCRs, and			
	other consumer style devices that are routinely used in professional AV systems.	\$8.00	30%	\$5.60
	Kramers C-2RAM/2RAM is a high quality dual RCA cable assembly designed for			
C-2RAM/2RAM-15	stereo audio signals. It is perfect for audio connection of DVD players, VCRs, and			
	other consumer style devices that are routinely used in professional AV systems.	\$10.00	30%	\$7.00
	Kramers C-2RAM/2RAM is a high quality dual RCA cable assembly designed for			
C-2RAM/2RAM-50	stereo audio signals. It is perfect for audio connection of DVD players, VCRs, and			
	other consumer style devices that are routinely used in professional AV systems.	\$21.00	30%	\$14.70
	Kramers C-3RVAM/3RVAM is a high-quality 3 RCA cable assembly designed for			
O 00\/ANA/00\/ANA 0	video and stereo audio signals. It is perfect for connection of DVD players, VCRs,			
C-3RVAM/3RVAM-3	and consumer style display devices that are routinely used in professional AV			
	systems.	\$9.00	30%	\$6.30
	Kramers C-3RVAM/3RVAM is a high-quality 3 RCA cable assembly designed for			
C 2D\/AM/2D\/AM 6	video and stereo audio signals. It is perfect for connection of DVD players, VCRs,			
C-3RVAM/3RVAM-6	and consumer style display devices that are routinely used in professional AV			
	systems.	\$15.00	30%	\$10.50
	Kramers C-3RVAM/3RVAM is a high-quality 3 RCA cable assembly designed for			
C-3RVAM/3RVAM-15	video and stereo audio signals. It is perfect for connection of DVD players, VCRs,			
C-3RVAIVI/3RVAIVI-15	and consumer style display devices that are routinely used in professional AV			
	systems.	\$19.00	30%	\$13.30
	Kramers C-3RVAM/3RVAM is a high-quality 3 RCA cable assembly designed for			
C-3RVAM/3RVAM-25	video and stereo audio signals. It is perfect for connection of DVD players, VCRs,			
C-SKVAIVI/SKVAIVI-25	and consumer style display devices that are routinely used in professional AV			
	systems.	\$27.00	30%	\$18.90
	Kramers C-3RVAM/3RVAM is a high-quality 3 RCA cable assembly designed for			
C-3RVAM/3RVAM-35	video and stereo audio signals. It is perfect for connection of DVD players, VCRs,			
C-SKVAIVI/SKVAIVI-SS	and consumer style display devices that are routinely used in professional AV			
	systems.	\$37.00	30%	\$25.90
	Kramers C-3RVM/3RVM is constructed of 3RG-59 cables in a flat configuration			
C-3RVM/3RVM-6	with male RCA connectors at each end. It offers outstanding quality, durability,			
	and high-performance for any component video application.	\$40.00	30%	\$28.00
	Kramers C-3RVM/3RVM is constructed of 3RG-59 cables in a flat configuration			
C-3RVM/3RVM-15	with male RCA connectors at each end. It offers outstanding quality, durability,			
	and high-performance for any component video application.	\$54.00	30%	\$37.80

	Kramers C-3RVM/3RVM is constructed of 3RG-59 cables in a flat configuration	1		
C-3RVM/3RVM-50	with male RCA connectors at each end. It offers outstanding quality, durability,			
	and high-performance for any component video application.	\$104.00	30%	\$72.80
	Kramers C-3RVM/3RVM is constructed of 3RG-59 cables in a flat configuration	, , ,		,
C-3RVM/3RVM-75	with male RCA connectors at each end. It offers outstanding quality, durability,			
	and high-performance for any component video application.	\$149.00	30%	\$104.30
	Kramers C-R3VM/R3VM is constructed of 28AWG high resolution mini coax			·
	cables in a single jacket with male RCA connectors at each end. It offers			
C-R3VM/R3VM-3	outstanding quality, durability, and high-performance and is designed for home			
	theater applications.	\$20.00	30%	\$14.00
	Kramers C-R3VM/R3VM is constructed of 28AWG high resolution mini coax			,
0.00.04.00.04.45	cables in a single jacket with male RCA connectors at each end. It offers			
C-R3VM/R3VM-15	outstanding quality, durability, and high-performance and is designed for home			
1	theater applications.	\$32.00	30%	\$22.40
	Kramers C-R3VM/R3VM is constructed of 28AWG high resolution mini coax			,
C-R3VM/R3VM-25	cables in a single jacket with male RCA connectors at each end. It offers			
	outstanding quality, durability, and high-performance and is designed for home			
	theater applications.	\$40.00	30%	\$28.00
C-XLQM/XLQF-1.5	XLR (M) to XLR (F) Quad Style Cable 1.5	\$9.00	30%	\$6.30
	Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio			•
	cable. 4-core star quad cables with mutally offsetting twisting technology can			
95-1211003	reduce induction noise levels to 10% of that in regular two-pair balanced			
	microphone cable.	\$10.00	30%	\$7.00
	Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio			
95-1211006	cable. 4-core star quad cables with mutally offsetting twisting technology can			
95-1211006	reduce induction noise levels to 10% of that in regular two-pair balanced			
	microphone cable.	\$11.00	30%	\$7.70
	Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio			
C-XLQM/XLQF-10	cable. 4-core star quad cables with mutally offsetting twisting technology can			
C-XLQIVI/XLQF-10	reduce induction noise levels to 10% of that in regular two-pair balanced			
	microphone cable.	\$16.00	30%	\$11.20
	Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio			
C-XLQM/XLQF-35	cable. 4-core star quad cables with mutally offsetting twisting technology can			
C-ALQIVI/ALQF-35	reduce induction noise levels to 10% of that in regular two-pair balanced			
	microphone cable.	\$32.00	30%	\$22.40
	Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio			
C-XLQM/XLQF-50	cable. 4-core star quad cables with mutally offsetting twisting technology can			
C-ALQIVI/ALQF-30	reduce induction noise levels to 10% of that in regular two-pair balanced			
	microphone cable.	\$45.00	30%	\$31.50
	Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio			
DE 1011075	cable. 4-core star quad cables with mutally offsetting twisting technology can			
95-1211075	reduce induction noise levels to 10% of that in regular two-pair balanced			
1	microphone cable.	\$62.00	30%	\$43.40
				_

\$58.10 \$76.30 \$18.20 \$69.30 \$93.80
\$76.30 \$18.20 \$69.30
\$76.30 \$18.20 \$69.30
\$76.30 \$18.20 \$69.30
\$18.20 \$69.30
\$18.20 \$69.30
\$18.20 \$69.30
\$18.20 \$69.30
\$69.30
\$69.30
\$69.30
,
,
,
,
\$93.80
\$93.80
\$93.80
\$93.80
\$106.40
\$137.90
\$131.60
\$38.50
\$2.10
\$1.40
\$2.10
\$3.50
·
\$11.90
<del>+ 1 1 1 3 0</del>
\$18.20

99-9497101	Kramers ADC-DM/HF is a short cable, approx 1ft in length, designed to adapt an			
99-9497101	HDMI cable to a device with a DVI input, or to adapt a DVI source to an HDMI	\$15.00	30%	\$10.50
AD-D9F/D9F	9-pin D (F/F) Gender Changer.	\$5.00	30%	\$3.50
AD-D9M/D9M	9-pin (M/M) Gender Changer.		30%	#VALUE!
99-9497010	DVI-I (F) to HDMI (M) Adapter-Priced individually, sold in packs of 10.	\$12.00	30%	\$8.40
AD-DF/DF/RA	DVI-I (F) to DVI-I (F) Right-Angled Gender Changer- includes 10 individual	\$16.00	30%	\$11.20
99-9596011	DVI-I (F) to DVI-I (M) Right-Angled Adapter- includes 10 individuals adapters.	\$15.00	30%	\$10.50
99-9492001	DVI-I (M) to 15-pin HD (F) Adapter.	\$12.00	30%	\$8.40
99-9497001	DVI-D (M) to HDMI (F) Adapter.	\$12.00	30%	\$8.40
99-9292011	15-pin HD (F-F) Gender Changer.	\$6.00	30%	\$4.20
AD-GM/GM	15-pin (M) to 15-pin (M)	\$5.00	30%	\$3.50
AD CM/CE/DA	AD-GM/GF/RA is a 15-pin HD (M) to 15-pin HD (F) right-angled adapter includes			
AD-GM/GF/RA	10 individual adapters.	\$10.00	30%	\$7.00
99-9797011	HDMI (F) to HDMI (F) Gender Changer.	\$14.00	30%	\$9.80
99-9797111	HDMI (F-F) right-angled gender changer- includes 10 individual adapters.	\$15.00	30%	\$10.50
AD-HF/HM/RA	HDMI (F) to HDMI (M) right-angled adapter-includes 10 individual adapters.	\$14.00	30%	\$9.80
AD-HF/HF/RA-FLAT	HDMI (F-F) right-angled flat gender changer- includes 10 individual adapters.	\$15.00	30%	\$10.50
WCP	Cable Pass-Through Wall Plate Insert.	\$22.00	30%	\$15.40
WCP-2	Dual Cable Pass-Through Wall Plate Insert.	\$22.00	30%	\$15.40
WCP-21	Two-Sized Cable Pass-Through Wall Plate Insert.	\$22.00	30%	\$15.40
C-DM/DM/FLAT(W)-35	Kramers flat DVI cable is designed for invisible and long distance installations. It goes through the wall, under the carpet, around corners and behind the entertainment system with ease. The flat design of the cable renders them unobtrusive.		30%	#VALUE!
VP-8X4AK	The VP-8x4AK is a high-performance matrix switcher for computer graphics video signals, with resolutions up to and exceeding UXGA, and unbalanced stereo audio signals. The unit can route any combination of inputs and outputs and converts the audio to bala	\$3,726.00	30%	\$2,608.20
VM-114H4C	The VM-114H4C is a high-performance PoC switcher and distribution amplifier for HDMI and DGKat twisted pair signals. It reclocks and equalizes one of two selectable input signals (HDMI or DGKat twisted pair) and distributes it to four DGKat twisted pair o	\$1,795.00	30%	\$1,256.50
DL-IN1-F16	1-Input DVI Dual Link Card (F-16)	\$895.00	30%	\$626.50
DL-OUT1-F16	1-Output DVI Dual Link Card(F-16)	\$495.00	30%	\$346.50
H-IN2-F16	2-Input HDMI Card (F-16)	\$895.00	30%	\$626.50
F610-IN2-F16	2-Input DVI over 4LC Fiber Card (F-16)	\$895.00	30%	\$626.50
F610-OUT2-F16	2-Output DVI over 4LC Fiber Card (F-16)	\$895.00	30%	\$626.50
907XL	The 907xl is a high-performance power amplifier for line-level stereo audio signals. It accepts a balanced stereo audio signal on a terminal block connector and an unbalanced stereo signal on RCA connectors. It delivers 40 watts per channel into an 80hms	\$415.00	30%	\$290.50

	The PT-5T and PT-5R are a twisted pair transmitter and receiver for infrared			
PT-5R/T	signals. The units control up to five devices via their own remote control IR			
	transmitter at distances of up to 250m (820ft) over twisted pair cable.	\$225.00	30%	\$157.50
DI ( 10	The RK-19 is two brackets that mount all types of Kramer 19-inch 1U machines			
RK-19	underneath wooden tables or podiums.	\$50.00	30%	\$35.00
	The RC-74DL is a 12-button control keypad, with knob and LCD displays. It is a			·
DO 74DI	versatile device that connects to powerful control tools: over Ethernet it connects			
RC-74DL	to Kramers Site-CTRL, a remote AV control, site management & monitoring			
	system. For extended	\$1,075.00	30%	\$752.50
99-9697030	DisplayPort (M) to HDMI (F) Adapter Cable.	\$26.00	30%	\$18.20
	Kramers C-USB3/AAE is a SuperSpeed USB 3.0 Type-A male to Type-A female			
96-02310003	extension cable used to connect computers and peripherals such as, printers,			
	scanners, cameras, keyboards, mice and other digital devices for superior signal			
	transfer of up to 4.8Gbps	\$7.00	30%	\$4.90
	Kramers C-USB3/AAE is a SuperSpeed USB 3.0 Type-A male to Type-A female			
C-USB3/AAE-6	extension cable used to connect computers and peripherals such as, printers,			
	scanners, cameras, keyboards, mice and other digital devices for superior signal			
	transfer of up to 4.8Gbp	\$9.00	30%	\$6.30
00 00040040	Kramers C-USB3/AAE is a SuperSpeed USB 3.0 Type-A male to Type-A female			
	extension cable used to connect computers and peripherals such as, printers,			
96-02310010	scanners, cameras, keyboards, mice and other digital devices for superior signal			
	transfer of up to 4.8Gbp	\$14.00	30%	\$9.80
	Kramers C-USB3/AAE is a SuperSpeed USB 3.0 Type-A male to Type-A female			
C-USB3/AAE-15	extension cable used to connect computers and peripherals such as, printers,			
C-USB3/AAE-13	scanners, cameras, keyboards, mice and other digital devices for superior signal			
	transfer of up to 4.8Gbp	\$20.00	30%	\$14.00
	Kramers C-USB3/AB is a SuperSpeed USB 3.0 Type-A male to Type-B male			
C-USB3/AB-3	cable used to connect computers and peripherals, such as printers, scanners,			
C-USB3/AB-3	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 4.8Gbps.	\$7.00	30%	\$4.90
	Kramers C-USB3/AB is a SuperSpeed USB 3.0 Type-A male to Type-B male			
C-USB3/AB-6	cable used to connect computers and peripherals, such as printers, scanners,			
C-03D3/AD-0	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 4.8Gbps.	\$9.00	30%	\$6.30
	Kramers C-USB3/AB is a SuperSpeed USB 3.0 Type-A male to Type-B male			
C-USB3/AB-10	cable used to connect computers and peripherals, such as printers, scanners,			
	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 4.8Gbps.	\$13.00	30%	\$9.10
	Kramers C-USB3/AB is a SuperSpeed USB 3.0 Type-A male to Type-B male			
C-USB3/AB-15	cable used to connect computers and peripherals, such as printers, scanners,			
O-03D3/AD-13	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 4.8Gbps.	\$16.00	30%	\$11.20
C-DGK6/DGK6-25	RJ-45 (M) TO RJ-45 (M) DGKAT SHIELDED TW	\$20.00	30%	\$14.00

99-3440050	Four-Pair STP Terminated Data Cable - 23AWG,Length-50	\$32.00	30%	\$22.40
99-3440075	Four-Pair F/UTP Terminated Data Cable - 23AWG,Length-75	\$45.00	30%	\$31.50
	Kramers C-GM/xl cable offers the highest possible performance and a new			
C CM/VL 25	configuration designed to give installers and users a new level of convenience			
C-GM/XL-35	and aesthetics. It is ideal for any application requiring no-compromise quality and			
	perforamnce in a VGA	\$38.00	30%	\$26.60
	Kramers C-GM/xl cable offers the highest possible performance and a new			
C-GM/XL-50	configuration designed to give installers and users a new level of convenience			
J-GIVI/XL-30	and aesthetics. It is ideal for any application requiring no-compromise quality and			
	perforamnce in a VGA	\$45.00	30%	\$31.50
	Kramers C-HM/HM/ETH HDMI cable is a high-performance cable with molded			
07.04040000	HDMI connectors at both ends. It supports Ethernet Channel, Deep Color,			
97-01213003	x.v.Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC and ARC and			
	resolutions up to 4K@60Hz (4:4:4)	\$18.00	30%	\$12.60
	Kramers C-HM/HM/ETH HDMI cable is a high-performance cable with molded			
97-01213006	HDMI connectors at both ends. It supports Ethernet Channel, Deep Color,			
	x.v.Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC and ARC and			
	resolutions up to 4K@60Hz (4:4:4)	\$22.00	30%	\$15.40
07.04040040	Kramers C-HM/HM/ETH HDMI cable is a high-performance cable with molded			
	HDMI connectors at both ends. It supports Ethernet Channel, Deep Color,			
97-01213010	x.v.Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC and ARC and			
	resolutions up to 4K@60Hz (4:4:4)	\$25.00	30%	\$17.50
	Kramers C-HM/HM/ETH HDMI cable is a high-performance cable with molded			
97-01213015	HDMI connectors at both ends. It supports Ethernet Channel, Deep Color,			
97-01213013	x.v.Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC and ARC and			
	resolutions up to 4K@60Hz (4:4:4)	\$30.00	30%	\$21.00
	Kramers C-HM/HM/ETH HDMI cable is a high-performance cable with molded			
97-01213025	HDMI connectors at both ends. It supports Ethernet Channel, Deep Color,			
97-01213023	x.v.Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC and ARC and			
	resolutions up to 4K@60Hz (4:4:4)	\$50.00	30%	\$35.00
	Kramers C-HM/HM/ETH HDMI cable is a high-performance cable with molded			
97-01213035	HDMI connectors at both ends. It supports Ethernet Channel, Deep Color,			
97-01213033	x.v.Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC and ARC and			
	resolutions up to 4K@60Hz (4:4:4)	\$65.00	30%	\$45.50
	Kramers C-HM/HM/ETH HDMI cable is a high-performance cable with molded			
97-01213050	HDMI connectors at both ends. It supports Ethernet Channel, Deep Color,			
97-01213030	x.v.Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC and ARC and			
	resolutions up to 4K@60Hz (4:4:4)	\$90.00	30%	\$63.00
	Kramers C-USB/AA is a high-speed USB 2.0 type-A male to type-A male cable			
96-0212003	used to connect computers and peripheral devices such as, printers, scanners,			
30-02 12003	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 480Mbps.	\$3.00	30%	\$2.10

	Kramers C-USB/AA is a high-speed USB 2.0 type-A male to type-A male cable			
96-0212006	used to connect computers and peripheral devices such as, printers, scanners,			
30-0212000	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 480Mbps.	\$4.00	30%	\$2.80
	Kramers C-USB/AA is a high-speed USB 2.0 type-A male to type-A male cable			
96-0212010	used to connect computers and peripheral devices such as, printers, scanners,			
90-0212010	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 480Mbps.	\$5.00	30%	\$3.50
	Kramers C-USB/AA is a high-speed USB 2.0 type-A male to type-A male cable			
96-0212015	used to connect computers and peripheral devices such as, printers, scanners,			
90-0212013	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 480Mbps.	\$6.00	30%	\$4.20
	Kramers C-USB/AAE is a high-speed USB 2.0 type-A male to type-A female			
O LICD/AAE 4	cable used to extend the connection of computers and peripheral devices such as			
C-USB/AAE-1	printers, scanners, cameras, keyboards, mice and other digital devices for			
	superior signal transfer of u		30%	#VALUE!
	Kramers C-USB/AB is a high-speed USB 2.0 type-A male to type-B male cable			
96-0215003	used to connect computers and peripheral devices such as, printers, scanners,			
	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 480Mbps.	\$3.00	30%	\$2.10
	Kramers C-USB/AB is a high-speed USB 2.0 type-A male to type-B male cable			
00.0045000	used to connect computers and peripheral devices such as, printers, scanners,			
96-0215006	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 480Mbps.	\$4.00	30%	\$2.80
	Kramers C-USB/AB is a high-speed USB 2.0 type-A male to type-B male cable			·
00.0045040	used to connect computers and peripheral devices such as, printers, scanners,			
96-0215010	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 480Mbps.	\$5.00	30%	\$3.50
	Kramers C-USB/AB is a high-speed USB 2.0 type-A male to type-B male cable			·
00.0045045	used to connect computers and peripheral devices such as, printers, scanners,			
96-0215015	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 480Mbps.	\$6.00	30%	\$4.20
	Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin	,		•
96-02155010	male cable used to connect computers and peripherals such as cameras, external			
	hard drives and other digital devices for superior signal transfer of up to 480		30%	#VALUE!
	The VM-114H2C is a high-performance PoC switcher and distribution amplifier for			
	HDMI and DGKat twisted pair signals. It reclocks and equalizes one of two			
VM-114H2C	selectable input signals (HDMI or DGKat twisted pair) and distributes it to two			
	DGKat twisted pair an	\$1,595.00	30%	\$1,116.50
	Kramers C-HM/HM/PRO HDMI cable delivers high-speed, high-performance	+ .,000.00	2070	7.,.10.00
	digital video and audio with impeccable impedance stability, low skew, high signal			
97-01114035	integrity, and noise immunity for up to 4K@60Hz (4:4:4). With pro-grade heavy-			
	duty construction, triple	\$75.00	30%	\$52.50

	Kramers C-HM/HM/Pro HDMI cable delivers high-speed, high-performance digital			
97-01114003	video and audio with impeccable impedance stability, low skew, high signal			
31-01114003	integrity, and noise immunity for up to 4K@60Hz (4:4:4). With pro-grade heavy-			
	duty construction, triple	\$20.00	30%	\$14.00
	Kramers C-HM/HM/Pro HDMI cable delivers high-speed, high-performance digital			
97-01114006	video and audio with impeccable impedance stability, low skew, high signal			
37-01114000	integrity, and noise immunity for up to 4K@60Hz (4:4:4). With pro-grade heavy-			
	duty construction, triple	\$24.00	30%	\$16.80
	Kramers C-HM/HM/Pro HDMI cable delivers high-speed, high-performance digital			
97-01114015	video and audio with impeccable impedance stability, low skew, high signal			
97-01114015	integrity, and noise immunity for up to 4K@60Hz (4:4:4). With pro-grade heavy-			
	duty construction, triple	\$35.00	30%	\$24.50
	Kramers C-HM/HM/Pro HDMI cable delivers high-speed, high-performance digital			
07.04444005	video and audio with impeccable impedance stability, low skew, high signal			
97-01114025	integrity, and noise immunity for up to 4K@60Hz (4:4:4). With pro-grade heavy-			
	duty construction, triple	\$55.00	30%	\$38.50
	Kramers C-HM/HM/Pro HDMI cable delivers high-speed, high-performance digital			
	video and audio with impeccable impedance stability, low skew, high signal			
97-01114050	integrity, and noise immunity for up to 4K@60Hz (4:4:4). With pro-grade heavy-			
	duty construction, triple	\$99.00	30%	\$69.30
	DGKat-OUT2-F16 is a two channel HDMI and RS-232 over DGKat twisted pair			·
DGKAT-OUT2-F16	output card for the VS-1616 Series Modular Multi-Format Digital Matrix Switchers.			
	The DGKat-OUT2-F16 outputs two HDMI and RS-232 signals from the chassis.	\$750.00	30%	\$525.00
	The MV-6 is a versatile, high-performance multiviewer for 3G HD-SDI video			
	signals. The device can display up to six inputs in any combination and output the			
MV-6	image in SDI, HDMI and CV formats. Both pre-programmed and customizable			
	screen divisions are suppo	\$5,827.00	30%	\$4,078.90
VA-1VGAXL	Computer Graphics Video EDID Capture	\$210.00	30%	\$147.00
	The VS-88HDCPxI is a high-performance matrix switcher for DVI and HDMI			*
VS-88HDCPXL	signals on DVI-D connectors. It reclocks and equalizes the signal and can route			
	any input to any or all outputs simultaneously.	\$4,855.00	30%	\$3,398.50
	The VM-1H4C is a high-quality 1:4 twisted pair distribution amplifier for HDMI	, ,		, , , , , , , , , ,
	signal to PoC Long-reach DGKat signals. The unit receives serial commands and			
VM-1H4C	IR signals transparently via the RS-232 port and the TP link. It reclocks and			
	equalizes the input	\$1,295.00	30%	\$906.50
	The 850 is a high performance, DisplayPort video test pattern generator. It can	+ -,======		<b>+</b> • • • • • • • • • • • • • • • • • • •
	generate 32 preset patterns at 16 popular, predefined, computer and HD video			
850	resolutions and seven user-defined resolutions, including several unique patterns			
	incorporating mo	\$720.00	30%	\$504.00
	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with		3370	ψ551.50
	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
97-0131001	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1			
	PCM, Dolby TrueHD, DTS-HD, CE	\$12.00	30%	\$8.40
	1. Om, Doby 1146115, D10 115, OL	Ψ12.00	JU /0	ψυ. τυ

	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with			
97-0131002	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
0. 0.0.002	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1			
	PCM, Dolby TrueHD, DTS-HD, CE	\$15.00	30%	\$10.50
	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with			
97-0131003	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
77 0101000	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1			
	PCM, Dolby TrueHD, DTS-HD, CE	\$20.00	30%	\$14.00
	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with			
97-0131006	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
97-0131000	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1			
	PCM, Dolby TrueHD, DTS-HD, CE	\$25.00	30%	\$17.50
	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with			
07.0424040	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
97-0131010	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1			
	PCM, Dolby TrueHD, DTS-HD, CE	\$35.00	30%	\$24.50
	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with			
07.0404007	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
97-0131025	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1			
	PCM, Dolby TrueHD, DTS-HD, CE	\$60.00	30%	\$42.00
	The SL-12 is a master room controller that can operate over Ethernet (LAN) with	70000		¥ 12100
SL-12	control ports that include: one bidirectional RS-485, four RS-232, four IR, four			
02 12	GPI/O, and eight relay. It controls devices such as scalers, video displays, audio	\$695.00	30%	\$486.50
WA-1PN	Stereo Audio Wall Plate Insert.	\$35.00	30%	\$24.50
VV/	Kramers C-MDMA/MGMA cable is designed to connect laptop computers to video		0070	Ψ2 1.00
	conference systems that have a DVI input. It adapts the analog pins of DVI-A to a			
C-MDMA/MGMA-6	15-pin HD connector and includes an unbalanced audio cable with 3.5mm mini			
	liacks at each end. Also	\$15.00	30%	\$10.50
	Kramers C-MDMA/MGMA cable is designed to connect laptop computers to video		30 70	ψ10.50
	conference systems that have a DVI input. It adapts the analog pins of DVI-A to a			
C-MDMA/MGMA-15	15-pin HD connector and includes an unbalanced audio cable with 3.5mm mini			
	jacks at each end. Also	\$27.00	30%	\$18.90
	Kramers C-MDMA/MGMA cable is designed to connect laptop computers to video		30%	\$10.9U
C-MDMA/MGMA-25	conference systems that have a DVI input. It adapts the analog pins of DVI-A to a			
	15-pin HD connector and includes an unbalanced audio cable with 3.5mm mini	007.00	000/	<b>#05.00</b>
	jacks at each end. Also	\$37.00	30%	\$25.90
	Kramers C-MDMA/MGMA cable is designed to connect laptop computers to video			
C-MDMA/MGMA-35	conference systems that have a DVI input. It adapts the analog pins of DVI-A to a			
	15-pin HD connector and includes an unbalanced audio cable with 3.5mm mini			
	jacks at each end. Also	\$44.00	30%	\$30.80

	Kramers C-DPM/HM is perfect for connecting a DisplayPort source directly to an HDMI monitor or display. The male-to-male configuration eliminates the extra			
97-0601003	cable connection required by adapters with a male-to-female configuration. This			
	simplifies the syst	\$21.00	30%	\$14.70
	Kramers C-DPM/HM is perfect for connecting a DisplayPort source directly to an	φ21.00	30 %	φ14.7U
	HDMI monitor or display. The male-to-male configuration eliminates the extra			
97-0601006	cable connection required by adapters with a male-to-female configuration. This			
	simplifies the syst	\$23.00	30%	\$16.10
	Kramers C-DPM/HM is perfect for connecting a DisplayPort source directly to an	φ23.00	30 %	φ10.10
	HDMI monitor or display. The male-to-male configuration eliminates the extra			
97-0601010	cable connection required by adapters with a male-to-female configuration. This			
	simplifies the syst	\$27.00	30%	\$18.90
	Kramers C-DPM/HM is perfect for connecting a DisplayPort source directly to an	<b>\$27.00</b>	30%	ф10.90
1	HDMI monitor or display. The male-to-male configuration eliminates the extra			
97-0601015	cable connection required by adapters with a male-to-female configuration. This			
		<b>#24.00</b>	200/	<b>#04.70</b>
	simplifies the syst	\$31.00	30%	\$21.70
	TBUS power sockets are available in single and dual, country-specific modules.			
TS-2US	Modules are available with AC power sockets and /or USB charging sockets.			
	NOTE: The Universal power socket is fully compatible with power plugs in the UK		000/	<b>400 50</b>
	India, Italy and Denm	\$55.00	30%	\$38.50
	The TBUS-1Axl is the enclosure fo a new modular system with a tilt-up lid. A			
80-000099	complete TBUS system requires the enclosure, and inner frame, a power socket,		/	
	inserts and a power cord.	\$205.00	30%	\$143.50
DVI-IN4-F32	4x4 to 32x32 Modular Multi Format Digital Matrix Switcher	\$1,395.00	30%	\$976.50
DVI-OUT4-F32	4x4 to 32x32 Modular Multi Format Digital Matrix Switcher	\$720.00	30%	\$504.00
	The RC-20TB is a two-button remote contact closure switcher. The wall plate			
RC-20TB	insert can be used with the VP-81SIDN step-in switcher or any other Kramer			
	product with momentary contact closure control.	\$62.00	30%	\$43.40
	DGKat-OUT4-F32 is a four-channel HDMI and RS-232 over DGKat twisted pair			
DGKAT-OUT4-F32	output card for the VS-3232 Series Modular Multi-Format Digital Matrix Switchers.			
	The DGKat-OUT4-F32 outputs four HDMI and RS-232 signals from the chassis.	\$1,195.00	30%	\$836.50
ADC-MDP/DF	Mini DisplayPort (M) to DVI-D (F) Adapter Cable.	\$17.00	30%	\$11.90
99-92200003	Mini DisplayPort (M) to 15-pin HD (F) Adapter Cable.	\$30.00	30%	\$21.00
	The UTBUS-1xl is the enclosure of a new modular system. A complete UTBUS			
UTBUS-1XL	system requires the enclosure, a power socket, inserts and a power cord. NOTE:			
UIBUS-IAL	The UTBUS enclosure, power socket, power cord & inserts are purchased			
	separately.	\$60.00	30%	\$42.00
	The VM-114H is a PoC switcher/distribution amplifier for HDMI and DGKat			
VM-114H	twisted pair signals. It reclocks and equalizes one of two selectable input signals			
	and distributes it to four identical HDMI outputs.	\$530.00	30%	\$371.00
	The RC-10TB is a remote one-button contact closure switch, ideal for remote			
RC-10TB	control in boardrooms conference rooms. It can be use with the SID-X1N step-in			
	commander or any other Kramer product with contact closure control.	\$65.00	30%	\$45.50

	The KDS-MP1 is a high quality LAN-based digital signage media player. The KDS			
KDS-MP1	MP1 receives content streamed from the Network, saved in its internal memory or			
INDO IVII I	from an external USB memory stick and shows it with up to 1080p HD image			
	quality on a display (vi	\$895.00	30%	\$626.50
	The WP-571 is a PoC DGKat wall plate transmitter for HDMI signals. The WP-			
WP-571	571 converts an HDMI signal to a DGKat twisted pair signal that it transmits to a			
	WP-572.	\$217.00	30%	\$151.90
	The WP-572 is a PoC DGKat twisted pair receiver for HDMI signals. The WP-571			
WP-572	converts an HDMI signal to a single twisted pair signal and the WP-572 converts			
	the twisted pair signal back to an HDMI signal.	\$234.00	30%	\$163.80
	Kramers C-HM/HM/A-C is a high speed, high-performance HDMI with Ethernet to			
C-HM/HM/A-C-3	mini HDMI cable with molded HDMI connectors at both ends. It supports			
	resolutions up to 4K@60Hz (4:4:4) and multi-channel audio in a single cable.	\$12.00	30%	\$8.40
	Kramers C-HM/HM/A-C is a high speed, high-performance HDMI with Ethernet to			
97-01115006	mini HDMI cable with molded HDMI connectors at both ends. It supports			
	resolutions up to 4K@60Hz (4:4:4) and multi-channel audio in a single cable.	\$16.00	30%	\$11.20
	Kramers C-HM/HM/A-C is a high speed, high-performance HDMI with Ethernet to			
97-01115010	mini HDMI cable with molded HDMI connectors at both ends. It supports			
	resolutions up to 4K@60Hz (4:4:4) and multi-channel audio in a single cable.	\$24.00	30%	\$16.80
	Kramers C-HM/HM/A-D is a high speed, high-performance HDMI with Ethernet			
	cable that has a molded HDMI connector at one end and micro connectror at the			
C-HM/HM/A-D-6	other. It supports resolutions up to 4K@60Hz (4:4:4) and multi-channel audio in a			
	single cable.	\$18.00	30%	\$12.60
97-16010003	Mini DisplayPort (M) to HDMI (M) Cable.	\$20.00	30%	\$14.00
97-16010006	Mini DisplayPort (M) to HDMI (M) Cable.	\$22.00	30%	\$15.40
	The VP-28 is a high-quality presentation switcher designed for a wide variety of			
\/D 00	presentation and multimedia applications. The VP-28 combines the functions of a			
VP-28	3x1 switcher for composite video and audio, a 3x1 switcher for HDMI and audio, a			
	3x1 switcher	\$2,263.00	30%	\$1,584.10
	The TP-46N is a twisted pair receiver for component video (YUV) or computer			. ,
TD 4001	graphics video and unbalanced stereo audio or S/PDIF audio signals. The TP-45			
TP-46N	transmitter converts an audio and video signal to a twisted pair signal and the TP-			
	46N converts the t	\$491.00	30%	\$343.70
	The RTBUS-11 is a round, furniture-mounted, connection bus that is easily			*
RTBUS-11	installed in a table or podium top. The unit connects AV equipment to the rooms			
	presentation system.	\$241.00	30%	\$168.70
W-2BLANK	Wall Plate Insert Double Blank Slot	\$7.00	30%	\$4.90
VV-ZDLAINI\	The T1AF inner frame comes in six different configurations that can hold single or		0070	ψσσ
	The state and the state of the		/	<b>#</b> F0.00
80-000499	double power sockets, single or double inserts, long inserts and Kramer Tools	\$76.00	30%	\$53.201
	double power sockets, single or double inserts, long inserts and Kramer Tools.  AC power cords for modular TBUS units in a variety of styles.	\$76.00 \$8.00	30% 30%	\$53.20 \$5.60
	AC power cords for modular TBUS units in a variety of styles.	\$76.00 \$8.00	30%	\$53.20 \$5.60
80-000499 91-000399 70-42500090				

CP-DGK6/DGK6-150	Four Pair STP Data (Shielded Twisted Pair) Plenum Cable (23AWG)	\$233.00	30%	\$163.10
CP-DGK6/DGK6-15	RJ-45 (M) to RJ-45 (M) Plenum Rated DGKat Shielded Twisted Pair Cable for Digital Signals	\$56.00	30%	\$39.20
	RJ-45 (M) to RJ-45 (M) Plenum Rated DGKat Shielded Twisted Pair Cable for	φ30.00	30%	φ39.20
CP-DGK6/DGK6-25	Digital Signals	\$70.00	30%	\$49.00
OD DOVO/DOVO 405	RJ-45 (M) to RJ-45 (M) Plenum Rated DGKat Shielded Twisted Pair Cable for			
CP-DGK6/DGK6-125	Digital Signals	\$200.00	30%	\$140.00
CP-DGK6/DGK6-200	RJ-45 (M) to RJ-45 (M) Plenum Rated DGKat Shielded Twisted Pair Cable for			
CP-DGK6/DGK6-200	Digital Signals	\$299.00	30%	\$209.30
VM-8H-NV	1:8 HDMI Distribution Amplifier	\$967.00	30%	\$676.90
	The 717 and 718 are a twisted pair (TP) transmitter and receiver for composite			
747	video and unbalanced stereo audio signals. The 717 transmitter converts			
717	composite video and stereo audio into a twisted pair signal and the 718 receiver			
	converts the twisted pa	\$345.00	30%	\$241.50
	The 717 and 718 are a twisted pair (TP) transmitter and receiver for composite			
740.40	video and unbalanced stereo audio signals. The 717 transmitter converts			
718-10	composite video and stereo audio into a twisted pair signal and the 718 receiver			
	converts the twisted pa	\$620.00	30%	\$434.00
	The 717 and 718 are a twisted pair (TP) transmitter and receiver for composite			
740.45	video and unbalanced stereo audio signals. The 717 transmitter converts			
718-15	composite video and stereo audio into a twisted pair signal and the 718 receiver			
	converts the twisted pa	\$670.00	30%	\$469.00
	The PT-101DP si a repeater for DIsplayPort video signals. The unit reclocks and			
DT 404DD	equalizes the signal enabling multiple units to be cascaded and can extend the			
PT-101DP	length of a DisplayPort line up to 35 meters (115ft) at resolutions of UXGA/1080p			
	using Kramer c	\$320.00	30%	\$224.00
	The VP-501N is a scan converter for computer graphics and HDTV component			
VP-501N	video signals. It converts the input up to UXGA (1600x1200) and HDTV (1080p)			
	to composite and s-Video (Y/C) signals simultaneously in either PAL or NTSC	\$695.00	30%	\$486.50
	The VP-506 is a high-quality scan converter for down-scaling DVI, computer			
VP-506	graphics (VGA) and component video (YPbPr) to PAL or NTSC video. It supports			
	VGA up to UXGA, as well as component resolutions up to 1080p.	\$655.00	30%	\$458.50
	Kramers CP-HM/HM/ETH plenum rated cable is a high-performance cable with		ĺ	
97-91213035	molded HDMI connectors at both ends. HDMI standard supports high-definition			
	video plus multi-channel audio in a single cable.	\$155.00	30%	\$108.50
	The DS Vision Digital family is an HDBaseT distribution system for HDMI and		ĺ	
D0)/D D	DisplayPort signals up to 1080p @60, bidirectional RS-232 and Ethernet. The			
DSVD-R	system can distribute the input signals over a single CATx cable from one source			
	to multiple display d	\$225.00	30%	\$157.50
AVDS-RP	Minicom AVDS CAT5 Audio Video Display Power Remote (0VS22036)	\$150.00	30%	\$105.00

	TBUS-3xl is the enclosure of a new modular system with a tilt-up lid. A complete			
TBUS-3XL	TBUS system requires the enclosure, an inner frame, a power socket, inserts and			
1000 0/12	a power cord. NOTE: The TBUS enclosure, power socket, power cord & inserts			
	are purchased separ	\$175.00	30%	\$122.50
T3F-13	The T3F inner frame comes in three different configurations that can hold a single			
101 10	power socket, single or double inserts or fixed cable pass-throughs.	\$70.00	30%	\$49.00
	TBUS power sockets are available in single and dual, country-specific modules.			
80-000999	Modules are available with AC power sockets and /or USB charging sockets.			
00-000333	NOTE: The Universal power socket is fully compatible with power plugs in the UK			
	India, Italy and Denm	\$40.00	30%	\$28.00
VDS-R	0VS23004A: Minicom VDS CAT5 Video Display Remote	\$105.00	30%	\$73.50
FC-340	The FC-340 SDI Scaler/Embedder/Scan Converter is ideal as a broadcast-quality			
1 C-340	video scaler and audio embedder/de-embedder for digital signals up to 3G HD-	\$1,795.00	30%	\$1,256.50
	Kramers TBUS-201xl provides an extremely simple, affordable and elegant single	-		
91-000031	push pop-up multi-connection boardroom solution. By pressing down gently on			
91-000031	the lid, the unit opens and closes pneumatically. TBUS-201xl is fast and easy to			
	install and flexibl	\$235.00	30%	\$164.50
TP-125XL	The TP-125xl is an extended range twisted pair transmitter for computer graphics			
	video, unbalanced stereo audio and bidirectional RS-232 control command			
	signals. It converts the input signals to a twisted pair signal and transmits them			
	over CAT 5 cable to	\$460.00	30%	\$322.00
	The TP-126xl is an extended range twisted pair receiver for computer graphics			
TD 400VI	video, unbalanced stereo audio and bidirectional RS-232 control command			
TP-126XL	signals. The unit receives a twisted pair signal from the TP-125xl that it converts			
	to computer graphics	\$462.00	30%	\$323.40
	The VP-770 is a high-performance presentation switcher and scaler for composite			
l. (D. 330	video, componet video, DisplayPort, computer graphics video, and HDMI signals.			
VP-770	It scales the video, embeds the audio and outputs the signal to HDMI, computer			
	graphics and DGKa	\$2,600.00	30%	\$1,820.00
	The VS-84HN is a high quality 8x4 matrix switcher for HDMI signals. It reclocks			
VS-84HN	and equalizes the signal and can route any input to any or all outputs	\$3,295.00	30%	\$2,306.50
	The TP-576 is a twisted pair line driver for HDMI, bidirectional RS-232 and			
	infrared signals. The TP-576 receives an HDMI signal either from a local HDMI			
TP-576	source or from a transmitter ( for example, the Kramer TP-573) via the LINE IN			
	RJ-45 connector. The T	\$795.00	30%	\$556.50
	The KDS-EN1 HD Video Encoder/ Streamer is ideal as a broadcast quality video	<b>4.00.00</b>		ψοσο.σο
_	scaler and audio embedder/ de-embedder for digital signals up to 3G HD-SDI,			
KDS-EN1	composite and component video signals, HDMI and balanced audio signals,			
	which are output as an IP stre	\$4,725.00	30%	\$3,307.50
	616T and 616R are detachable dual-link DVI over MM fiber ultra-reach transmitter		0070	\$5,557.50
	and receiver pair. They transmit uncompressed resolutions of up to 1080p@60			
616R/T	over dual-link DVI to a range of up to 500 meters (1640feet). They use duplex			
	multimode fiber opti	\$2,195.00	30%	\$1,536.50
	Indianode not opti	ψ2, 130.00	JU /0	ψ1,000.00

T-RC-76	TBUS Mounting Bracket to install RC-8IR, RC-76R & RC-78R controllers in TBUS			
1-10-70	inner frames with a dual-power socket opening.	\$42.00	30%	\$29.40
T-RC-78	TBUS Mounting Bracket to install RC-8IR, RC-76R & RC-78R controllers in TBUS			
1-10-70	inner frames with a dual-power socket opening.	\$42.00	30%	\$29.40
T-RC-8IR	TBUS Mounting Bracket to install RC-8IR, RC-76R & RC-78R controllers in TBUS			
1-IXC-OIIX	inner frames with a dual-power socket opening.	\$42.00	30%	\$29.40
	TP-580T is a high-performance, long-reach HDBaseT transmitter for 4K60Hz			
50-80021090	(4:2:0) HDMI, RS-232 and IR signals over twisted pair. TP-580T converts all input			
30-00021090	signals into the transmitted HDBaseT signal. It extends video signals to up to 40m	ا		
	(130ft) over CAT	\$285.00	30%	\$199.50
WP-580R	Active Wall Plate HDMI over HDBaseT Twisted Pair Receiver	\$290.00	30%	\$203.00
	TP-580Rxr is a high-performance, extended-reach HDBaseT receiver for			
E0 90022100	4K@60Hz (4:2:0) HDMI, RS-232 and IR signals over twisted pair. It extends			
50-80022190	video signals to up to 100m (330ft) over CAT copper cables at up to 4K@60Hz			
	(4:2:0) 24bpp video resoltuion and p	\$425.00	30%	\$297.50
F0 00004400	TP-580Txr is a high-performance, extended-reach HDBaseT transmitter for			
50-80021190	4K60Hz (4:2:0) HDMI, RS-232 and IR signals over twisted pair.	\$425.00	30%	\$297.50
	The RC-54DL is a 3 gang US, auxiliary room controller that acts as an all-in-one			
RC-54DL	extended remote control panel for remotely controlling room controllers (for			
	example, the Kramer RC-74DL) in classrooms, boardrooms or auditoriums.	\$525.00	30%	\$367.50
	The VP-793 is a high-performance scaler for HDMI, DVI and computer graphics			
VD 700	signals developed specifically for driving large screen displays and multiple			
VP-793	screen applications from video or graphics sources. It up-or down-scales the			
	incoming signal, process	\$5,395.00	30%	\$3,776.50
	VP-794 is a very flexible image scaler developed specifically for driving large			
VP-794	screen displays such as Projectors and LED videowalls in multiple screen			
	applications from video or graphics sources.	\$9,391.00	30%	\$6,573.70
	The VP-792 is a high-performance scaled for HDMI, DVI, analog VGA and			
VD 700	component signals. It up-or down-scales the incoming signal, processes the			
VP-792	image with HQV, flexible warping, geopmetry correction and edge blending and			
	outputs the signal to a DVI/HDMI	\$3,667.00	30%	\$2,566.90
	Kramers CP-HM/HM/ETH plenum rated cable is a high-performance cable with			
97-91213050	molded HDMI connectors at both ends. HDMI standard supports high-definition			
	video plus multi-channel audio in a single cable.	\$215.00	30%	\$150.50
	Kramers CP-HM/HM/ETH plenum rated cable is a high-performance cable with			
97-91213025	molded HDMI connectors at both ends. HDMI standard supports high-definition			
	video plus multi-channel audio in a single cable.	\$125.00	30%	\$87.50
	Kramers CP-HM/HM/ETH plenum rated cable is a high-performance cable with			
97-91213015	molded HDMI connectors at both ends. HDMI standard supports high-definition			
	video plus multi-channel audio in a single cable.	\$75.00	30%	\$52.50
	The T4F inner frame comes in two different configurations that can hold a single			
T4F-23	power socket, single or double inserts and standard fixed connectors.	\$81.00	30%	\$56.70

T4F-2S	The T4F inner frame comes in two different configurations that can hold a single			
145-25	power socket, single or double inserts and standard fixed connectors.	\$76.00	30%	\$53.20
	The TBUS-6xl is the enclosure of a new modular system with a tilt-up lid. A			
TBUS-6XL	complete TBUS sytem requires th enclosure, an inner frame, a power socket,			
	inserts and a power cord.	\$241.00	30%	\$168.70
T6F-03M	3 Insert Slots (Includes 3 Blank Inserts)1 Slot for a Kramer MegaTOOL (80-	\$60.00	30%	\$42.00
	The 602T and 602R are a small and lightweight fiber optic transmitter and			
602R/T	receiver pair for DVI signals. The 602T converts electrical signals to optical			
	signals and the 602R decodes the optical signals back to electrical signals.	\$850.00	30%	\$595.00
	The VP-771 is a high-quality presentation switcher and scaler for a variety of			
\/D 774	signals. It accepts one of nine inputs: componet video, DisplayPort (DP), 3G HD-			
VP-771	SDI, two computer graphics, two composite video and two HDMI signals. It scales			
	the video, embed	\$3,565.00	30%	\$2,495.50
99-9695030	DisplayPort (M) to 15-pin HD (F) Adapter Cable.	\$25.00	30%	\$17.50
99-9692030	DisplayPort (M) to 15-pin HD (F) Adapter Cable.	\$35.00	30%	\$24.50
	Kramers C-A35M/2RAM is a simple adapter which has a stereo 3.5mm connector			
O A05N4/0DAN4 40	at one end, and two male RCA connectors at the other. It provides passive			
C-A35M/2RAM-12	conversion between 3.5mm and dual RCA connectors, most often adapting a PC			
	sound card or MP3 player to the	\$8.00	30%	\$5.60
CC-BNC-179	BNC Compression Connector for RG-6 Coax Cable	\$5.00	30%	\$3.50
CC-BNC-R59	Right Angle BNC Compression Connector for RG-59 Coax Cable	\$7.00	30%	\$4.90
CC-BNC-R6	Right Angle BNC Compression Connector for RG-6 Coax Cable	\$7.00	30%	\$4.90
CC-F6	F Compression Connector for RG-6 Coax Cable/must order in quantities of 10		30%	#VALUE!
CC-RCA-R179	Right Angle RCA Compression Connector for 26-26 AWG Coax Cable	\$6.00	30%	\$4.20
CC-RCA-R59	RCA Compression Connector for RG-59 Coax Cable	\$5.00	30%	\$3.50
CC-RCA-R6	Right Angle RCA Compression Connector for RG-6 Coax Cable	\$5.00	30%	\$3.50
C-DGK6/DGK6-15	RJ-45 (M) to RJ-45(M) Four Pair U/FTP Data Cable 23 AWG	\$16.00	30%	\$11.20
C-GM/3RVF-1	15-pin HD (M) to 3 RCA (F) Breakout Cable	\$7.00	30%	\$4.90
	Kramers C-GM/xl cable offers the highest possible performance and a new			
0.014/2/1.400	configuration designed to give installers and users a new level of convenience			
C-GM/XL-100	and aesthetics. It is ideal for any application requiring no-compromise quality and			
	performance in a VGA		30%	#VALUE!
	Kramers C-GM/xl cable offers the highest possible performance and a new			
10 OM/VI 450	configuration designed to give installers and users a new level of convenience			
C-GM/XL-150	and aesthetics. It is ideal for any application requiring no-compromise quality and			
	performance in a VGA	\$132.00	30%	\$92.40
	Kramers C-HM/DM is a high-performance cable with an HDMI connector at one			
C-HM/DM-0.5	end and a DVI connector at the other. It is designed to connect between digital			
	video sources and displays and recorders that dont have both DVI and HDMI	\$13.00	30%	\$9.10
	Kramers C-MHMA/MHMA is a flexible high-speed HDMI cable with Ethernet and			
	3.5mm stereo audio. It is a high-performance cable with molded HDMI connectors			
C-MHMA/MHMA-10	<b>5</b> 1		1	
C-MHMA/MHMA-10	at both ends that supports signals up to 1920x1200 @60Hz and HDMI Ethernet			

	Kramers C-MHMA/MHMA is a flexible high-speed HDMI cable with Ethernet and			
	3.5mm stereo audio. It is a high-performance cable with molded HDMI connectors			
C-MHMA/MHMA-15	at both ends that supports signals up to 1920x1200 @60Hz and HDMI Ethernet			
	Channel, 12-bit Deep Color,	\$38.00	30%	\$26.60
	Kramers C-MHMA/MHMA is a flexible high-speed HDMI cable with Ethernet and	φ30.00	30%	\$20.00
97-0141025	3.5mm stereo audio. It is a high-performance cable with molded HDMI connectors			
	at both ends that supports signals up to 1920x1200 @60Hz and HDMI Ethernet	<b>450.00</b>	000/	<b>*</b> 05.00
	Channel, 12-bit Deep Color,	\$50.00	30%	\$35.00
	Kramers C-MHMA/MHMA is a flexible high-speed HDMI cable with Ethernet and			
C-MHMA/MHMA-3	3.5mm stereo audio. It is a high-performance cable with molded HDMI connectors			
	at both ends that supports signals up to 1920x1200 @60Hz and HDMI Ethernet			
	Channel, 12-bit Deep Color,	\$14.00	30%	\$9.80
	Kramers C-MHMA/MHMA is a flexible high-speed HDMI cable with Ethernet and			
C-MHMA/MHMA-6	3.5mm stereo audio. It is a high-performance cable with molded HDMI connectors			
C-IVITIVIA/IVITIVIA-0	at both ends that supports signals up to 1920x1200 @60Hz and HDMI Ethernet			
	Channel, 12-bit Deep Color,	\$21.00	30%	\$14.70
	The TBUS-4xl is the enclosure of a new modular system with a tilt-up lid. A			
TBUS-4XL	complete TBUS system requires the enclosure, an inner frame, a power socket,			
	inserts and a power cord. NOTE: The TBUS enclosure, power socket, power cord			
	& inserts are purchased s	\$270.00	30%	\$189.00
T-2INSERT	A bracket for installing two inserts in a power socket opening.	\$45.00	30%	\$31.50
	The T10F inner framer comes in two different configurations: one with one dual			
T40F 00M	and one single power sockets, two blank inserts and one cable pass-through			
T10F-22M	(T10F-33), and one with two single power sockets, one blank insert, one cable			
	pass-through and a slot	\$76.00	30%	\$53.20
	The FC-21ETH is an Ethernet control gateway, capable of plug and play			·
	deployment over customer Ethernet LAN for remote control or customer			
FC-21ETH	controlled devices via bidirectional RS-232 or RS-485 serial control connections.			
	Multiple control clients can be IP	\$265.00	30%	\$185.50
	The FC-22ETH is an Ethernet control gateway, capable of plug and play	7-2272		*
	deployment over cutomer Ethernet LAN for remote control customer controlled			
FC-22ETH	devices via bidirectional RS-232 or RS-485 serial control connections. Multiple			
	control clients can be IP-con	\$395.00	30%	\$276.50
	PT-1C is a 4K HDR EDID processor. It allows you to lock EDID signals and to	Ψ000.00	0070	Ψ270.00
60-80223099	support or not support HDCP, multi-channel audio or deep color signals that may			
00 00220000	or may not be compatible with the display.	\$180.00	30%	\$126.00
VA-101P12	5 Output 12V DC Power Supply	\$495.00	30%	\$346.50
VA-1011 12 VA-101P5	5 Output 5V DC Power Supply	\$495.00	30%	\$346.50
VA-101FJ	The VA-102P12 is a 10-output power supply that powers 12V DC powered	ψ+30.00	30 %	φυ40.00
	devices. The VA-101P12 can supply a maximum of 1A of current to each of ten			
VA-102P12	devices. The VA-101P12 can supply a maximum of 1A of current to each of ten devices for a total of 10A. The power supply is especially useful in high-population			
			200/	<b>¢</b> E07 50
	installations for saving	\$725.00	30%	\$507.50

	The VA-102P5 is a 10-output power supply that powers 5v DC powered devices.			1
	The VA-102P5 can supply a maximum of 1.8A of current to each of ten devices			
VA-102P5	for a total of 18A. The power supply is especially useful in high-population			
	installations for saving s	\$713.00	30%	\$499.10
	The VA-102P512 is a 10-output powre supply used for powering 5V DC and 12V	ψ1 10.00	0070	Ψ100.10
	DC powered devices. The VA-102P512 can supply 5V DC to five devices (at 1.8A	Δ		
/A-102P512	max./device for a total of 9A) and 12V DC to five devices (at 1A max./device for a			
	total of 5A). The po	\$713.00	30%	\$499.10
	The SID-X1N is a DGKat twisted pair transmitter and step-in commander for	ψ. 10.00	3070	Ψ100.10
SID-X1N	computer graphics video, HDMI, DVI, DisplayPort and unbalanced stereo audio			
ID-X III	signals.	\$795.00	30%	\$556.50
	The PT-110xl is an extended range UXGA line transmitter that receives a UXGA	ψ1 00.00	0070	φοσο.σσ
PT-110XL	signal and transmits it over a CAT 5/6 to the PT-120xl or TP-120 receiver.	\$295.00	30%	\$206.50
	The T6F inner frame come in three different configurations: two power sockets	Ψ230.00	0070	Ψ200.00
T6F-23	and four pairs of pre-built interfaces, two power sockets and three blank inserts,			
101-23	and three inserts and one MegaTool slot.	\$76.00	30%	\$53.20
	The VM-2DH is a converter for DisplaPort signals. The unit inputs a DisplayPort	ψ10.00	30 70	ψ00.20
VM-2DH	signal that it converts to HDMI and DVI outputs.	\$645.00	30%	\$451.50
C-EODDM/EODDN	M-16 DisplayPort (M) to DisplayPort (M) Hybrid Multi-Mode Fiber Cable 164 ft.	\$939.00	30%	\$657.30
C-I ODEIVITI ODEIV	The TP-121xl is a high-performance twisted pair transmitter for computer graphic		30 /0	φυστ.συ
TP-121XL	video and unbalanced stereo audio signals. It converts the input signals to a			
IF-IZIAL	twisted pair signal and transmits them over CAT 5 cable to a compatible receiver.	\$355.00	30%	\$248.50
	The TP-122xl is a high-performance twisted pair receiver for computer graphics	φ333.00	30 /0	Ψ240.30
TP-122XL	video and unbalanced stereo audio signals. It converts the twisted pair input			
IF-IZZAL	signal to WUXGA video, unbalanced stereo and S/PDIF audio signals.	\$325.00	30%	\$227.50
	The 670T converts the HDMI signal to an optical signal, and the 670RN converts	\$323.00	30 70	φ <u>Ζ</u> Ζ1.50
670RN	the optical signal back into an HDMI signal. Together, the 670T and 670RN form			
0/URIN		¢4 405 00	200/	¢4 046 50
	an HDMI transmitter/receiver over multimode fiber system.  The RC-43T is a remote control keypad with six touch-sensitive, backlit buttons. I	\$1,495.00	30%	\$1,046.50
		L		
RC-43T	is designed to be used in conjunction with room controllers, such as the SL-1.			
	Using the Kramer K-Config software, each button on the RC-43T can be	****	000/	044040
\/A 4110D D	programmed on the room	\$203.00	30%	\$142.10
VA-1USB-R	USB Twisted Pair Receiver	\$395.00	30%	\$276.50
	The VA-1USB-T and VA-1USB-R are a high-performance, TP (Twisted Pair)			
VA-1USB-T	transmitter and receiver for communicating USB, bidirectional RS-232 data and			
	unidirectional IR signals over extended distances using CAT 5/6 cable. The VA-			
	1USB-T encodes USB signals an	\$395.00	30%	\$276.50
	The VP-470 is a high-performance digital scaler for 3G HD-SDI signals. It up-or			
VP-470	down- scales the incoming SDI signal to resolutions up to 1080p and routes it to			
	two identical SDI outputs.	\$995.00	30%	\$696.50
W-2UC	Dual USB Charger insert.	\$135.00	30%	\$94.50

	The SPK-C800-PRO is an innovative, patent pending Kramer Complete K-			
SPK-C814	overage ESD ceiling speaker. It is the only speaker in the industry with built-in			
	stereo separation. Constructed with a central driver and four pivoting tweeters in			
	a sealed enclosure, th	\$125.00	30%	\$87.50
	SPK-C800-EDU is an innovative, patent pending Kramer Complete K-overage			
SPK-816	ESD ceiling speaker. It is the only speaker in the industry with built-in stereo			
31 K-0 10	separation. Constructed with a central driver and four pivoting tweeters in a			
	sealed enclosure, the Kr	\$395.00	30%	\$276.50
	The Kramer 914 is a high performance power amplifier that accepts a balanced			
914	stereo audio input on a 5-pin terminal block and converts the signal into a			
	differential stereo audio output for speakers on a 4-pin terminal block.	\$715.00	30%	\$500.50
	PT-580T is a compact high-performance, long-reach HDBaseT transmitter for			
E0 00004000	4K60Hz (4:2:0) HDMI signal over twisted pair. PT-580T converts the input signal			
50-80231090	into the transmitted HDBaseT Signal. It extends vdieo signals to up to 40m(130ft)			
	over CAT copper cab	\$265.00	30%	\$185.50
14/5 ===1///	Active Wall Plate - HDMI & XGA with Bidirectional RS-232 and Stereo DGKat			<u> </u>
WP-577VH	Twisted Pair Transmitter	\$810.00	30%	\$567.00
	Kramers TBUS-202xl provides an extremely simple, affordable and elegant single-			·
TBUS-202XL	push dual pop-up multi-connection boardroom solution. By pressing down gently			
	on the lid, the unit opens and closes pneumatically. TBUS-202xl is fast and easy			
	to install and fl	\$323.00	30%	\$226.10
C-HM/HM/FLAT-KRTL	HDMI(M) to HDMI(M) Flat Cable with Ethernet- 3.3 inch-Retrail Packaging	\$16.00	30%	\$11.20
	HDMI(M) to HDMI(M) Flat Cable with Ethernet- 6.6INCH-Retrail Packaging	\$24.00	30%	\$16.80
	HDMI(M) to HDMI(M) Flat Cable with Ethernet- 10INCH-Retrail Packaging	\$29.00	30%	\$20.30
		\$34.00	30%	\$23.80
C-HM/HM/FLAT-KRTL	HDMI(M) to HDMI(M) Flat Cable with Ethernet-23INCH-Retrail Packaging	\$52.00	30%	\$36.40
	The PT-120xl is an extended range twisted pair receiver for computer graphics	70-100		700:10
PT-120XL	video signals. It converts a twisted pair signal from a WP-110 transmitter (or other			
1 120/12	compatible Kramer transmitter) to a computer graphics signal.	\$265.00	30%	\$185.50
	The Galil 4-C Closed-back Compact Ceiling Speaker features a multi-tap power	<del>+</del> 200.00	0075	<b>V</b> .00.00
	transformer for selecting 80hms (bypassing the transformer) or 70V/100V power			
GALIL 4-C(W)	settings that are suitable for an array installation. The Galil 4-CO open-back			
	version is also avail	\$225.00	30%	\$157.50
	The Galil 4-O On-wall Compact Speaker features a multi-tap power transformer	Ψ220.00	0070	Ψ107.00
GALIL 4-O(W)	for selecting 80hms (bypassing the transformer) or 70V/100V power settings that			
Of IEIE + O(VV)	are suitable for an array installation. Available in white or black.	\$99.00	30%	\$69.30
	The Galil 5-O includes a pair of high performance on-wall speakers that can be	ψ33.00	30 70	ψ03.00
	mounted on the wall either vertically or horizontally. The mounting brackets, made			
GALIL 5-O(W)	of painted steel, can be attached to each speaker, letting you rotate each speaker			
	to the lef	\$195.00	30%	\$136.50
	The Galil 6-C (formerly SPK C612) Closed-back Ceiling Speaker features a multi-	φ195.00	30%	φ130.50
CALIL 6 C(\A()				
GALIL 6-C(W)	tap power transformer for selecting 8ohms(bypassing the transformer) or	¢050.00	200/	Φ47F 00
	70V/100V power settings that are suitable for an array installation.	\$250.00	30%	\$175.00

	The Galil 6-CO is a pair of two-way open-back 8ohms speakers designed for	1		
	mounting in the ceiling. The speakers feature a multi-tap power transformer for			
GALIL 6-CO(W)	selecting direct 8ohms (bypassing the transformer) or 70V/100V power settings			
	suitable for array inst	\$150.00	30%	\$105.00
	The Galil 6-O on-wall speaker features a multi-tap power transformer for selecting			<b>*</b> 100100
GALIL 6-O(W)	8ohms (bypassing the transformer) or 70V/100V power settings, which are			
TELE O O(VV)	suitable for an array installation. Available in white or black.	\$295.00	30%	\$206.50
	The Galil 6-O on-wall speaker features a multi-tap power transformer for selecting			,
GALIL 6-O(B)	8ohms (bypassing the transformer) or 70V/100V power settings, which are			
( )	suitable for an array installation. Available in white or black.	\$295.00	30%	\$206.50
	The Galil 8-C Closed-back Ceiling Speaker features a mult-tap power transformer			·
GALIL 8-C(W)	for selecting 80hms (bypassing the transformer) or 70V/100V power settings that			
,	are suitable for an array installation.	\$395.00	30%	\$276.50
	The Yarden 4-C Closed-back Ceiling Speaker consists of a pair of high			
VADDEN 4 C (M)	performance closed back speakers. Mount your Yarden 4-C speakers to the			
YARDEN 4-C (W)	ceiling in one of two ways; either directly onto the ceiling or, for added protection,			
	secure the speakers safely	\$350.00	30%	\$245.00
	The Yarden 4-O includes a pair of high performance on-wall speakers that can be			
60 000064	mounted on the wall either vertically or horizontally. The mounting brackets, made			
60-000064	of painted steel, can be attached to each speaker, letting you rotate each speaker			
	from side	\$150.00	30%	\$105.00
	The Yarden 5-O includes a pair of high-peformance indoor on-wall speakers that			
60-000065	can be mounted on the wall either veritcally or horizontally. The mounting			
00-00000	brackets, made of painted steel, can be attached to each speaker, letting you			
	rotate each speaker fro	\$300.00	30%	\$210.00
	The Yarden 6-C consits of a pair of high performance closed back speaker. They			
YARDEN 6-C (W)	feature a multi-tap power transformer for selecting 8ohms (bypassing the			
	transformer) or 70V/100V power settings that are suitale for an array installation.	\$450.00	30%	\$315.00
	The Yarden 6-CH consists of a pair of high performance closed back speakers			
YARDEN 6-CH (W)	with Kevlar high power drivers that create a horn effect, provide a high sound			
	pressure level (SPL) and can achieve increased power efficiency and high quality	\$570.00	30%	\$399.00
	The Yarden 6-ID is a high-performance in-wall speaker that features: A			
YARDEN 6-ID(W)	Mono/Stereo selector switch, A Music/Speech selector switch to toggle between			
	Music mode (full range) to Speech mode ( cuts low frequencies and clears up			
	speech frequencies to enhance	\$285.00	30%	\$199.50
	The Yarden 6-O High Performance On-wall Speaker features a Kevlar woofer,			
60-000063	2nd level cross-over design and multi-tap power transformer for selecting 8(ohms)			
00 000000	(bypassing the transformer) or 70V/100V power settings that are suitable for an			
	array installation	\$415.00	30%	\$290.50
	The Yarden 6-OD is a high performance on-wall speaker that can be mounted on			
YARDEN 6-OD (W)	the wall vertically or horizontally. The mounting bracket is made of painted steel			
	that can be attached to the speaker, letting you rotate it to the left or right.	\$242.00	30%	\$169.40

	The Yarden 8-C consists of a pair of high performance closed back speakers.			1
	Mount your Yarden 8-C speakers to the ceiling in one of two ways: either directly			
YARDEN 8-C (W)	onto the ceiling or for added protection, secure the speakers safely, using our			
		\$550.00	200/	#20E 00
	ceiling mounting  The Yarden 8-CH consists of a pair of high performance closed back speakers	φ000.00	30%	\$385.00
YARDEN 8-CH (W)	with Kevlar high power drivers that create a horn effect, provide a high sound			
,	pressure level (SPL) and can achieve increased power efficiency and high quality	<b>\$705.00</b>	000/	<b>#</b> 550.50
	sound. Mount your	\$795.00	30%	\$556.50
	The Yarden 8-T High-Performance Ceiling Tile Stereo Speaker features a Kevlar			
60-000030	woofer, four pivoting titanium tweeters, complete K-overage ESD (Equal Sound			
	Dispersion) design for almost 180 degrees of sound dispersion. It features speech		/	
		\$415.00	30%	\$290.50
	The Tavor 8-T High Performance Powered Ceiling Tile Speaker features a 40			
60-000052	watt built-in class D power amplifier, three inputs, Kevlar woofer, four pivoting			
	titanium tweeters, complete K-overage ESD (Equal Sound Dispersion) design for			
		\$595.00	30%	\$416.50
	The Tavor 5-O is a pair of 5.25-inch powered two-way speakers designed for			
60-00009010	indoor wall mounting. The active speaker accepts a line-level stereo input and			
		\$245.00	30%	
SPK-C813 (W)	Full Tile 2inx2in Ceiling Speaker - Mono Optimized for Music - White	\$135.00	30%	\$94.50
BC-CAT6A-305M	Kramers BC-CAT6a is a 4-pair U/FTP (unshielded around foiled twisted pair)			
DC-CATOA-303IVI	cable designed for IT,LAN and Ethernet installations.		30%	#VALUE!
C-HDK6/HDK6-15	RJ-45 to RJ-45 Four-Pair U/FTP Cable (23AWG) Cable optimized for HDBaseT			
C-HDRO/HDRO-13		\$14.00	30%	\$9.80
99-3450025	RJ-45 to RJ-45 Four-Pair U/FTP Cable (23AWG) Cable optimized for HDBaseT			
99-3430023		\$19.00	30%	\$13.30
C-HDK6/HDK6-75	RJ-45 to RJ-45 Four-Pair U/FTP Cable (23AWG) Cable optimized for HDBaseT			
C-00K0/00K0-73	Signals - 75	\$42.00	30%	\$29.40
C-HDK6/HDK6-125	RJ-45 to RJ-45 Four-Pair U/FTP Cable (23AWG) Cable optimized for HDBaseT			
C-HDK0/HDK0-125	Signals - 125in	\$65.00	30%	\$45.50
	Due to its design, USB cable has a normal maximum length of about 5 meters			
96-9211025	(16.4 feet), but you can get longer distances by using the CA-UAM/UAF active			
90-9211025	USB extension cable from Kramer This is a bus-powered extension cable that			
	can be used to increase the	\$55.00	30%	\$38.50
	Due to its design, USB cable has a normal maximum length of about 5 meters			
00 0044005	(16.4 feet), but you can get longer distances by using the CA-UAM/UAF active			
96-9211035	USB extension cable from Kramer This is a bus-powered extension cable that			
	can be used to increase the	\$70.00	30%	\$49.00
	Due to its design, USB cable has a normal maximum length of about 5 meters		-	
	(16.4 feet), but you can get longer distances by using the CA-UAM/UAF active			
96-9211065	USB extension cable from Kramer This is a bus-powered extension cable that			
	can be used to increase the	\$123.00	30%	\$86.10

	The Galil 4-O On-wall Compact Speaker features a multi-tap power transformer			
GALIL 4-O(B)	for selecting 80hms (bypassing the transformer) or 70V/100V power settings that			
	are suitable for an array installation. Available in white or black.	\$99.00	30%	\$69.30
	The VP-461 is a high-quality presentation switcher and scaler with PIP for			
VP-461	computer graphics, HDMI and DisplayPort signals. It scales the video, embeds			
VP-401	the audio and outputs the signal to the HDMI output, as well as to the computer			
	graphics video output t	\$1,450.00	30%	\$1,015.00
	VS-62H is a high-quality 6x2 matrix switcher for 4K@60Hz (4:2:0) HDMI signals.			
VS-62H	It reclocks and equalizes the signals and can route any input to either or both			
	outputs simultaneously. It supports resolutions up to 4K@60Hz (4:2:0) and	\$995.00	30%	\$696.50
	Kramers HDMI/DVI series are high-performance plenum cables with HDMI			
CP-HM/DM-25	connectors at one end and a DVI connector at the other. They are designed to			
CP-HIVI/DIVI-25	connecto between digital video sources and displays and recorders that dont			
	have both DVI and HDMI connectors	\$119.00	30%	\$83.30
	Kramers HDMI/DVI series are high-performance plenum cables with HDMI			
CP-HM/DM-35	connectors at one end and a DVI connector at the other. They are designed to			
CP-HIVI/DIVI-35	connecto between digital video sources and displays and recorders that dont			
	have both DVI and HDMI connectors	\$178.00	30%	\$124.60
CD HM/DM 50	Kramers HDMI/DVI series are high-performance plenum cables with HDMI			
	connectors at one end and a DVI connector at the other. They are designed to			
CP-HM/DM-50	connecto between digital video sources and displays and recorders that dont			
	have both DVI and HDMI connectors	\$238.00	30%	\$166.60
	Kramers HDMI/DVI series are high-performance plenum cables with HDMI			
CP-HM/DM-65	connectors at one end and a DVI connector at the other. They are designed to			
CP-HIVI/DIVI-03	connecto between digital video sources and displays and recorders that dont			
	have both DVI and HDMI connectors	\$308.00	30%	\$215.60
WPX-3	Passive Wall Plate - 15 - pin HD	\$61.00	30%	\$42.70
K-ABLE-VGA	Retractable VGA (15-pin HD) Cable Reel, 3ft (1m).	\$241.00	30%	\$168.70
K-ABLE-USB	Retractable USB-A Cable Reel, 3ft (1m)	\$241.00	30%	\$168.70
5PS20029	DSV3K-PWR 5V	\$26.00	30%	\$18.20
5PSN0012	DSVD-PWR 12V	\$20.00	30%	\$14.00
5PS10046	AVDS-PWR 12V	\$30.00	30%	\$21.00
RC-IR3	The RC-IR3 is an infrared wireless remote control unit for all Kramer IR			
RU-IR3	controllable switchers. The remote can switch up to 96x96 inputs and outputs.	\$145.00	30%	\$101.50
	The 614T and 614R are a small and lightweight, detachable optical transmitter			
C44D/T	and receiver pair. They transmit uncompressed DVI resolutions of up to			
614R/T	1920x1200 at 60Hz using one multimode fiber optic cable with SC connectors.			
	The 614T converts the DVI sign	\$950.00	30%	\$665.00
VDS-LS	VDS VIDEO DISPLAY LINE SPLITR	\$220.00	30%	\$154.00
	The WP-580Txr and WP-580Rxr are a high-performance, extra range, HDBaseT			
WD 500DVD	technology Twisted Pair transmitter and receiver for HDMI signals. The WP-			
WP-580RXR	580Txr converts the HDMI signal to a twisted pair signal. The WP-580Rxr			
1	converts the twisted pair signal bac	\$360.00	30%	\$252.00

	IT MD 500T		1	
	The WP-580Txr and WP-580Rxr are a high-performance, extra range, HDBaseT			
WP-580TXR	technology Twisted Pair transmitter and receiver for HDMI signals. The WP-			
W 00017414	580Txr converts the HDMI signal to a twisted pair signal. The WP-580Rxr			
	converts the twisted pair signal bac	\$306.00	30%	\$214.20
	The Kramer KDS-EN2T and KDS-EN2R are an IP transmitter (host) and receiver			
KDS-EN2T	(client) system for HDMI and bidirectional RS-232 signals. The KDS-EN2T			
NDS-LINZ I	encodes the input signals to an IP stream and the KDS-EN2R decodes it back to			
	HDMI and RS-232 signals. The	\$965.00	30%	\$675.50
	The 840Hxl is a high performance HDMI video test pattern generator. It generates	5		
840HXL	32 preset patterns at 16 popular computer, HD and seven user-defined			
	resolutions. It includes several unique patterns that incorporate motion.	\$690.00	30%	\$483.00
70.00404000	The Kramer Vp-424 HDMI to HDMI Scaler is a high-performance digital scaler for			
70-00424090	HDMI signals/ It up- or down-scales HDMI signals to an HDMI output signal.	\$425.00	30%	\$297.50
	The T10F inner framer comes in two different configurations: one with one dual			•
80-000040	and one single power sockets, two blank inserts and one cable pass-through			
	(T10F-33), and one with two single power sockets, one blank insert, one cable			
	pass-through and a slot	\$76.00	30%	\$53.20
	The T6F inner frame come in three different configurations: two power sockets	ψ. σ.σσ	0070	<b>400.20</b>
T6F-09	and four pairs of pre-built interfaces, two power sockets and three blank inserts,			
	and three inserts and one MegaTool slot.	\$70.00	30%	\$49.00
	The T1AF inner frame comes in six different configurations that can hold single or		0070	Ψ10.00
T1AF-16	double power sockets, single or double inserts, long inserts and Kramer Tools.	\$76.00	30%	\$53.20
	The T1AF inner frame comes in six different configurations that can hold single or		0070	<b>400.20</b>
T1AF-14L	double power sockets, single or double inserts, long inserts and Kramer Tools.	\$71.00	30%	\$49.70
_	The T3F inner frame comes in three different configurations that can hold a single		0070	ψ.σσ
T3F-1S	power socket, single or double inserts or fixed cable pass-throughs.	\$76.00	30%	\$53.20
	The T3F inner frame comes in three different configurations that can hold a single			7
T3F-1C	power socket, single or double inserts or fixed cable pass-throughs.	\$70.00	30%	\$49.00
	The T5F inner framer comes in two different configurations that can hold a single	ψ. σ.σσ	0070	ψ.σ.σσ
T5F-1S	power socket, single or double inserts and standard fixed connectors.	\$71.00	30%	\$49.70
	The T5F inner framer comes in two different configurations that can hold a single	ψ, 1.00	0070	ψ10.70
T5F-13	power socket, single or double inserts and standard fixed connectors.	\$70.00	30%	\$49.00
	The T6F inner frame come in three different configurations: two power sockets	ψ7 0.00	0070	Ψ-10.00
T6F-2S	and four pairs of pre-built interfaces, two power sockets and three blank inserts,			
101-20	and three inserts and one MegaTool slot.	\$76.00	30%	\$53.20
	The T5F inner framer comes in two different configurations that can hold a single	ψ1 0.00	0070	ψ00.20
T5F-US/SET	power socket, single or double inserts and standard fixed connectors.	\$54.00	30%	\$37.80
	The T3F inner frame comes in three different configurations that can hold a single		30 70	ψ51.00
T3F-US/SET	power socket, single or double inserts or fixed cable pass-throughs.	\$54.00	30%	\$37.80
T-TBLANK	A cover plate for TBUS inner Frames that holds Kramer TOOLS.	\$20.00	30%	\$14.00
	TBUS-1AFXL INNER FRAME		30%	
T1AF-1T3	TBUS-1AFXL INNER FRAME TBUS-1AFXL INNER FRAME	\$76.00		\$53.20
T1AF-14T		\$76.00	30%	\$53.20
WB45	WALL PLATE INSERT	\$40.00	30%	\$28.00

	The Kramer WP-121 wall plate is a line transmitter that accepts a UXGA video			
WP-121	and an unbalanced stereo audio signal, encodes them to a twisted pair (TP)			
	signal and transmits the TP signal to a compatible TP receiver.	\$395.00	30%	\$276.50
WA-2N	WALL PLATE INSERT	\$30.00	30%	\$21.00
WV-2N	WALL PLATE PASSIVE	\$25.00	30%	\$17.50
VP-417	Video to Computer Graphics, DVI & HDTV ProScale Digital Scaler (up to			
VP-417	WUXGA/1080p)	\$575.00	30%	\$402.50
	The Kramer 906 is a high-performance audio amplifier for line-level stereo audio			
906	signals. It accepts either a stereo audio signal on RCA connectors or a balanced			
900	stereo audio signal on a terminal block connector. It delivers a speaker output of			
	6.6W RMS p	\$745.00	30%	\$521.50
	The Kramer SI-VGA is a VGA and unbalanced stereo audio remote control panel			
SI-1VGA	that can, for example, fit into the Kramer TBUS-10 Table Connection Box or the K	4		
	POD301 Podium Table Bus. The SI-1VGA is used for remotely taking control of a			
	compatible switcher,	\$78.00	30%	\$54.60
	The Kramer 908 is a high-performance audio amplifier for line-level stereo audio			
908	signals. It accepts either a stereo audio signal on RCA connectors or a balanced			
	stereo audio signal on a terminal block connector. It delivers a speaker output of			
	2x40 watts	\$625.00	30%	\$437.50
	Kramers 613R/T is a receiver/transmitter pair for digital video signals up to 3G HD	-		
613R/T	SDI. The 613T converts the digital signal into an optical signal that it transmits			
	over single-mode fiber optic cable and the 613R decodes the optical signals back	\$1,615.00	30%	\$1,130.50
	Kramers C-DM/DM/XL, single link DVI cable, is designed to support advanced			
C-DM/DM/XL-3	equipment that requires high performance cable connections. These cables are			
C-DIVI/DIVI/XL-3	designed to carry digital-only signals (18+1 pin) used for direct digital connections			
	between a source	\$22.00	30%	\$15.40
	Kramers C-DM/DM/XL, single link DVI cable, is designed to support advanced			
C-DM/DM/XL-6	equipment that requires high performance cable connections. These cables are			
C-DIVI/DIVI/XL-0	designed to carry digital-only signals (18+1 pin) used for direct digital connections			
	between a source	\$26.00	30%	\$18.20
	Kramers C-DM/DM/XL, single link DVI cable, is designed to support advanced			
C-DM/DM/XL-10	equipment that requires high performance cable connections. These cables are			
C-DIVI/DIVI/XL-10	designed to carry digital-only signals (18+1 pin) used for direct digital connections			
	between a source	\$37.00	30%	\$25.90
	Kramers C-DM/DM/XL, single link DVI cable, is designed to support advanced			
C-DM/DM/XL-15	equipment that requires high performance cable connections. These cables are			
C-DIVI/DIVI/XL-15	designed to carry digital-only signals (18+1 pin) used for direct digital connections			
	between a source	\$45.00	30%	\$31.50
	Kramers C-DM/DM/XL, single link DVI cable, is designed to support advanced			
C DM/DM/VL OF	equipment that requires high performance cable connections. These cables are			
C-DM/DM/XL-25	designed to carry digital-only signals (18+1 pin) used for direct digital connections			
	between a source	\$65.00	30%	\$45.50

	Kramers C-DM/DM/XL, single link DVI cable, is designed to support advanced	I		
	equipment that requires high performance cable connections. These cables are			
C-DM/DM/XL-35	designed to carry digital-only signals (18+1 pin) used for direct digital connections			
		\$130.00	30%	\$91.00
	Kramers C-DM/DM/XL, single link DVI cable, is designed to support advanced	φ130.00	30 /0	φ91.00
	equipment that requires high performance cable connections. These cables are			
C-DM/DM/XL-50	designed to carry digital-only signals (18+1 pin) used for direct digital connections			
	between a source	\$170.00	30%	\$119.00
C-DM/DM/XL-65	DVI SINGLE LINK CABLE	\$195.00	30%	\$136.50
	4LC FIBER CABLE 150	\$313.00	30%	\$219.10
C-4LC/4LC-150				
C-FODM/FODM-82	DVI-D (M/M) FIBER/COPPER CABLE 82	\$532.00	30%	\$372.40
	Kramers 4LC fiber optic cables are constructed of four color coded multi-mode			
CP-4LC/4LC-99	50/125um simplex cables of 2.0mm (0.079in) diameter each, contained in a round			
	overall orange jacket. They are intended primarily as companion to various	<b>*</b> 050.00	200/	<b>#050.00</b>
	Kramer detachable trans	\$358.00	30%	\$250.60
CP-4LC/4LC-150	4LC FIBER OPTIC CABLE 150	\$579.00	30%	\$405.30
	Kramers plenum rated DVI cables are high-performance cables with molded DVI-			
CP-DM/DM-25	D connectors at both ends. These cables are designed to carry digital-only signals			
	(18+1 pin) used for direct digital connections between a source and display			
	device such as a fla	\$119.00	30%	\$83.30
	Kramers plenum rated DVI cables are high-performance cables with molded DVI-			
CP-DM/DM-35	D connectors at both ends. These cables are designed to carry digital-only signals			
	(18+1 pin) used for direct digital connections between a source and display			
<u> </u>	device such as a fla	\$150.00	30%	\$105.00
	Kramers plenum rated DVI cables are high-performance cables with molded DVI-			
CP-DM/DM-50	D connectors at both ends. These cables are designed to carry digital-only signals			
CP-DIVI/DIVI-30	(18+1 pin) used for direct digital connections between a source and display			
	device such as a fla	\$220.00	30%	\$154.00
	Kramers C-DM/DM/XL, single link DVI cable, is designed to support advanced			
CD DM/DM GE	equipment that requires high performance cable connections. These cables are			
CP-DM/DM-65	designed to carry digital-only signals (18+1 pin) used for direct digital connections			
	between a source	\$286.00	30%	\$200.20
	Kramers C-USB/AAE is a high-speed USB 2.0 type-A male to type-A female			·
	cable used to extend the connection of computers and peripheral devices such as			
96-02121003	printers, scanners, cameras, keyboards, mice and other digital devices for			
	superior signal transfer of u	\$4.00	30%	\$2.80
	Kramers C-USB/AAE is a high-speed USB 2.0 type-A male to type-A female	,	1370	Ţ=: <b>00</b>
	cable used to extend the connection of computers and peripheral devices such as			
1				
C-USB/AAE-6	printers, scanners, cameras, keyboards, mice and other digital devices for			

	Kramers C-USB/AAE is a high-speed USB 2.0 type-A male to type-A female			
	cable used to extend the connection of computers and peripheral devices such as			
C-USB/AAE-10	printers, scanners, cameras, keyboards, mice and other digital devices for			
	superior signal transfer of u	\$5.00	30%	\$3.50
	Kramers C-USB/AAE is a high-speed USB 2.0 type-A male to type-A female	<del>+</del> 0.00	3070	ψο.σσ
	cable used to extend the connection of computers and peripheral devices such as			
96-02121015	printers, scanners, cameras, keyboards, mice and other digital devices for			
	superior signal transfer of u	\$7.00	30%	\$4.90
	Kramers C-USB/MicroB cable is a high-speed USB 2.0 Type-A male to USB	71111		¥
	micro-B male cable used to connect computers and peripherals, such as			
96-02156006	smartphones, external hard drives and other digital devices for superior signal			
	transfer of up to 480Mbps.	\$4.00	30%	\$2.80
	Kramers C-USB/MicroB cable is a high-speed USB 2.0 Type-A male to USB	7		7-100
	micro-B male cable used to connect computers and peripherals, such as			
C-USB/MICROAB-10	smartphones, external hard drives and other digital devices for superior signal			
	transfer of up to 480Mbps.	\$4.00	30%	\$2.80
	Kramers C-USB3/MicroB is a SuperSpeed USB 3.0 Type-A male to MicroB male	7	33.1	7=:00
C-USB3/MICROAB-6	cable used to connect computers and peripherals such as, external hard drives			
	and other digital devices for superior signal transfer of up to 4.8Gbps.	\$8.00	30%	\$5.60
	Kramers C-HM/HM/PRO HDMI cable delivers high-speed, high-performance			,
07.0444005	digital video and audio with impeccable impedance stability, low skew, high signal			
97-01114065	integrity, and noise immunity for up to 4K@60Hz (4:4:4). With pro-grade heavy-			
	duty construction, triple	\$130.00	30%	\$91.00
	Kramers C-MDM/MDM flexible DVI cables are high-performance cables with			
O MOM/MOM O	molded DVI-D connectors at both ends. These single link cables, designed to			
C-MDM/MDM-3	carry digital-onl signals (18+1 pin), support signals up to 1920x1200 @60Hz and			
	1080p with 12-bit deep color	\$25.00	30%	\$17.50
	Kramers C-MDM/MDM flexible DVI cables are high-performance cables with			
C-MDM/MDM-6	molded DVI-D connectors at both ends. These single link cables, designed to			
C-IVIDIVI/IVIDIVI-0	carry digital-onl signals (18+1 pin), support signals up to 1920x1200 @60Hz and			
	1080p with 12-bit deep color	\$30.00	30%	\$21.00
	Kramers C-MDM/MDM flexible DVI cables are high-performance cables with			
C MDM/MDM 10	molded DVI-D connectors at both ends. These single link cables, designed to			
C-MDM/MDM-10	carry digital-onl signals (18+1 pin), support signals up to 1920x1200 @60Hz and			
	1080p with 12-bit deep color	\$35.00	30%	\$24.50
	Kramers C-MDM/MDM flexible DVI cables are high-performance cables with			
07.0640045	molded DVI-D connectors at both ends. These single link cables, designed to			
97-0640015	carry digital-onl signals (18+1 pin), support signals up to 1920x1200 @60Hz and			
	1080p with 12-bit deep color	\$40.00	30%	\$28.00
	Kramers C-MDM/MDM flexible DVI cables are high-performance cables with			
	molded DVI-D connectors at both ends. These single link cables, designed to			
C-MDM/MDM-25	carry digital-onl signals (18+1 pin), support signals up to 1920x1200 @60Hz and			
	1080p with 12-bit deep color	\$48.00	30%	\$33.60

	Kramers C-MDPM/MDPM is a flexible DisplayPort cable. It is a high-performance			
C-MDPM/MDPM-1	cable with molded connectors at both ends that supports resolutions up to			
	4K@60Hz (4:4:4).	\$14.00	30%	\$9.80
	Kramers C-MDPM/MDPM is a flexible DisplayPort cable. It is a high-performance			
97-1717002	cable with molded connectors at both ends that supports resolutions up to			
	4K@60Hz (4:4:4).	\$17.00	30%	\$11.90
	Kramers C-MDPM/MDPM is a flexible DisplayPort cable. It is a high-performance			
C-MDPM/MDPM-3	cable with molded connectors at both ends that supports resolutions up to			
	4K@60Hz (4:4:4).	\$20.00	30%	\$14.00
	Kramers C-MDPM/MDPM is a flexible DisplayPort cable. It is a high-performance			
	cable with molded connectors at both ends that supports resolutions up to			
	4K@60Hz (4:4:4).	\$22.00	30%	\$15.40
	Kramers C-MDPM/MDPM is a flexible DisplayPort cable. It is a high-performance			
C-MDPM/MDPM-10	cable with molded connectors at both ends that supports resolutions up to			
	4K@60Hz (4:4:4).	\$26.00	30%	\$18.20
	Kramers C-MDPM/MDPM is a flexible DisplayPort cable. It is a high-performance			
C-MDPM/MDPM-15	cable with molded connectors at both ends that supports resolutions up to			
	4K@60Hz (4:4:4).	\$32.00	30%	\$22.40
	Kramers C-MDPM/MDPM is a flexible DisplayPort cable. It is a high-performance			
C-MDPM/MDPM-25	cable with molded connectors at both ends that supports resolutions up to			
	4K@60Hz (4:4:4).	\$39.00	30%	\$27.30
C-MDPMA/MDPMA-1	FLEXIBLE DISPLAYPORT/A CABLE	\$16.00	30%	\$11.20
C-MDPMA/MDPMA-2	FLEXIBLE DISPLAYPORT/A CABLE	\$17.00	30%	\$11.90
C-MDPMA/MDPMA-3	FLEXIBLE DISPLAYPORT/A CABLE	\$18.00	30%	\$12.60
C-MDPMA/MDPMA-6	FLEXIBLE DISPLAYPORT/A CABLE	\$21.00	30%	\$14.70
C-MDPMA/MDPMA-15	FLEXIBLE DISPLAYPORT/A CABLE	\$29.00	30%	\$20.30
C-MDPMA/MDPMA-25	FLEXIBLE DISPLAYPORT/A CABLE	\$39.00	30%	\$27.30
	Kramers CP-HM/HM/ETH plenum rated cable is a high-performance cable with			
97-91213040	molded HDMI connectors at both ends. HDMI standard supports high-definition			
	video plus multi-channel audio in a single cable.	\$180.00	30%	\$126.00
	Kramers CP-HM/HM/ETH plenum rated cable is a high-performance cable with			
97-91213045	molded HDMI connectors at both ends. HDMI standard supports high-definition			
	video plus multi-channel audio in a single cable.	\$200.00	30%	\$140.00
	A 4-pair CAT 5e F/UTP (foil around unshielded twisted pair) bulk cable (24AWG),			·
DO DOMATEO 4 400M	designed as the ideal companion to Kramers twisted pair digital transmitter-			
BC-DGKAT524-100M	receiver sets to provide optimum range and performance. Four non-shielded			
	(F/UTP) twisted pairs of	\$135.00	30%	\$94.50
BC-5ESLD-1000BK	BULK ĆAT 5E-SOLID 1000 BLACK			#VALUE!
BC-5ESLD-1000GN	BULK CAT 5E-SOLID 1000 GREEN		30%	#VALUE!
BC-5ESLD-1000BL	BULK CAT 5E-SOLID 1000 BLUE		30%	#VALUE!
BC-5ESLD-1000RD	BULK CAT 5E-SOLID 1000 RED			#VALUE!
BC-5ESLD-1000YL	BULK CAT 5E-SOLID 1000 YELLOW	\$186.00	30%	\$130.20
BC-5ESLD-1000WH	BULK CAT 5E-SOLID 1000 WHITE			#VALUE!

BC-5EST-1000BK	BULK CAT5E-STRANDED 1000 BLK	\$215.00	30%	\$150.50
BC-5EST-1000GN	BULK CAT5E-STRANDED 1000 GRN	\$215.00	30%	\$150.50
BC-5EST-1000BL	BULK CAT5E-STRANDED 1000 BLUE	\$215.00	30%	
BC-5EST-1000RD	CAT 5e Cable- Stranded Center.	\$215.00	30%	\$150.50
BC-5EST-1000YL	BULK CAT5E-STRANDED 1000 YEL	\$215.00	30%	\$150.50
BC-5EST-1000WH	BULK CAT5E-STRANDED 1000 WHT	\$215.00	30%	\$150.50
BC-6SLD-1000BK	BULK CAT6-SOLID 1000 BLACK	\$265.00	30%	\$185.50
BC-6SLD-1000GN	BULK CAT6-SOLID 1000 GREEN	\$265.00	30%	
BC-6SLD-1000BL	BULK CAT6-SOLID 1000 BLUE	\$265.00	30%	\$185.50
BC-6SLD-1000RD	BULK CAT6-SOLID 1000 RED	\$265.00	30%	
BC-6SLD-1000YL	BULK CAT6-SOLID 1000 YELLOW	\$265.00	30%	\$185.50
BC-6SLD-1000WH	BULK CAT6-SOLID 1000 WHITE	\$265.00	30%	\$185.50
BC-6ST-1000BK	BULK CAT6 STRANDED 1000 BLACK	7		#VALUE!
BC-6ST-1000GN	BULK CAT6 STRANDED 1000 GREEN			#VALUE!
BC-6ST-1000BL	BULK CAT6 STRANDED 1000 BLUE			#VALUE!
BC-6ST-1000RD	BULK CAT6 STRANDED 1000 RED			#VALUE!
BC-6ST-1000YL	BULK CAT6 STRANDED 1000 YEL	\$242.00	30%	
BC-6ST-1000WH	BULK CAT6 STRANDED 1000 WHITE	\$227.00	30%	\$158.90
	Kramers BC-2T is a high-quality, dual shielded pair cable designed for routing			,
BC-2T-300M	balanced stereo mic or line level audio signals in commercial or residential AV			
20 21 000	systems.	\$489.00	30%	\$342.30
DO 00 000M	Kramers BC-2S is a high-quality twisted pair cable designed for connecting			
BC-2S-300M	speakers and amplifiers in commercial or residential AV systems.	\$395.00	30%	\$276.50
99-3440006	Four-Pair STP Terminated Data Cable - 23AWG,Length-6	\$11.00	30%	\$7.70
CON-HD15/H	15-PIN HD METAL HOOD	\$3.00	30%	\$2.10
CON-HD15/G	GROMMET SET 9/8/7/6/5MM CABLES	\$1.00	30%	\$0.70
	Kramers precision Crimping Tool is used for terminating bulk coax cable with			
TI D/ODIMD	Kramers crimp connectors. The multi-format die attaches the three most common			
TL-B/CRIMP	connector/cable sets used in professional AV including RG-6, RG-59, and			
	26/28AWG high-resolution min	\$64.00	30%	\$44.80
TL-LCT	The Linear Compression Tool is designed for the professional installer and			
IL-LUI	features the most rugged design in the industry. The solid-steel tool is virtually	\$250.00	30%	\$175.00
CRC-BLACK	BLACK COLOR RINGS	\$11.00	30%	\$7.70
CRC-RED	WHITE COLOR RINGS		30%	#VALUE!
CRC-YELLOW	BLUE COLOR RINGS		30%	#VALUE!
CRC-GREEN	RED COLOR RINGS		30%	#VALUE!
CRC-BLUE	GREEN COLOR RINGS		30%	#VALUE!
CRC-WHITE	YELLOW COLOR RINGS	\$11.00	30%	\$7.70
TL-LCT/HD	The Linear Compression Tool is designed for the professional installer and			
IIL-LUI/NU	features the most rugged desing in the industry. The solid-steel tool is virtually	\$319.00	30%	\$223.30
CON-HD15/BM	15-PIN HD (M) CONNECTOR BODY	\$1.00	30%	\$0.70
CON-HD15/BF	15-PIN HD F CONNECTOR BODY	\$1.00	30%	\$0.70
CCR-BNC-6	CRIMP M) BNC CONNECTOR: RG-6	\$3.00	30%	\$2.10

CCR-BNC-59	CRIMP M BNC CONNECTOR - RG-59	\$3.00	30%	\$2.10
CCR-BNCM-179	CRIMP M BNC CONNECTOR 26-28	\$3.00	30%	\$2.10
CCR-BNCF-179	CRIMP F BNC CONNECTOR 26-28	\$3.00	30%	\$2.10
	Kramers BCP-XTP, a plenum rated unshielded twisted pair (UTP) cable, is the			
BCP-2/16-1000	ideal companion to Kramer twisted pair transmitter-receiver sets. BCP-XTP			
DCP-2/10-1000	resembles typical CAT 5e, but with internal components optimized for			
	transmission of video/audio signals	\$431.00	30%	\$301.70
CC-BNC-22	BNC (M) COMPRESSION 22 CABLE	\$4.00	30%	\$2.80
	Kramers BCP-XTP, a plenum rated unshielded twisted pair (UTP) cable, is the			
BCP-2/16-250	ideal companion to Kramer twisted pair transmitter-receiver sets. BCP-XTP			
DCP-2/10-200	resembles typical CAT 5e, but with internal components optimized for			
	transmission of video/audio signals	\$79.00	30%	\$55.30
	Kramers BCP-XTP, a plenum rated unshielded twisted pair (UTP) cable, is the			
DCD 2/46 500	ideal companion to Kramer twisted pair transmitter-receiver sets. BCP-XTP			
BCP-2/16-500	resembles typical CAT 5e, but with internal components optimized for			
	transmission of video/audio signals	\$215.00	30%	\$150.50
CC-BNC-59	BNC COMPR CONNECTOR RG59	\$5.00	30%	\$3.50
CC-BNC-25	BNC (M) 25 AWG SOLID CORE CBL	\$6.00	30%	\$4.20
CB-GRAY	CABLE BOOT FOR RJ-45 - GRAY	\$1.00	30%	\$0.70
CB-GREEN	CABLE BOOT FOR RJ-45 - GREEN	\$1.00	30%	\$0.70
CB-BLACK	CABLE BOOT FOR RJ-45 - BLACK	\$1.00	30%	\$0.70
CB-PURPLE	CABLE BOOT FOR RJ-45 - PURPLE	\$1.00	30%	\$0.70
	Kramers BCP-XTP, a plenum rated unshielded twisted pair (UTP) cable, is the			
DOD 4/00 4000	ideal companion to Kramer twisted pair transmitter-receiver sets. BCP-XTP			
BCP-4/22-1000	resembles typical CAT 5e, but with internal components optimized for			
	transmission of video/audio signals	\$225.00	30%	\$157.50
CC-F59	F TYPE COMPRESSION FOR RG-59	\$2.00	30%	\$1.40
BCP-4F/50M-1000	PLENUM OPTICAL BULK CABLE	\$1,988.00	30%	\$1,391.60
BCP-4F/50M-500	PLENUM OPTICAL BULK CABLE	\$1,016.00	30%	\$711.20
CC-RCA-6	RCA COMPR CONNECTOR RG-6	\$6.00	30%	\$4.20
CC-RCA-179	RCA COMPR CONNECTOR 26/28 AWG	\$6.00	30%	\$4.20
	The VS-44HDCP is a high quality 4x4 DVI matrix switcher. It reclocks and			
\	equalizes the signals and can route any input to any or all outputs simultaneously.			
VS-44HDCP	It accepts up to four DVI/HDMI (over DVI-D connector) inputs and routes the			
	selected DVI input sig	\$1,995.00	30%	\$1,396.50
	The VS-88HDxl is a high-performance matrix switcher for 3G HD-SDI and HD-	1 /		. ,
\ (0.00\ \D\) (1	SDI dual link video signals. The unit can switch any or all inputs to any or all			
VS-88HDXL	outputs. Switching is implemented during the vertical interval period according to			
	the SMPTE RP-168 s	\$5,395.00	30%	\$3,776.50
	The VP-8x8TP is a high performance 8x8 computer graphics video and audio	,		, = , = = = =
VD OVOTE	matrix switcher for high resolution video and stereo audio signals. The VP-8x8TP			
VP-8X8TP	is HDTV compatible and lets you route any combination of inputs and outputs			
	over TP (Twisted Pair) ca	\$2,995.00	30%	\$2,096.50

	The SP-4D 4-Channel HD-SDI Synchronizer is a synchronizer for serial digital			
	signals up to HD-SDI. The unit synchronize up to four channels from the			
SP-4D	dedicated digital genlock input or any other specified chanel. The multi-standard			
	synchronizer Sp-4D can c	\$8,550.00	30%	\$5,985.00
	The Kramer VP-460 is a high quality Video Scaler. It accepts one of three inputs:	40,000.00		ψο,σοσίου
	a computer graphics signal on a 15-pin HD connector, a composite video signal			
/P-460	on an RCA connector and an SDI signal on a BNC connector. It scales the video,			
	embeds the audio	\$1,650.00	30%	\$1,155.00
	The 6808HDxl is a high-performance audio de-embedder for 3G HD-SDI video			
6808HDXL	signals. The unit can de-embed two selectable AES audio streams.	\$1,150.00	30%	\$805.00
	The 6241HDxl is a high-performance switcher for 3G HD-SDI video signals. It			·
6241HDXL	takes any one of four 3G HD-SDI inputs, provides reclocking and equalization,			
	and outputs the signal to one 3G HD-SDI output.	\$1,025.00	30%	\$717.50
	Kramers C-USB3/MicroB is a SuperSpeed USB 3.0 Type-A male to MicroB male			·
C-USB3/MICROAB-10	cable used to connect computers and peripherals such as, external hard drives			
	and other digital devices for superior signal transfer of up to 4.8Gbps.	\$11.00	30%	\$7.70
	Kramers C-USB3/MicroB is a SuperSpeed USB 3.0 Type-A male to MicroB male			
C-USB3/MICROAB-15	cable used to connect computers and peripherals such as, external hard drives			
	and other digital devices for superior signal transfer of up to 4.8Gbps.	\$15.00	30%	\$10.50
C-HM/HM/FLAT/ETH-3	Kramers C-HM/HM/FIAT/ETH flat high-speed HDMI cable with Ethernet is			·
	designed for invisible and long distance installations. It routes through the wall,			
	under the carpet, around corners and behind the entertainment system with ease.	\$18.00	30%	\$12.60
	The Kramer C-FODPM/FODPM Optical DisplayPort Extension Cable is a hybrid			
C EODDM/EODDM 20	cable with four multi-mode fiber cables for the DP interface including embedded			
C-FODPM/FODPM-328	copper wires to support the auxiliary channel, Hot Plug Detect and a power			
	management advanced solutio	\$1,480.00	30%	\$1,036.00
	Kramers flat DVI cable is designed for invisible and long distance installations. It			
	goes through the wall, under the carpet, around corners and behind the			
C-DM/DM/FLAT(W)-3	entertainment system with ease. The flat design of the cable renders them			
	unobtrusive.	\$15.00	30%	\$10.50
	Kramers flat DVI cable is designed for invisible and long distance installations. It			
C-DM/DM/FLAT(W)-6	goes through the wall, under the carpet, around corners and behind the			
C-DIVI/DIVI/FLAT(VV)-0	entertainment system with ease. The flat design of the cable renders them			
	unobtrusive.	\$16.00	30%	\$11.20
	Kramers flat DVI cable is designed for invisible and long distance installations. It			
C-DM/DM/FLAT(W)-10	goes through the wall, under the carpet, around corners and behind the			
C-DIVI/DIVI/FLAT(VV)-10	entertainment system with ease. The flat design of the cable renders them			
	unobtrusive.	\$24.00	30%	\$16.80
	Kramers flat DVI cable is designed for invisible and long distance installations. It			
C-DM/DM/FLAT(W)-15	goes through the wall, under the carpet, around corners and behind the			
O-DIVI/DIVI/I LAT(VV)-13	entertainment system with ease. The flat design of the cable renders them			
	unobtrusive.	\$29.00	30%	\$20.30

	Kramers flat DVI cable is designed for invisible and long distance installations. It			
C-DM/DM/FLAT(W)-25	goes through the wall, under the carpet, around corners and behind the			
5 5 W / 5 W / 1 LAT ( V V )-20	entertainment system with ease. The flat design of the cable renders them			
	unobtrusive.	\$56.00	30%	\$39.20
	Kramers flat DVI cable is designed for invisible and long distance installations. It		1	
C-DM/DM/FLAT(W)-50	goes through the wall, under the carpet, around corners and behind the		1	
C-DIVI/DIVI/I LAT(VV)-30	entertainment system with ease. The flat design of the cable renders them		1	
	unobtrusive.	\$79.00	30%	\$55.30
	Kramers CP-3RVAM/3RVAM is constructed of mini coax terminated with three			
CP-3RVAM/3RVAM-25	molded male RCA connectors at each end. It offers outstanding durability and		1	
	high-performance for any video/audio signal application where a plenum rating is	\$31.00	30%	\$21.70
	Kramers CP-3RVAM/3RVAM is constructed of mini coax terminated with three			
CP-3RVAM/3RVAM-35	molded male RCA connectors at each end. It offers outstanding durability and		1	
	high-performance for any video/audio signal application where a plenum rating is	\$42.00	30%	\$29.40
	Kramers CP-3RVAM/3RVAM is constructed of mini coax terminated with three			
CP-3RVAM/3RVAM-75	molded male RCA connectors at each end. It offers outstanding durability and		1	
	high-performance for any video/audio signal application where a plenum rating is	\$75.00	30%	\$52.50
	Kramers C-HM/HM/FIAT/ETH flat high-speed HDMI cable with Ethernet is			
97-01014010	designed for invisible and long distance installations. It routes through the wall,		1	
	under the carpet, around corners and behind the entertainment system with ease.	\$25.00	30%	\$17.50
	Kramers C-HM/HM/FIAT/ETH flat high-speed HDMI cable with Ethernet is			·
C-HM/HM/FLAT/ETH-	designed for invisible and long distance installations. It routes through the wall,		1	
	under the carpet, around corners and behind the entertainment system with ease.	\$30.00	30%	\$21.00
	Kramers C-HM/HM/FIAT/ETH flat high-speed HDMI cable with Ethernet is			•
C-HM/HM/FLAT/ETH-2	designed for invisible and long distance installations. It routes through the wall,		1	
		\$55.00	30%	\$38.50
	Kramers C-HM/HM/FIAT/ETH flat high-speed HDMI cable with Ethernet is			•
97-01014035	designed for invisible and long distance installations. It routes through the wall,		1	
		\$75.00	30%	\$52.50
	Kramers C-HM/HM/FIAT/ETH flat high-speed HDMI cable with Ethernet is			, , , , , ,
97-01014050	designed for invisible and long distance installations. It routes through the wall,		1	
		\$115.00	30%	\$80.50
	Kramers C-HM/HM/FIAT/ETH flat high-speed HDMI cable with Ethernet is	ψσ.σ	9070	ψου.σο
97-01014075	designed for invisible and long distance installations. It routes through the wall,		1	
	under the carpet, around corners and behind the entertainment system with ease.	\$155.00	30%	\$108.50
BCP-5X-SOLID-1000	5 COAX PLENUM BULK CABLE 1000	\$2,121.00		\$1,484.70
	Kramers BC-1T is a high-quality shielded pair cable designed for routing balanced		3370	Ţ.,.JO
BC-1T-300M	mono or unbalanced stereo mic or line level audio signals in commercial or			
	residential AV systems.	\$301.00	30%	\$210.70
	Column Mount, which is ideal for mounting Kramer TOOLS and Kramer Pico	ψ001.00	3370	Ψ2 10.70
PTH-1 LONG WING				

	The FC-132ETH is an advanced Ethernet control gateway and serial			
	communication matrix, capable of plug and play deployment over a customer			
FC-132ETH	Ethernet LAN. Serving as an advanced serial communication matrix, the FC-			
	132ETH has 32 RS-232 and one RS-232/RS-485	\$1,939.00	30%	\$1,357.30
DCD DCKAT622 1000	BCP-DGKat623 - Plenum Rated Four-Pair	\$1,182.00	30%	\$827.40
BCF-DGKA1023-1000	Kramers C-HM/HM/FlaT/ETH flat high-speed HDMI cable with Ethernet is	\$1,102.00	30 /0	φ027.40
	designed for invisible and long distance installations. It routes through the wall,			
C-HIVI/HIVI/FLAT/ETH-3	under the carpet, around corners and behind the entertainment system with ease.	¢115.00	30%	\$80.50
	Kramers C-HM/HM/FlaT/ETH flat high-speed HDMI cable with Ethernet is	\$115.00	30%	φου.ου
C-HM/HM/FLAT/ETH-/	designed for invisible and long distance installations. It routes through the wall,	¢4.ΕΕ.ΟΟ	200/	¢400.50
	under the carpet, around corners and behind the entertainment system with ease.	\$155.00	30%	\$108.50
00 00 (414/00) (414 50	Kramers CP-3RVAM/3RVAM is constructed of mini coax terminated with three			
S-201US	molded male RCA connectors at each end. It offers outstanding durability and		/	
		\$53.00	30%	\$37.10
TS-201US	TBUS-201xl single power sockets are available in country-specific modules.	\$40.00	30%	\$28.00
RB-6	The Kramer RB-6 is a high-performance, high-voltage power supply that supplies			
	power to up to six external units.	\$1,320.00	30%	\$924.00
HSV100I	Secure AV & video Isolator	\$410.00	30%	\$287.00
	The K202B/D secure KVM is designed to meet the requirements of organizations			
	that are challenged by the need to provide secret or top-secret network access			
	together with unclassified or internet access. The K20x series KVM uses uni-			
	directional optical dat	\$469.00	30%	\$328.30
	Designed to provide the highest possile isolation between four connected			
14004	computers. A perfect fit for high-security, multi-network organizations such as			
K204	government agencies, military and financial institutions, and any other			
	organization that handles sens	\$675.00	30%	\$472.50
	HSL Secure KM Switch enables users to simultaneously operate four or eight	ľ		
	computers, each with its own displays, using a single set of keyboard and mouse.			
K308	The user can easily switch between computers and displays by simply moving the			
	cursor from one disp	\$1,071.00	30%	\$749.70
	HSL KVM Combiner provides a comfortable means of interaction with multiple	ψ.,σσσ		ψσ σ
K404F	computers at different security levels improving usability and situational			
1011	awareness. The four isolated sources are integrated into single or dual large	\$2,750.00	30%	\$1,925.00
	HSL KVM Combiner provides a comfortable means of interaction with multiple	φ2,700.00	0070	Ψ1,020.00
K424F	computers at different security levels improving usability and situational			
	awareness. The four isolated sources are integrated into single or dual large	\$2,526.00	30%	\$1,768.20
HKS100I	Secure AV, keyboard, video & mouse Isolator	\$268.00	30%	\$1,700.20
1111011001	The 920 is a high-performance 70V/100V power amplifier for balanced,	φ200.00	30%	φ107.00
920		000000	200/	¢647.40
0057/1	unbalanced stereo and microphone inputs.	\$882.00	30%	\$617.40
905XL	The 905xl is a high-performance remote-controllable power amplifier.	\$1,255.00	30%	\$878.50

	The TP-578H is a DGKat twisted pair receiver for HDMI, IR and control signals.			
	The unit receives a DGKat twisted pair signal from a compatible Kramer DGKat			
TP-578H	transmitter (such as a TP-577VH) and decodes it into HDMI, balanced and			
	unbalanced stereo, S/PDIF d	\$535.00	30%	\$374.50
	VIA Connect PRO is a wireless collaboration and presentation solution that	φοσο.σσ	0070	ψον 1.00
	makes sharing and presenting in meetings easier. With any laptop or mobile			
IA CONNECT PRO	device, users can view, edit and comment on documents in real time, share files			
	and chat with individuals	\$1,095.00	30%	\$766.50
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.	ψ1,000.00	0070	ψ1 00.00
97-0132006	The slim HDMI connector and narrower cable diameter fits more easily into tight			
37-0132000		\$25.00	30%	\$17.50
	Kramers C-A35M/A35M mini audio cable is constructed from high-quality shielded		0070	ψ17.00
C-A35M/A35M-65	pair style cable terminated with molded male 3.5mm stereo connectors on both			
7 (001VI/7 (001VI 00	ends.	\$15.00	30%	\$10.50
	Kramers C-A35M/A35M mini audio cable is constructed from high-quality shielded		0070	Ψ10.00
C-A35M/A35M-75	pair style cable terminated with molded male 3.5mm stereo connectors on both			
J-AJJIVI/AJJIVI-13	ends.	\$16.00	30%	\$11.20
	Kramers C-A35M/A35M mini audio cable is constructed from high-quality shielded		30 70	Ψ11.20
95-0101100	pair style cable terminated with molded male 3.5mm stereo connectors on both			
90-0101100	ends.	\$20.00	30%	\$14.00
	The FC-340S SDI Scaler/Embedder/Scan Converter is ideal as a broadcast	φ <b>2</b> 0.00	30 70	\$14.00
FC-340S	quality video scaler and audio embedder/de-embedder for digital signals up to 3G	\$1,035,00	30%	\$1,354.50
	Blank cover plate for empty module slots in the VS-1616DN and VS-1616D matrix		30 70	ψ1,334.30
BLP-F16	switchers.	\$15.00	30%	\$10.50
DVI-IN2-F16	2 Input DVI Card (F-16)	\$750.00	30%	\$525.00
DVI-IINZ-I 10	DVI-OUT-F16 is a two-channel DVI output card for the VS-1616 Series Modular	ψ1 30.00	30 70	ψ323.00
DVI-OUT2-F16	Multi-Format Digital Matrix Switchers. The DVI-OUT2-F16 outputs two DVI			
DVI-0012-1 10	signals from the chassis.	\$395.00	30%	\$276.50
HAA-IN2-F16	2-Input HDMI with Analog Audio Card for VS-1616D Frame	\$1,095.00	30%	\$766.50
HDBT-IN2-F16	2-Input HDMI over HDBaseT Card	\$1,250.00	30%	\$875.00
TIDDT-INZ-L TO	HDBT-OUT2-F16 is a two-channel HDMI, bidirectional RS-232, Ethernet, & IR	φ1,230.00	30 70	φ075.00
	over HDBaseT twisted pair transmitter card for the VS-1616 Series Modular Multi-			
HDBT-OUT2-F16	Format Digital Matrix Switchers. The HDBT-OUT2-F16 outputs two extended			
	reach HDBaseT signals with bi	\$1,338.00	30%	\$936.60
	HDCP-IN2-F16 is a two-channel HDMI over DVI (HDCP) input card for the VS-	ֆ1,336.00	30%	φ930.00
LIDOD INO E46	1616 series Modular Multi-Format Digital Matrix Switchers. The HDCP-IN2-F16			
HDCP-IN2-F16	inputs two HDMI/HDCP signals into the chassis.	¢005.00	30%	<b>#606 F0</b>
	HDCP-OUT2-F16 is a two-channel HDMI over DVI (HDCP) output card for the VS-	\$895.00	30%	\$626.50
UDOD OUT2 E46	1616 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-OUT2-F16			
HDCP-OUT2-F16			200/	<b>#246.50</b>
	outputs two HDMI/HDCP signals from the chassis.	\$495.00	30%	\$346.50
VOA INIO E40	VGA-IN2-F16 is a two-channel VGA input card for the VS-1616 Series Modular			
VGA-IN2-F16	Multi-Format Digital Matrix Switchers. The VGA-IN2-F16 inputs two VGA signals	(#000 00	000/	фооо оо
	into the chassis.	\$990.00	30%	\$693.00

	VGA-OUT2-F16 is a two channel VGA output card for the VS-1616 Series			
VGA-OUT2-F16	Modular Multi-Format Digital Matrix Switchers. The VGA-OUT2-F16 outputs two			
	VGA signals from the chassis.	\$550.00	30%	\$385.00
BLP-F32	BLP-F32 is a blank cover plate for empty module slots in VS-3232 Series Modular			
BLP-F32	Multi-Format Digital Matrix Switchers.	\$15.00	30%	\$10.50
F670-IN4-F32	4-Input HDMI over OM3 Fiber Card (F-32)	\$4,860.00	30%	
F670-OUT4-F32	4-Output HDMI over OM3 Fiber Card (F-32)	\$4,860.00	30%	\$3,402.00
	DGKat-IN4-F32 is a four-channel HDMI and RS-232 over DGKat twisted pair			
DGKAT-IN4-F32	input card for the VS-3232DN Modular Multi-Format Digital Matrix Switcher. The			
	DGKat-IN4-F32 inputs four HDMI and RS-232 signlas to the chassis.	\$1,495.00	30%	\$1,046.50
H-IN4-F32	H-IN4-F32 is a four-channel HDMI input card for the VS-3232D Modular Multi-			
Π-IIN4-F3Z	Format Digital Matrix Switcher. The H-IN4-F32 inputs four HDMI signals to the	\$1,740.00	30%	\$1,218.00
	H-OUT4-F32 is a four-channel HDMI output card for the VS-3232 Series Modular			
H-OUT4-F32	Multi-Format Digital Matrix Switchers. The H-OUT4-F32 outputs four HDMI			
	signals from the chassis.	\$990.00	30%	\$693.00
	HDCP-IN4-F32 is a four channel HDMI over DVI (HDCP) input card for the VS-			
HDCP-IN4-F32	3232 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-IN4-F32			
	inputs four HDMI/HDCP signals into the chassis.	\$1,740.00	30%	\$1,218.00
	HDCP-OUT4-F32 is a four-channel HDMI over DVI (HDCP) output card for the			
HDCP-OUT4-F32	VS-3232 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-OUT4-			
	F32 outputs four HDMI/HDCP signals from the chassis.	\$990.00	30%	\$693.00
PS-1DN	The PS-1DN is a second (redundant) power supply for the VS-3232DN and the			
PS-TUN	VS-6464DN Modular Multi-Format Digital Matrix Switchers.	\$1,620.00	30%	\$1,134.00
	The Kramer VS-6464DN is a high performance matrix switcher chassis that			
VS-6464DN	supports up to 64x64 ports (it can also be configured for other sizes (up to a			
V3-0404DIN	maximum of 64x64) for various signals (depending on the type of cards installed).			
	It features a very hig	\$17,995.00	30%	##########
	DVI-IN8-F64 is an eight-channel DVI input card for the VS-6464 Series Modular			
DVI-IN8-F64	Multi-Format Digital Matrix Switchers. The DVI-IN8-F64 inputs eight DVI signals			
	inot the chassis.	\$2,995.00	30%	\$2,096.50
	DVI-OUT8-F64 is an eight-channel DVI output card for the VS-6464 Series			
DVI-OUT8-F64	Modular Multi-Format Digital Matrix Switchers. The DVI-OUT8-F64 outputs eight			
	DVI signals from the chassis.	\$1,555.00	30%	\$1,088.50
	F610-IN8-f64 is an eight-channel DVI over 4LC fiber input card for the VS-6464			
F610-IN8-F64	Series Modular Multi-Format Digital Matrix Switchers. The F610-IN8-F64 inputs			
	eight DVI over 4LC fiber signals into the chassis.	\$3,395.00	30%	\$2,376.50
F610-OUT8-F64	8-Output DVI over 4LC Fiber Card (F-64)	\$3,395.00	30%	\$2,376.50
	HDCP-IN8-F64 is an eight-channel HDMI over DVI (HDCP) input card for the VS-			
HDCP-IN8-F64	6464 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-IN8-F64			
	inputs eight HDMI/HDCP signals into the chassis.	\$3,495.00	30%	\$2,446.50
	HDCP-OUT8-F64 is an eight-channel HDMI over DVI (HDCP) output card for the			
		1		
HDCP-OUT8-F64	VS-6464 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-OUT8-			

BLP-F64	BLP-F64 is a blank cover plate for empty module slots in VS-6464 Series Modular Multi-Format Digital Matrix Switchers.	r \$45.00	30%	\$31.50
	The VP-774AMP is a high-performance presentation switcher and scaler. It	ֆ <del>4</del> 5.00	30%	ф31.50
VP-774A	accepts one of nine inputs: one DisplayPort (DP), one composite video, two			
	computer graphics, one 3G HD-SDI and four HDMI signals. It scales the video,	¢2 505 00	200/	<b>#0.540.50</b>
	embeds the audio, and simultan	\$3,595.00	30%	\$2,516.50
	The VP-444 is a high-performance presentation scaler/switcher for HDMI and			
′P-444	computer graphics signals. The unit scales the video, embeds the audio, and			
	outputs the signal to two HDMI (with embedded audio) outputs (with S/PDIF and		/	
	balanced stereo audio) sim	\$1,650.00	30%	\$1,155.00
İ	The SL-1N is a master room controller that can operate over Ethernet (LAN) with			
SL-1N	control ports that include two bidirectional RS-232, two IR and three relay. It			
OL 114	controls devices such as scalers, video displays, audio amplifier, DVD players,			
	sensors, screen	\$295.00	30%	\$206.50
	The Galil 8-CO is a pair of two-way, open back, 8(ohms) speakers designed for			
60-000056	mounting in the ceiling. The speakers feature a multi-tap power transformer for			
	selecting 8(ohms) or 70V/100V power settings suitable for array installation.	\$265.00	30%	\$185.50
	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV			
CP-AOCH-33	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)			
	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible			
	than copper or e	\$275.00	30%	\$192.50
	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV			
OD 400H 50	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)			
CP-AOCH-50	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible			
	than copper or e	\$315.00	30%	\$220.50
	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV			
00 4001100	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)			
CP-AOCH-66	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible			
	than copper or e	\$370.00	30%	\$259.00
	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV			,
	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)			
CP-AOCH-98	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible			
	than copper or e	\$415.00	30%	\$290.50
	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV	<b>VIII.0.00</b>		Ψ=00.00
	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)	١		
CP-AOCH-164	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible	<b>'</b>		
	than copper or e	\$535.00	30%	\$374.50
	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV	ψ000.00	00 70	Ψ01 7.00
	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)	,		
CP-AOCH-197	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible	'		
	than copper or e	\$615.00	30%	\$430.50
	finan copper or e	φυ 10.00	30%	φ <del>4</del> 30.30

	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV			
CP-AOCH-230	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)			
	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible		/	
	than copper or e	\$705.00	30%	\$493.50
	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV			
CP-AOCH-262	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)			
01 7(0011202	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible			
	than copper or e	\$780.00	30%	\$546.00
	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV			
CP-AOCH-295	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)			
01 710011 200	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible			
	than copper or e	\$880.00	30%	\$616.00
	The CP-AOCH is an Active Optical HDMI cable designed for long distance AV			
CP-AOCH-328	installations that demand the highest signal integrity. It supports 4K@60Hz (4:2:0)			
OI -AOOI I-320	and 4K@30Hz (4:4:4) up to 100m (328ft) and is thinner, lighter and more flexible			
	than copper or e	\$955.00	30%	\$668.50
	The VSM-4x4HFS is a seamless matrix switcher that can also be used as a 2x2			
VSM-4X4HFS	video wall driver or dual and quad multi-viewers. The unit allos switching between			
	inputs with a clean video cut (frame-to-frame switching with no glitches). The			
	VSM-4x4HFS suppor	\$2,795.00	30%	\$1,956.50
	The VP-773A is a high-performance presentation switcher and scaler. It accepts			
VP-773A	one of eight inputs: one DisplayPort (DP), one composite video, two computer			
VP-773A	graphics and four HDMI signals. It scales the video, embeds the audio, and			
	simultaneously outputs t	\$2,911.00	30%	\$2,037.70
DC 2042 4000	Kramers BC-2S is a high-quality twisted pair cable designed for connecting			
BC-2S12-1000	speakers and amplifiers in commercial or residential AV systems.	\$650.00	30%	\$455.00
DC 0040 F00	Kramers BC-2S is a high-quality twisted pair cable designed for connecting			
BC-2S12-500	speakers and amplifiers in commercial or residential AV systems.	\$335.00	30%	\$234.50
BC-2S14-1000	1000ft 14 AWG 2-Conductor Speaker Cable	\$495.00	30%	\$346.50
BC-2S18-1000	1000ft 18 AWG 2-Conductor Speaker Cable	\$195.00	30%	\$136.50
BC-2S18-500	500ft 18 AWG 2-Conductor Speaker Cable	\$125.00	30%	\$87.50
BCP-2S12-1000	Plenum-Rated 1000ft 12 AWG 2-Conductor Speaker Cable	\$848.00	30%	\$593.60
BCP-2S12-500	Plenum-Rated 500ft 12 AWG 2-Conductor Speaker Cable	\$620.00	30%	\$434.00
BCP-2S14-1000	Plenum-Rated 1000ft 14 AWG 2-Conductor Speaker Cable	\$535.00	30%	\$374.50
BCP-2S14-250	Plenum-Rated 250ft 14 AWG 2-Conductor Speaker Cable	\$129.00	30%	\$90.30
BCP-2S14-500	Plenum-Rated 500ft 14 AWG 2-Conductor Speaker Cable	\$335.00	30%	\$234.50
BCP-2S18-1000	Plenum-Rated 1000ft 18 AWG 2-Conductor Speaker Cable	\$200.00	30%	\$140.00
BCP-2S18-250	Plenum-Rated 250ft 18 AWG 2-Conductor Speaker Cable	\$52.00	30%	\$36.40
BCP-2S18-500	Plenum-Rated 500ft 18 AWG 2-Conductor Speaker Cable	\$129.00	30%	\$90.30
C-HM/HM-KRTL-1M	HDMI (M) to HDMI (M) Cable with Ethernet - 3 - Retail Packaging	\$17.00	30%	\$11.90
C-HM/HM-KRTL-2M	HDMI (M) to HDMI (M) Cable with Ethernet - 6 - Retail Packaging	\$22.00	30%	\$15.40
CLS-GM/GM-15	15-Pin HD (M) to 15-Pin (M) Cable - Low Smoke & Halogen free -15	\$20.00	30%	\$14.00
CLS-GM/GM-25	15-Pin HD (M) to 15-Pin (M) Cable - Low Smoke & Halogen free -25	\$31.00	30%	\$21.70

CLS-GM/GM-35	15-Pin HD (M) to 15-Pin (M) Cable - Low Smoke & Halogen free -35	\$36.00	30%	\$25.20
CLS-GM/GM-50	15-Pin HD (M) to 15-Pin (M) Cable - Low Smoke & Halogen free -50	\$51.00	30%	\$35.70
	Kramers Dolev 5 is a five-inch, two-way, bi-amplified studio grade speaker that			
DOLEV 5	provides superior clairty for high-end applications or any other task that requires			
	precise, accurate and detailed sound.	\$250.00	30%	\$175.00
	Kramers Dolev 6 is a six-inch, two-way, bi-amplified studio-grade speaker that			
	provides superior clarity for high-end applications or any other task that requires			
	precise, accurate and detailed sound.	\$295.00	30%	\$206.50
	Kramers Dolev 8 is an eight-inch, two-way, bi-amplified studio-grade speaker that			
DOLEV 8	provides superior clarity for high-end applications or any other task that requires			
	precise, accurate and detailed sound.	\$350.00	30%	\$245.00
	The VM-1021N is a high-performance distribution amplifier for composite or SD-			
/M-1021N	SDI video signals. It provides controls to compensate for signal losses inherent in			
	long cable runs.	\$1,118.00	30%	\$782.60
	The Galil 4-CO is a pair of two-way, open-back, 8(ohms) speakers designed for			
GALIL 4-CO(W)	mounting in the ceiling. The speakers feature a multi-tap power transformer for			
	selecting 8(ohms) or 70V/100V power settings sutiable for array installation.	\$125.00	30%	\$87.50
CIZIC 4	The SKIC is an optional kit for mounting two Galil 4/6/8-CO speakers in			
SKIC-4	suspended (drop) ceiling tiles.	\$49.00	30%	\$34.30
01410.0	The SKIC is an optional kit for mounting two Galil 4/6/8-CO speakers in			
SKIC-6	suspended (drop) ceiling tiles.	\$55.00	30%	\$38.50
01/10 0	The SKIC is an optional kit for mounting two Galil 4/6/8-CO speakers in			
SKIC-8	suspended (drop) ceiling tiles.	\$55.00	30%	\$38.50
C-TOSLINK/KRTL-0.8N	TOSLINK Optical Digital Cable-Retail Pack-2.6	\$54.00	30%	\$37.80
C-TOSLINK/KRTL-1.2N	TOSLINK Optical Digital Cable-Retail Pack-4	\$55.00	30%	\$38.50
C-TOSLINK/KRTL-2M/	TOSLINK Optical Digital Cable-Retail Pack-6.6	\$55.00	30%	\$38.50
	The VS-88DT matrix switcher routes up to eight HDMI and IR inputs to any or all			
VS-88DT	of eight HDMI or HDBaseT and IR outputs for connection to compatible HDBaseT			
	receivers such as the TP-580RXR.	\$8,341.00	30%	\$5,838.70
CONNECT-DEMO	DEMO ONLY - Wireless Presentation/Collaboration Hub	\$995.00	30%	\$696.50
	The Kramer KDS-EN3 is an H.264 encoder for HDMI signals up to 1080p60. The			
KDO ENO	KDS-EN3 provides unicast (one-to-one) or multicast (one-to-many) streaming to			
KDS-EN3	the KDS-DEC3 decoder or computers running VLC software. KDS-EN3 can also			
	record content to a network	\$1,295.00	30%	\$906.50
	The WP-5VH2 accepts and HDMI and PC graphcs video input, an Ethernet			
14/D 5) (110	signal, serial data, and an unbalanced stereo audio input ( which is embedded			
WP-5VH2	into the output signal), and transmits the signal via HDBaseT (Twisted Pair) cable			
	to a compatible receiver	\$1,325.00	30%	\$927.50
	The FC-24ETH is an Ethernet control gateway, capable of plug and play	, , ,		
	deployment over a customer Ethernet LAN for remote control of customer			
FC-24ETH	controlled devices via bidirectional RS-232 or RS-485 serial control connections.			
	Multiple control clients can be	\$455.00	30%	\$318.50
OPS-1	HDBaseT Receiver Compatible with all devices supporting the Standard OPS Slot		30%	\$220.50

PS-1202	PS-1202 is a desktop power supply with standard size DC output plug that	<b>AFF 00</b>	200/	400.50
	provides 12V DC, 2A to any compatible device.	\$55.00	30%	\$38.50
PS-504	PS-504 is a desktop power supply (AC power cord included) with standard size	4== 00	000/	400 50
	DC output plug that provides 5V DC, 4A to any compatible device.	\$55.00	30%	\$38.50
	Kramer KDS-DEC3 is an H.264 decoder for encoded signals up to 1080p60. It is			
DS-DEC3	designed to work with the KDS-EN3 H.264 encoder to provide a high-quality and		000/	****
	fully-featured end-to-end video and audio over IP solution.	\$1,195.00	30%	\$836.50
PTH-1 SECOND WING	Ideal for mounting Kramer TOOLS and Kramer Pico TOOLS around a projector			
	column (of 1 to 2 in diameter).	\$45.00	30%	\$31.50
	HSL Secure KM Switch enables users to simultaneously operate four or eight			
K304E	computers, each with its own displays, using a single set of keyboard and mouse.			
	The user can easily switch between computers and displays by simply moving the			
	cursor from one disp	\$565.00	30%	\$395.50
K404D	Secure KVM Combiner: 4-Port, DisplayPort Video	\$2,419.00	30%	\$1,693.30
	The KVM Switch is designed for use in secure defense and intelligence			
K502	environments across wide security gaps. This 3rd Generation Secure KVM Switch			
	offers optical data diode per channel. Optical data diodes are used to prevent			
	data transfer between connec	\$675.00	30%	\$472.50
	The KVM Switch is designed for use in secure defense and intelligence			
K524E	environments across wide security gaps. This 3rd Generation Secure KVM Switch			
NO24E	offers optical data diode per channel. Optical data diodes are used to prevent			
	data transfer between connec	\$1,159.00	30%	\$811.30
	HSLs relies on its innovative 3rd generation Secure KVM products to develop a			
1111/04001	unique security isolator device. This new product isolates: USB Keyboard, DVI-I			
HVS100I	Video, USB Mouse and analog Audio output (KVMA). This product offers the			
	highest possible separat	\$238.00	30%	\$166.60
	HSLs K244E Secure KVM Switch provides the highest possible isolation between			·
1/0.445	four connected dual-head computer. This Third-Generation Secure KVM was			
K244E	designed to meet the requirements of organizations challenged by the need to			
	provide secret or top-secret	\$1,129.00	30%	\$790.30
	The K208E, K248E, and K2016E KVM switches are especially designed to	,		·
K248E	provide a secure solution for users in high-density environments involving isolated			
	networks with different security levels. It is a perfect fit for government, military,	\$2,349.00	30%	\$1,644.30
	KVM switches are especially designed to provide a secure solution for users in	, , , , , , , , , , , , , , , , , , , ,		, ,-
K2016E	high-density environments involving isolated networks with different security			
	levels. It is a perfect fit for government, military, financial and any other	\$3,089.00	30%	\$2,162.30
	The PSE-1 provides power remotely over Ethernet to any device capable of	+ 3,000.00	2370	, <u>-</u> , . 3 <u>-</u> .00
	acting as a PoE acceptor (for example, a wallplate, where it may be difficult to			
PSE-1	connect an external power supply). This allows a single HDBT LAN cable to			
	provide both data and elect	\$275.00	30%	\$192.50
	provide beth data and elect	Ψ210.00	50 70	Ψ102.00

	The PSE-2 is a PoE (Power-over-Ethernet) injector. The PSE-2 provides power			
DOE 0	remotely over Ethernet to any device capable of acting as a PoE acceptor, (for			
PSE-2	example, a wallplate where it may be difficult to connect an external power			
	supply). This allows a s	\$445.00	30%	\$311.50
	The VM-8HN is a 1:8 distribution amplifier, with two loop ports, for 4K@60Hz			
/M OLINI	(4:2:0) HDMI 2.0 signals complying with HDCP 1:4 content protection standard.			
VM-8HN	The unit takes one HDMI input, equalizes and reclocks the signal and distributes			
	it to eight identic	\$1,134.00	30%	\$793.80
WP-2UC	Dual USB Charger, supplied with DECORA design frame.	\$165.00	30%	\$115.50
	The RC-63DLN is a 6-button control keypad with knob and LCD displays.			
IDO CODIN	Connected over KNET to master room controller and auxiliary keypads for remote			
RC-63DLN	keypad control, it can serve either as a standalone room controller or part fo a			
	multi-unit KNET system. t	\$515.00	30%	\$360.50
	The TR-91 100W Audio Transformer is a 100W transformer for speaker signals.			
TR-91	The unit takes one 4(ohms)/8(ohms) channel from the speaker output of a power			
	amplifier, transforms it to 70V/100V and distributes it to an array of loudspeakers.	\$450.00	30%	\$315.00
	The TR-92 2x100W Audio Transformer is a 2x100W transformer for speaker			
TR-92	signals. The unit takes two 4(ohms)/8(ohms) channels from a speaker output of a			
	power amplifier, transforms them to 70V/100V and distributes them to an array of			
	loudspeakers.	\$595.00	30%	\$416.50
TR-93	1 Audio Channel Transformer - Converts 4/8 ohms to 70/100V - Max Input 200W	\$595.00	30%	\$416.50
	The VM-80VN is a high-performance distribution amplifier for composite or SDI			
VM-80VN	signals. It can also be configured as a 1:4 DA for s-Video (Y/C) signals and has			
	controls to compensate for signal losses inherent in long cable runs.	\$570.00	30%	\$399.00
	The VS-42HDCP is a high-quality, HDCP compliant 4x2 HDMI (on DVI			
\/O_40UDOD	connectors) matrix switcher. It reclocks and equalizes the signals and can route			
VS-42HDCP	any of the four DVI/HDMI (over DVI-D connector) inputs to any of the two			
	DVI/HDMI outputs simultaneously.	\$1,117.00	30%	\$781.90
	The TBUS-1Axl is the enclosure of a new modular system with a tilt-up lid. A			
TDUO 4AVI D	complete TBUS system requires the enclosure, an inner frame, a power socket,			
TBUS-1AXL-B	inserts and a power cord. NOTE: The TBUS enclosure, power socket, power cord			
	& inserts are purchased	\$155.00	30%	\$108.50
	The TBUS-1Axl is the enclosure of a new modular system with a tilt-up lid. A			
TDUO 4AVI DO	complete TBUS system requires the enclosure, an inner frame, a power socket,			
TBUS-1AXL-BC	inserts and a power cord. NOTE: The TBUS enclosure, power socket, power cord			
	& inserts are purchased	\$155.00	30%	\$108.50
	VP-732 is a 10-input presentation switcher/dual scaler with four HDMI, two			
\/D 700	DisplayPort and four user-definable (universal) analog video inputs. It up-and			
VP-732	down-scales to selectable graphics or HDTV output resolutions to preview and			
	program outputs (up to 4	\$3,969.00	30%	\$2,778.30
VC 4450	1x1 to 4x4 3G HD-SDI Matrix Switcher with a range up to 40KM. Requires			
VS-44FO	purchase of at least 1 Optional SFP Module. See below.	\$3,559.00	30%	\$2,491.30

VS-88FO	The VS-88FO is a high-performance matrix switcher for fiber optic signals. It can			
	switch any or all inputs to any or all outputs simultaneously.	\$4,495.00		\$3,146.50
SFP-IN/OUT-2KM	1x1 SFP Fiber Optic Module non-SMA 2km 3G HD-SDI Tx/Rx	\$345.00	30%	\$241.50
SFP-IN/OUT-40KM	1x1 SFP Fiber Optic Module non-SMA 40km 3G HD-SDI Tx/Rx	\$740.00	30%	\$518.00
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz			
97-0413033	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving			
	a much smaller head th	\$325.00	30%	\$227.50
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz			
7-0413050	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving			
	a much smaller head th	\$370.00	30%	\$259.00
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz			
97-0413098	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving			
	a much smaller head th	\$485.00	30%	\$339.50
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz			
CP-AOCH/XL-131	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving			
	a much smaller head th	\$565.00	30%	\$395.50
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz			
97-0410164	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
37-0410104	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving			
	a much smaller head th	\$535.00	30%	\$374.50
	FC-69 is a high-performance 4K@60Hz (4:2:0), 4Kx2K HDMI audio embedder			
41-90043490	and de-embedder. The unit can embed analog audio to the HDMI output or de-			
141-90043490	embed audio from the HDMI input or from the HDMI output Audio Return Channel			
	to S/PDIF and unbalanced stereo	\$605.00	30%	\$423.50
	The VP-439 is a high-performance digital scaler for computer graphics video,			
VP-439	composite and HDMI signals, including audio. It up/down scales the selected			
VF-439	HDMI, CV or computer graphics video/YPbPr input and outputs it to HDMI on a			
	DVI-I connector.	\$965.00	30%	\$675.50
	WP 20 is a high-performance, 4K, multi-format, wall-plate switcher and			
WP-20	transmitter over extended-reach HDBaseT. Offering intelligent Maestro			
VVP-20	automation, with priority and last-connected switching options, it automatically			
	switches and operates the room ac	\$995.00	30%	\$696.50
F670-IN2-F16	2-Input HDMI over OM3 Fiber Card (F-16)	\$2,695.00	30%	\$1,886.50
20-70003999	4-Input HDMI over HDBaseT Card (F-32)	\$1,995.00	30%	\$1,396.50
20-70004099	4-Output HDMI over HDBaseT Card (F-32)	\$1,995.00	30%	\$1,396.50
	The RTBUS-12 is an elegant furniture-mounted, round connection bus, designed			
00 00000400	to be used with the Kramer SID-X1 Step-in Commander. The RTBUS-12 features			
80-80066199	a pnematic mechanism for pneumatic lifting and smooth closing of its lid. It is			
	easily installed into a	\$241.00	30%	\$168.70

DIP-30BP		\$12.00	30%	\$8.40
	VM-4HDT is a high-quality, long-reach 4K@60Hz (4:2:0) HDBaseT extender			
10 00250000	distributor that takes one HDMI input, with IR and RS-232 control signals,			
10-80359090	converts them to HDBaseT extension line signal and distributes it to four			
	HDBaseT outputs that connect to com	\$1,125.00	30%	\$787.50
	The KW-14T and KW-14R are a high-definition, wireless, HDMI			
12141 4 4	transmitter/receiver pair for indoor use. Up to four KW-14R receivers can receive			
W-14	from one KW-14T transmitter and up to three KW-14T transmitters can be paired			
	with one KW-14R receiver. The KW-14	\$1,325.00	30%	\$927.50
	The KW-14T and KW-14R are a high-definition, wireless, HDMI			
10M 44B	transmitter/receiver pair for indoor use. Up to four KW-14R receivers can receive			
(W-14R	from one KW-14T transmitter and up to three KW-14T transmitters can be paired			
	with one KW-14R receiver. The KW-14	\$620.00	30%	\$434.00
PA-150	Power Amplifier (50W into 70V/100V)	\$450.00	30%	\$315.00
	The FC-26 is a PoE-powered control gateway, capable of plug and play			
	deployment over a customer Ethernet LAN for remote control of customer			
FC-26	controlled devices via bidirectional RS-232 and IR control connections. Multiple			
	control clients can be IP-connecte	\$515.00	30%	\$360.50
	K-Touch is a comprehensive Cloud-based platform that lets dealers easily design	70.000		7000100
30-00007499	advanced room-control and automation systems that can be operated from most			
	IOS or Android touch panels.	\$551.00	30%	\$385.70
	K-Touch is a comprehensive Cloud-based platform that lets dealers easily design			
30-00007599	advanced room-control and automation systems that can be operated from most			
	IOS or Android touch panels.	\$995.00	30%	\$696.50
	K-Touch is a comprehensive Cloud-based platform that lets dealers easily design	,		,
30-00007699	advanced room-control and automation systems that can be operated from most			
	IOS or Android touch panels.	\$1,995.00	30%	\$1,396.50
30-00007799	Additional 1 UI panel R3 license for room upgrade	\$100.00	30%	\$70.00
30-00007899	Additional 5 cntl devices R3 license for project upgrade	\$300.00	30%	\$210.00
30-00008090	K-TOUCH 2 Standard Licenses, 2 Online Training & 1 FC-26.	\$819.00	30%	\$573.30
	The K-Able/XL Box is a furniture-mounted cable extender and retractor that is	,		,
	easily installed underneath a table-top or in a podium. The K-Able/XL Box is			
K-ABLE/XL-LAN	available with the following cable types: VGA, Audio, VGA and audio, HDMI, USB-			
	A, LAN, DisplayPort.	\$195.00	30%	\$136.50
	The K-Able/XL Box is a furniture-mounted cable extender and retractor that is	,		<b>4</b> 100100
	easily installed underneath a table-top or in a podium. The K-Able/XL Box is			
K-ABLE/XL-VGA	available with the following cable types: VGA, Audio, VGA and audio, HDMI, USB-			
	A, LAN, DisplayPort.	\$195.00	30%	\$136.50
	The K-Able/XL Box is a furniture-mounted cable extender and retractor that is	÷ 100.00	0070	Ţ.55.50
	easily installed underneath a table-top or in a podium. The K-Able/XL Box is			
K-ABLE/XL-DP	available with the following cable types: VGA, Audio, VGA and audio, HDMI, USB-	]		
	31	\$195.00	30%	\$136.50
	CABLE RETRACTOR 3.5MM AUDIO	\$195.00	0070	\$136.50

	The K-Able/XL Box is a furniture-mounted cable extender and retractor that is			
K-ABLE/XL-USB	easily installed underneath a table-top or in a podium. The K-Able/XL Box is			
N-ADLE/AL-USD	available with the following cable types: VGA, Audio, VGA and audio, HDMI, USB-			
	A, LAN, DisplayPort.	\$195.00	30%	\$136.50
VM-28H-NV	The VM-28H is a distribution amplifier for HDMI signals. It reclocks and equalizes			
VIVI-ZOTI-INV	one of 2 selectable input signals and distributes it to 8 identical outputs.	\$1,183.00	30%	\$828.10
	C-A35M/IRRN is a professional IR receiver cable designed for devices that have			
95-2104003	a 3.5mm external IR receiver port. C-A35M/IRRN enables sending 38kHk IR			
	signals to the device for controlling the device or for routing the IR signal over an	\$14.00	30%	\$9.80
	C-A35M/IRRN is a professional IR receiver cable designed for devices that have			
C-A35M/IRRN-50	a 3.5mm external IR receiver port. C-A35M/IRRN enables sending 38kHk IR			
	signals to the device for controlling the device or for routing the IR signal over an	\$22.00	30%	\$15.40
	The VP-796A is a universal 4K@60Hz (4:2:0) presentation scaler-switcher for			
VP-796	HDMI, DisplayPort, HDBaseT, VGA, composite and DVI-U video signals and			
	analog audio. Its HQUItraFast Techonology switches in typically a quarter of a	\$3,953.00	30%	\$2,767.10
	The VP-558 is a high-performance 11x4 ProScale presentation scaler/matrix		1	. ,
<b>70.00770040</b>	switcher that can output four independent scaled images. Each output includes an			
70-00558010	HDMI and HDBaseT connector. The product supports analog, digital and			
	embedded audio. VP-558 features	\$7,500.00	30%	\$5,250.00
	The Kramer VP-427A is receiver/scaler for HDBaseT twisted pair, HDMI,	, ,		, , , , , , , , , , , , , , , , , , , ,
	bidirectional RS-232 and IR signals. It up-or down-scales the picture to match the			
70-00054090	resolution of the HDMI monitor. It includes a simultaneous analog audio output of			
	the embedded HDMI a	\$825.00	30%	\$577.50
•	The FC-28 is a PoE-powered control gateway, capable of plug and play			* -
	deployment over customer Ethernet LAN for remote control of customer			
FC-28	controlled devices via bidirectional RS-232, IR, GPI/O and relay control			
1	connections. Multiple control clients can be	\$625.00	30%	\$437.50
	RK-19N mounting brackets can mount most 1 U Kramer models under a table or	70-0100		<del>-                                    </del>
RK-19N	podium.	\$60.00	30%	\$42.00
	Kramers C-SC/SC/OM4 is a laser-optimized OM4 fiber optic multi-mode	700.00		¥ 12100
C-SC/SC/OM4-33	50/124um cable in a 3.0mm (0.118in) diameter PVC jacket terminated with SC	\$32.00	30%	\$22.40
	Kramers C-SC/SC/OM4 is a laser-optimized OM4 fiber optic multi-mode	<del>+</del>	1	<b>V</b>
C-SC/SC/OM4-66	50/124um cable in a 3.0mm (0.118in) diameter PVC jacket terminated with SC		30%	#VALUE!
	Kramers C-SC/SC/OM4 is a laser-optimized OM4 fiber optic multi-mode		0070	,, v, 1202.
C-SC/SC/OM4-98	50/124um cable in a 3.0mm (0.118in) diameter PVC jacket terminated with SC		30%	#VALUE!
	Kramers C-SC/SC/OM4 is a laser-optimized OM4 fiber optic multi-mode		0070	# V/ LOL.
C-SC/SC/OM4-164	50/124um cable in a 3.0mm (0.118in) diameter PVC jacket terminated with SC	\$135.00	30%	\$94.50
	Kramers C-SC/SC/OM4 is a laser-optimized OM4 fiber optic multi-mode	ψ100.00	0070	ψυ-1.00
C-SC/SC/OM4-246	50/124um cable in a 3.0mm (0.118in) diameter PVC jacket terminated with SC	\$190.00	30%	\$133.00
	Kramers C-SC/SC/OM4 is a laser-optimized OM4 fiber optic multi-mode	Ψ130.00	3070	ψ100.00
C-SC/SC/OM4-328	50/124um cable in a 3.0mm (0.118in) diameter PVC jacket terminated with SC	\$250.00	30%	\$175.00
	Kramers C-SC/SC/OM4 is a laser-optimized OM4 fiber optic multi-mode	Ψ200.00	30 /0	ψ173.00
C-SC/SC/OM4-558	50/124um cable in a 3.0mm (0.118in) diameter PVC jacket terminated with SC	\$430.00	30%	\$301.00
	100/124dill cable ill a 3.0filli (0.110lii) diameter FVC jacket terrilliated with SC	<del>Ф4</del> 30.00	30%	φ30 1.00

0/124um cable in a 3.0mm (0.118in) diameter PVC jacket terminated with SC	\$480.00	200/	
	ψ 100.00	30%	\$336.00
Vall Plate Insert HDMI, color black.	\$33.00	30%	\$23.10
The TBUS-203xl is a furniture-mounted pop-up connection bus that is easily			
nstalled into a table or podium top. The TBUS-203xl interface enables you to			
connect any equipment to systems installed in a room via five single inserts or			
wo dual inserts and o	\$415.00	30%	\$290.50
/S-211H2 is a high-performance auto switcher for 4K@60Hz (4:4:4) HDMI video			
ignals. Offering priority and last-connected auto switching scheme options, it			
automatically switches input signals to output connection, according to the			
	\$355.00	30%	\$248.50
	\$12.00	30%	\$8.40
	\$221.00	30%	\$154.70
•		30%	#VALUE!
our iPhone , iPod with a Lightining connector. The cable can be used to			
	\$17.00	30%	\$11.90
·			
product with contact closu	\$108.00	30%	\$75.60
he WU-2AA is a single wall plate insert with two USB 2.0 Type A ports and two			*
	\$55.00	30%	\$38.50
Ethernet. The slim HDMI connector and narrower cable diameter are ideal for			
ght spaces behind televisions or in a cabinet. The short cable relieves the stress			
• •	\$22.00	30%	\$15.40
	\$20.00	30%	\$14.00
	<del></del>		<b>*</b> * * * * * * * * * * * * * * * * * *
	\$2.913.00	30%	\$2,039.10
	+=,0.00	3370	,000.10
·			
he field. The connector	\$17.00	30%	\$11.90
	connect any equipment to systems installed in a room via five single inserts or wo dual inserts and o (S-211H2 is a high-performance auto switcher for 4K@60Hz (4:4:4) HDMI video ignals. Offering priority and last-connected auto switching scheme options, it utomatically switches input signals to output connection, according to the elected switching sche  ISL KVM Cable short (1.8 m), DVI-D to DVI-D Dual-Link, USB, Black able Mount Modular Multi-Connection Solution - Tilt-Up Lid  OWER SUPPLY FOR 902  Iramers C-UA/LTN cable is a Mfi certified USB 2.0 cable to connect and charge our iPhone , iPod with a Lightining connector. The cable can be used to connect to your computers USB port for syncing and charging or to a USB power dapter for reliable cha  ICC-11TB single slot wall plate insert 1-Button Contact Closure Switch which is deal for using as a means of remote control in boardrooms and conference comes. It can be used with the SID-X1 step-in commander or any other Kramer roduct with contact closur. The with two USB 2.0 Type A ports and two ables with USB Type A connectors at the rear.  Iramers ADC-HM/HF/PICO is an ultra-slim high-speed HDMI adapter cable with thernet. The slim HDMI connector and narrower cable diameter are ideal for ght spaces behind televisions or in a cabinet. The short cable relieves the stress of repeated plug in  VP 20 is a high-performance, 4K, multi-format, wall-plate switcher and ansmitter over extended-reach HDBaseT. Offering intelligent Maestro utomation, with priority and last-connected switching options, it automatically witches and operates the room ac  VIA Campus offers industry leading collaboration and engagment tools that nhance interactive learning in Education and Corporate Training environments swell as supporting general wireless connectivity and collaboration for virtually ny environment. Fr  he CON-FIELD is a high-bandwidth, shielded RJ-45 connector used for erminating Kramer LAN cables. This connector requires no crimping tool to install, and provides fast and reliable te	onnect any equipment to systems installed in a room via five single inserts or wo dual inserts and o  \$415.00  \$5-211H2 is a high-performance auto switcher for 4K@60Hz (4:4:4) HDMI video  gnals. Offering priority and last-connected auto switching scheme options, it utomatically switches input signals to output connection, according to the elected switching sche  \$355.00  \$1SL KVM Cable short (1.8 m), DVI-D to DVI-D Dual-Link, USB, Black  \$12.00  *36De Mount Modular Multi-Connection Solution - Tilt-Up Lid  *5221.00  *50WER SUPPLY FOR 902  *50 cramers C-UA/LTN cable is a Mfi certified USB 2.0 cable to connect and charge our iPhone , iPod with a Lightining connector. The cable can be used to connect or your computers USB port for syncing and charging or to a USB power dapter for reliable cha  *517.00  *50-70-70-70-70-70-70-70-70-70-70-70-70-70	onnect any equipment to systems installed in a room via five single inserts or vo dual inserts and 0 \$30% \$2-11H2 is a high-performance auto switcher for 4K@60Hz (4:4:4) HDMI video ignals. Offering priority and last-connected auto switching scheme options, it utomatically switches input signals to output connection, according to the elected switching sche \$355.00 \$30% \$30K \$30EL KVM Cable short (1.8 m), DVI-D to DVI-D Dual-Link, USB, Black \$12.00 \$30% \$30B is a Mount Modular Multi-Connection Solution - Tilt-Up Lid \$221.00 \$30% \$30B is a With a Lightining connector. The cable to connect and charge our iPhone , iPod with a Lightining connector. The cable can be used to connect to your computers USB port for syncing and charging or to a USB power dapter for reliable cha \$17.00 \$30% \$10E-11TB single slot wall plate insert 1-Button Contact Closure Switch which is leal for using as a means of remote control in boardrooms and conference coms. It can be used with the SID-X1 step-in commander or any other Kramer roduct with contact closu \$108.00 \$30% \$30% \$30% \$30% \$30% \$30% \$30% \$3

	1616HD-3G is a 16x16 matrix switcher for SDI signals of up to 3G SDI. It is easy	1		
	to operate and control through the network using the intuitive web pages and			
1616HD-3G	through RS-232 using a serial controller. Small and lightweight, it is capable of			
	handling the mo	\$2,980.00	30%	\$2,086.00
	The VM-212DT is 4K@60Hz (4:2:0) HDMI & extended-reach HDBaseT DA for	<del>+=</del> ,======	3075	ψ=,σσσ.σσ
	HDMI and HDBaseT signals. It reclocks and equalizes the signal and distributes it			
VM-212DT	to two identical HDBaseT outputs and a looping HDMI output. It supports			
	resolutions up to 4K@60Hz (4:2:0	\$1,814.00	30%	\$1,269.80
	VM-214DT is a high-quality, extended-reach 4K@60Hz (4:2:0) HDBaseT	+ 1,0 1 1100		<b>+</b> 1,= 00100
	distributor that takes either an HDMI or an extended-reach HDBaseT input			
VM-214DT	(selectable), equalizes and reclock the signal and distributes it to four identical			
	extended-reach HDBaseT outputs	\$2,495.00	30%	\$1,746.50
CACY/US	TBUS AC Power Cord Dual Outputs USA 6ft 110V AC	\$8.00	30%	\$5.60
K TOUCH STARTER	K toyuch online certification training kit	*	30%	#VALUE!
S-PW44020-00	P/S AC/DC 88-132/176-264VAC 15VDC LPS-100-15			#VALUE!
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
C-HM/HM/PICO/BK-1	The slim HDMI connector and narrower cable diameter fits more easily into tight			
		\$12.00	30%	\$8.40
	The KT-10 is a portable 10 IPS multi-touch Touch Panel with 1280x800			·
X1-10	resolution. This Android-based Touch Panel can be tabletop-and on-wall-mounted			
	and is VESA compliant. The device supports Power over Ethernet (PoE) and			
	comes with an Ethernet cable	\$2,395.00	30%	\$1,676.50
	The Yarden 6-C consits of a pair of high performance closed back speaker. They			,
YARDDEN 6-C	feature a multi-tap power transformer for selecting 8ohms (bypassing the			
	transformer) or 70V/100V power settings that are suitale for an array installation.	\$375.00	30%	\$262.50
4848CVR	48x48 Composite Video Matrix Switcher 4RU with redundant power supply.		30%	#VALUE!
3232CVR	32x32 Composite Video Matrix Switcher 4RU with redundant power supply.		30%	#VALUE!
	The WP-571 is a PoC DGKat wall plate transmitter for HDMI signals. The WP-			
WP-571(W)	571 converts an HDMI signal to a DGKat twisted pair signal that it transmits to a			
	WP-572.	\$234.00	30%	\$163.80
	Kramers ADC-HM/HF/PICO is an ultra-slim high-speed HDMI adapter cable with			
ADC/HM/HF/PICO	Ethernet. The slim HDMI connector and narrower cable diameter are ideal for			
ADC/HIVI/HF/PICO	tight spaces behind televisions or in a cabinet. The short cable relieves the stress			
	of repeated plug in	\$20.00	30%	\$14.00
80-00021790	The VIA Pad is an optional touch pad accessory for the VIA product line that			
80-00021790	enables users to easily present their laptop screen on a main display.	\$150.00	30%	\$105.00
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
C-HM/HM/PICO/BK-2	The slim HDMI connector and narrower cable diameter fits more easily into tight			
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$15.00	30%	\$10.50
	The Sierra Video Aspen HD-3G Series routing switchers are compact units			
ACDEN 1646UD 20	offering digital video boards that work with SDI video SMPTE 259M-C, HD			
ASPEN 1616HD-3G	SMPTE 292M, and 3G SMPTE 424M. These unique routing switchers can also			
	route DVB-ASI signals. Some routers in t		30%	#VALUE!

	TP-590Txr is a high-performance, extended-reach HDBaseT 2.0 transmitter for			
	4K40Hz (4:2:0) HDMI, USB, Ethernet, RS-232, IR and stereo audio signals over			
50-80317090	twisted pair. The TP-590Txr converts all input signals into the transmitted			
	HDBaseT 2.0 signal. It ext	\$895.00	30%	\$626.50
	TP-590Rxr is a high-performance, extended-reach HDBaseT 2.0 receiver for	ψ033.00	30 70	ψ020.00
	4K60Hz (4:2:0) HDMI, USB, Ethernet, RS-232, IR and stereo audio signals over			
50-80319190	twisted pair. It extends video signals to up to 100m (330ft) over CAT copper			
	cables at up to 4K@60Hz (4:2	\$895.00	30%	\$626.50
	Aspen 7272HD-3G is a 72x72 matrix switcher for SDI signals of up to 3G SDI.	ψ000.00	0070	Ψ020.00
	The 7272HD-3G is easy to operate and control through the network using the			
7272HD-3G	intuitive web pages and through RS-232 using a serial controller. Small and			
	lightweight, it is capable o	\$14,055.00	30%	\$9,838.50
	The RCP-7272 remote control panel for 7272HD-3G. It can be connected directly	ψ14,000.00	30 70	ψ3,000.00
RCP-7272	to the switcher or via a network connection.	\$1,680.00	30%	\$1,176.00
CAMDI IS-SW-WRNTY	2 Year Extended Software//Firmware Warranty for VIA Campus	\$595.00	30%	\$416.50
CAMI 00-000-0010111	19-inch rack adapter for mounting a VIA Campus and power supply in a 2U rack	ψ000.00	30 70	ψ+10.50
RK-CAMPUS	space.	\$145.00	30%	\$101.50
HAD-IN2-F16	2 input HDMI with Digital Audio	\$895.00	30%	\$626.50
TIAD-INZ-I TO	KWC-LTN is a receiver for a lightning connector. It is a wireless power receiver	ψ033.00	30 70	ψ020.50
KWC-LTN	that utilizes electromagnetic induction to charge mobile devices wirelessly and is			
WVC-LIIV	compatible with the Qi standard for wireless chargers.	\$42.00	30%	\$29.40
VIA-TCB	True Collaboration in a Box	\$1,195.00	30%	\$836.50
VS-82HDXL	8x2 3G HDSDI Matrix Switcher	\$4,995.00		\$3,496.50
VP-797A	HQUItra 11 Input 4K60 420 HDBaseT and Legacy Presentation Switcher	\$6,691.00	30%	
80-80228290	Dual USB Charger insert.	\$133.00	30%	\$93.10
00-00220290	The T1AF inner frame comes in six different configurations that can hold single or	ψ133.00	30 70	ψ93.10
80-000399	double power sockets, single or double inserts, long inserts and Kramer Tools.	\$76.00	30%	\$53.20
	TBUS power sockets are available in single and dual, country-specific modules.	φ10.00	30 /0	φ33.20
	Modules are available with AC power sockets and /or USB charging sockets.			
80-001999	NOTE: The Universal power socket is fully compatible with power plugs in the UK,			
	India, Italy and Denm	\$55.00	30%	\$38.50
91-000099	AC power cords for modular TBUS units in a variety of styles.	\$6.00	30%	\$4.20
85-0410499	Cable Retractor - HDMI	\$195.00	30%	\$136.50
85-0410299	Cable Retractor - VGA & Audio	\$195.00 \$195.00	30%	\$136.50
85-0410399	Cable Retractor - VGA & Addio  Cable Retractor - Ethernet (RJ-45)	\$195.00 \$195.00	30%	\$136.50
SID-X2NBP	Black front replacement panel for SID-XN family to match TBUS.	\$195.00 \$10.00		
SID-XZINBP	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest	\$10.00	30%	\$7.00
99-3460050	technology signals. Over four individually screened twisted pairs, this U/FTP			
	CAT6a cable runs Krramers DGKat technology, 4K HDBaseT technology or LAN	#20.00	200/	<b>#04.00</b>
	applications and ensures opt	\$30.00	30%	\$21.00
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
C-HM/HM/PICO/WH-6 	The slim HDMI connector and narrower cable diameter fits more easily into tight	<b>\$25.00</b>	000/	M47.50
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$25.00	30%	\$17.50

90-70745190	The VM-2Hxl is a distribution amplifier for HDMI signals. The unit reclocks and	0045.00	000/	#000 F0
05 0000000	equalizes the signal and distributes it to two identical outputs.	\$315.00	30%	\$220.50
85-0023299	HDMI Passive Wall Plate	\$80.00	30%	\$56.00
KWC-1(B)	KWC-1 (Kramer Wireless Charging) is a built-in table mounted charging spot that enables you to charge your mobile device by simply placing it on the charging spot. If your mobile device does not feature wireless charging, you can connect it to a charging	\$210.00	30%	\$147.00
	Kramers C-USB/MicroB cable is a high-speed USB 2.0 Type-A male to USB	Ψ2 10.00	30 70	ψ147.00
96-02156003	micro-B male cable used to connect computers and peripherals, such as smartphones, external hard drives and other digital devices for superior signal			
	transfer of up to 480Mbps.	\$3.00	30%	\$2.10
CP-GM/GM/XL-75	Kramers new CP-GM/GM/xl cable offers the highest possible performance and a configuration designed to give installers and users a new level of convenience and aesthetics. It is ideal for any application requiring no-compromise quality and performance in a	\$70.00	30%	\$49.00
RS40N-3	HighSecLabs Secure 4 Port Multi-Domain Smart Card Reader	\$413.00	30%	\$289.10
TP-588D	TP-588D is a high-performance, extended-reach HDBaseT 1.0 receiver for 4K60Hz (4:2:0) DVI or HDMI, Ethernet, RS-232, IR and stereo audio signals over twisted pair. It extends video signals to up to 100m (330ft) over CAT copper cables at up to 4K@60Hz (4:2	\$895.00	30%	\$626.50
KDS-MP2	The KDS-MP2 is a high-quality LAN-based digital signage media player. The unit receives content from the Media Manager software installed on the PC, either via LAN or from an external USB memory stick, load it into its internal memory and then displays it	\$965.00	30%	\$675.50
860	860 HDMI 18G (6G per graphic channel) 4K HDR Signal Generator & Analyzer is an advanced and handy tool for generating, testing and verifying the signal path within your (up to) 4K@60Hz (4:4:4) HDMI/HDCP 2.2 ecosystem. With 88 built-in resolutions, 55 test	\$2,245.00	30%	\$1,571.50
VP-778	VP-778 is a presentation matrix switcher/scaler that can be configured as a single 4K output (4K@30Hz UHD (3840x2160) or dual HD scaler with full PiP capabilities. It can scale to two independent HDMI outputs, each with a parallel HDBaseT output. VP-778 i	\$5,751.00	30%	\$4,025.70
80-000222	Black Front Panel for DIP-20	\$15.00	30%	\$10.50
20-70005598	2 channels Audio Analog & Digital input Card for Frame 16	\$1,065.00	30%	\$745.50
20-70005698	AAD-OUT2-F16 is a two-channel analog and digital output card for the VS-1616 Series Modular Multi-Format Digital Matrix Switchers. The AAD-OUT2-F16 outputs two analog and digital signals from the chassis.	\$595.00	30%	\$416.50
28-70001410	2x2 to 16x16 Modular Multi Format Digital Matrix Switcher	\$5,130.00		\$3,591.00
80-000119	Computer Graphics Video, HDMI & Stereo Audio Passive Wall Plate. WXA-H-D model supplied with DECORA design frame.	\$52.00	30%	\$36.40
40-80348090	FC-404Net is a four-input/four-output Dante interface with line or microphone level inputs and line level outputs. It connects analog inputs to a digital Dante network or outputs four channels from a Dante network.	\$745.00	30%	

	Kramers BC-UNIKAT cable is a unified CAT6a cable that handles all Pro AV and			
	IT signals. Over four individually screened twisted pairs, this U/FTP CAT6A cable			
99-0461100	runs Kramer DGKat technology, 4K HDBaseT technology or LAN applications and			
	ensures optimal sign		30%	#VALUE!
	The PT-571 is a DGKat twisted pair transmitter for HDMI signals. The PT-571		0070	,, v, (202.
90-70832090	converts an HDMI signal to a single twisted pair signal and the PT-572+ converts			
J0-70032030	the twisted pair signal back to an HDMI signal.	\$250.00	30%	\$175.00
	PT-572+ is a DGKat twisted pair receiver for HDMI signals. The PT-571 converts	Ψ200.00	0070	Ψ170.00
90-70986090	an HDMI signal to a single twisted pair receiver for HBMI signals. The FT of F converts the			
90-70900090	twisted pair signal back to an HDMI signal.	\$250.00	30%	\$175.00
	CAT 5 Line Driver/DA receives a CAT 5 input and distributes it to two identical	φ230.00	30 70	\$175.00
90-7188090	outputs.	\$270.00	30%	¢190.00
	The VM-1H4C is a high-quality 1:4 twisted pair distribution amplifier for HDMI	\$270.00	30%	\$189.00
	signal to PoC Long-reach DGKat signals. The unit receives serial commands and			
50-70958190				
	IR signals transparently via the RS-232 port and the TP link. It reclocks and	<b>04.005.00</b>	000/	<b>#</b> 000 <b>F</b> 0
	equalizes the input	\$1,295.00	30%	\$906.50
29-20001210	SVG 1RU Frame w/ Redundant Power Holds up to 5 Input Cards and 1 Output	<b>4.</b> 070 00	000/	<b>#740.00</b>
22 2224522	Card or 4 Input Cards and 2 Output Cards 110V	\$1,070.00	30%	7
29-20001599	HDMI Input Module with embedded audio, four HDMI inputs per module	\$2,250.00		\$1,575.00
29-20001799	HD-SDI and HDMI Output Module for SVG multi-viewer with one HDMI input	\$4,395.00		\$3,076.50
85-000152	Frame for Wall Plate Inserts - 1 Gang	\$30.00	30%	
DK82DU-3	Secure 8-Port DVI-I Video Dual-Head KVM Switch w/fUSB,PP 3.0	\$2,188.00	30%	\$1,531.60
	VS-44DT is a 4x4 4K@60Hz (4:2:0) HDMI/HDBaseT matrix switcher that			
20-00044010	transmits video, audio, Ethernet, RS-232 and IR signals over extended distances.			
20-00044010	The unit accepts up to four HDMI and four IR inputs as well as Ethernet and RS-			
	232 network and control. The	\$3,695.00	30%	\$2,586.50
	All the advanced wireless presentation and collaboration tools offered by VIA			
SW-000001	Campus can now be used on your own PC to enhance collaborative meetings in			
300-000001	Corporate environments and interactive learning in Education and training			
	environments. VIAware can sh	\$1,495.00	30%	\$1,046.50
	The VM-3AN is a high-performance distribution amplifier for balanced stereo			
11-70797090	audio signals. The unit takes one stereo inpput and distributes the signal to three			
	identical outputs.	\$195.00	30%	\$136.50
	SX42DU-3 is a secure 2x4 4K30 UHD DVI-I mini matrix KVM switch. It enables			
	viewing and controlling four computers with different security classifications			
20-0001490	simultaneously while securely sharing peripherals- keyboards, video, mouse,			
	audio, and USB devices. I	\$1,080.00	30%	\$756.00
	The VM-216H is a distribution amplifier for HDMI signals. It reclocks and	, , , , , , , , , , , , , , , , , , , ,		*
11-70752010	equalizes one of 2 selectable input signals and distributes it to 8 or 16 identical	\$1,395.00	30%	\$976.50
	The SL-280 is a master/space controller (Kramer Control brain) that can operate	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2270	<b>4170.00</b>
30-80397010	over Ethernet with control interfaces that include: eight bidirectional RS-232, eight IR, eight GPI/O, and eight relays. It controls devices such as scalers, video			

	KT-107 is a 7-inch IPS multi-touch, powerful touch panel with 1280x800			
30-001790	resolution. Elegantly designed for decorative room integration, this portable touch			
30-001790	panel can be deployed either tabletop or on-wall, mounted inside standard in-wall			
	junction boxes. KT	\$1,495.00	30%	\$1,046.50
21-0360090	5x1 Composite Video Switcher	\$545.00	30%	\$381.50
	The KDS-DEC6 decoder provides streaming over an IP network that carries			
60-000390	4K@60Hz (4:2:0) video, audio, IR, RS-232, USB over IP with HDCP 2.2 in			
	unicast (one-to-one) or multicast (many-to-many) configurations.	\$900.00	30%	\$630.00
	The KDS-EN6 encoder provides streaming over an IP network that carries			
60-000290	4K@60Hz (4:2:0) video, audio, IR, RS-232, USB over IP with HDCP 2.2 in			
	unicast (one-to-one) or multicast (many-to-many) configurations.	\$900.00	30%	\$630.00
04-904076-03	16x16 RGBHV Matrix Switcher	\$2,243.00	30%	\$1,570.10
	The Lassen XL Series offers flexibility and adaptability to any application where			
04 040004 40	saving space and costs are important. 3232V-XL is a 32x32 analog composite			
04-918001-13	video matrix switcher, available in a compact 3RU frame. It offers control via the			
	front panel or	\$3,658.00	30%	\$2,560.60
	The PIP-4 is a high-performance picture-in-picture inserter for composite video			
60-70957090	signals. The PIP output can display up to four inages simulataneously, each of			
	which can be sized and positioned individually.	\$2,235.00	30%	\$1,564.50
60-200100	19in Rack Adapter for 1 Large & 1 Standard Size Tools	\$146.00	30%	\$102.20
	VIA Connect PRO is a wireless collaboration and presentation solution that			
07.00000	makes sharing and presenting in meetings easier. With any laptop or mobile			
87-000690	device, users can view, edit and comment on documents in real time, share files			
	and chat with individuals or	\$995.00	30%	\$696.50
	Kramers C-USB3/AA is a SuperSpeed USB 3.0 Type-A male to Type-A male			
	cable used to connect computers and peripherals, such as printers, scanners,			
96-0230006	cameras, keyboards, mice and other digital devices for superior signal transfer of			
	up to 4.8Gbps.	\$9.00	30%	\$6.30
	Kramers C-3RVAM/3RVAM is a high-quality 3 RCA cable assembly designed for			
00 0004040	video and stereo audio signals. It is perfect for connection of DVD players, VCRs,			
98-0301010	and consumer style display devices that are routinely used in professional AV			
	systems.	\$17.00	30%	\$11.90
	VS-42UHD is a high-quality, 4x2 matrix switcher for 4K@60Hz (4:2:0) HDMI			i i
20-801220190	signals. It reclocks and equalizes the signals and can route any input to either or			
	both outputs simultaneously.	\$850.00	30%	\$595.00
	The Yarden 6-CH consists of a pair of high performance closed back speakers			
00 000004	with Kevlar high power drivers that create a horn effect, provide a high sound		 	
60-000061	pressure level (SPL) and can achieve increased power efficiency and high quality		 	
Ì	sound. Mount your	\$495.00	30%	\$346.50

	VS-88UHDA is a high-quality 8x8 matrix switcher for 4K@60Hz (4:2:0) HDMI			
20-08800030	signals and embedded/de-embedded analog audio. It reclocks and equalizes the			
20 00000000	signals and can route any one of eight HDMI, HDCP-compliant sources			
	(selectable) to any or all outputs si	\$5,585.00	30%	\$3,909.50
	HDBT-OUT2-F16 is a two-channel HDMI, bidirectional RS-232, Ethernet, & IR			
20-70003898	over HDBaseT twisted pair transmitter card for the VS-1616 Series Modular Multi-	-		
20-70003090	Format Digital Matrix Switchers. The HDBT-OUT2-F16 outputs two extended			
	reach HDBaseT signals with bi	\$1,335.00	30%	\$934.50
20-70003798	2 channels HDBT Input Card for Frame 16	\$1,350.00	30%	\$945.00
	Kramers BC-UNIKAT cable is a unified CAT6a cable that handles all Pro AV and			
00 0404005	IT signals. Over four individually screened twisted pairs, this U/FTP CAT6A cable			
99-0461305	runs Kramers DGKat technology, 4K HDBaseT technology or LAN applications			
	and ensures optimal si	\$375.00	30%	\$262.50
	The WP-580T is a high-performance, HDBaseT twisted pair wall plate transmitter	Ť		
	for 4K@60Hz (4:2:0) HDMI signals. The WP-580T inputs the signals and converts			
50-800282095	them into an HDBaseT twisted pair signal that it transmits to WP-580R receiver.			
	The WP-580T(D) mod	\$313.00	30%	\$219.10
	Kramers C-HM/HM/PRO HDMI cable delivers high-speed, high-performance			,
97-01114010	digital video and audio with impeccable impedance stability, low skew, high signal			
	integrity, and noise immunity for up to 4K@60Hz (4:4:4). With pro-grade heavy-			
	duty construction, triple	\$28.00	30%	\$19.60
	KT-107S is a highly secured 7-inch IPS multi-touch, powerful touch panel with			,
	1280x800 resolution. Elegantly designed for decorative room integration, this			
30-001890	portable touch panel can be deployed either tabletop or on-wall, mounted inside			
	standard in-wall ju	\$1,795.00	30%	\$1,256.50
85-000022	Dual Cable Pass-Through Wall Plate Insert.	\$22.00	30%	\$15.40
85-0002199	Two-Sized Cable Pass-Through Wall Plate Insert.	\$22.00	30%	\$15.40
	HH-OUT2-F16 is a two-channel HDMI output card for the VS-1616 Series	*		*
20-70007398	Modular Multi-Format Digital Matrix Switchers. The HH-OUT2-F16 outputs two			
	HDMI signals from the chassis.	\$545.00	30%	\$381.50
RR-C-HM-3	Electronics Rapid Run (Old style) HDMI flying lead 3	\$20.00	30%	\$14.00
RR-C-HM-6	Electronics Rapid Run (Old style) HDMI Flying lead 6	\$30.00	30%	\$21.00
99-92241000	Plenum Line Level Audio Cable 2/22AWG 1000ft	\$259.00	30%	\$181.30
	DK22D-3 is a secure dual head 2-port, 4K30 UHD DVI-I KVM switch. It enables	<b>\$200.00</b>		ψ.σσσ
	users to share peripherals-keyboard, video, mouse and audio- between two			
22-00005990	different security-level networks/computers while isolating all hosts and protecting			
	against data leakage	\$765.00	30%	\$535.50
	DK42D-3 is a secure dual head 4-port, 4K30 UHD DVI-I KVM switch. It enables	ψ, σσ.σσ	00 70	ψ000.00
	users to share peripherals-keyboards, video, mouse and audio- between four			
22-00003020	different security- level networks/computers while isolating all hosts and			
	protecting against data leaka	\$1,058.00	30%	\$740.60
ı	Throreoning against data reaka	φ1,000.00	ას%	Φ14U.0U

	The VS-211UHD is an automatic switcher for 4K@60Hz (4:2:0) HDMI and analog			
00 00054400	audio signals. The VS-211UHD automatically switches one of two HDMI inputs to			
20-90054190	a predefined or last connected input whenever the currently active video signal is			
	interrupted or when	\$515.00	30%	\$360.50
	SK21D-3 is a secure 2-port, small-form-factor DVI-I KVM switch. It enables users			·
00 000000	to share peripherals- keyboard, mouse and monitor-between two different security	4		
22-000020	level networks/computers. SK21D-3 provides the highest possible isolation			
	between two connec	\$583.00	30%	\$408.10
	DK22D-N is a dual head 2-port, 4K30 UHD DVI-I KVM switch. It enables users to			
22-00003390	share peripherals-keyboards, video mouse and audio-between two different			
	networks/computers.	\$532.00	30%	\$372.40
	DK22H-3 is a secure dual head 2-port, 4K30 UHD HDMI KVM switch. It enables			
00 0000000	users to share peripherals - keyboard, video, mouse and audio - between two			
22-00006090	different security-level networks/computers while isolating all hosts and protecting			
	against data leakag	\$730.00	30%	\$511.00
	DK22H-N is a dual head 2-port, 4K30 UHD HDMI KVM switch. It enables users to			
22-00003490	share peripherals- keyboard, video, mouse and audio- between two different			
	networks/computers.	\$556.00	30%	\$389.20
22-00006190	2-Port DisplayPort to HDMI Video Dual-Head KVM Switch, PP3.0	\$803.00	30%	\$562.10
	DK22PD-3 is a secure dual head 2-port, 4K30 UHD DVI-I and DisplayPort KVM			
00 0000000	switch. It enables users to share peripherals- keyboard, video, mouse and audio-			
22-00006290	between two different security- level networks/ computers while isolating all hosts			
	and protecting a	\$765.00	30%	\$535.50
	DK22PD-N is a dual head 2-port, 4K30 UHD DVI-I and DIsplayPort KVM switch.			
22-00003690	It enables users to share peripherals- keyboards, video, mouse and audio -			
	between two different networks/computers.	\$743.00	30%	\$520.10
	DK22P-N is a dual head 2-port, 4K30 UHD DisplayPort KVM switch. It enables			
22-00003590	users to share peripherals- keyboard, video, mouse and audio- between two			
	different networks/computers.	\$702.00	30%	\$491.40
	DK42DU-3 is a secure dual head 4-port, 4K30 UHD DVI-I KVM switch. It enables			
22 000024	users to share peripherals- keyboards, video, mouse, audio, and USB- between			
22-000021	four different security-level networks/computers while isolating all hosts and			
	protecting agains data	\$1,120.00	30%	\$784.00
	DK42DU-N is a dual head 4-port, 4K30 UHD DVI-I KVM switch. It enables users			
22 00004200	to share peripherals- keyboards, video, mouse, audio, and USB- between four			
22-00004390	networks/computers. It also enables assigning a USB port to a specific computer			
	while switching other p	\$780.00	30%	\$546.00
	DK42H-3 is a secure dual head 4-port, 4K30 UHD HDMI KVM switch. It enables			
22 00002620	users to share peripherals- keyboard, video, mouse and audio- between four			
22-00003620	different security- level networks/computers while isolating all hosts and			
	protecting against data leakag	\$920.00	30%	\$644.00

	DK42HU-3 is a secure dual head 4-port, 4K30 UHD HDMI KVM switch. It enables	s T		
	users to share peripherals- keyboards, video, mouse, audio, and USB- between			
22-00003720	four different security-level networks/computers while isolating all hosts and			
	protecting against data	\$985.00	30%	\$689.50
	DK42HU-N is a dual head 4-port, 4K30 UHD HDMI KVM switch. It enables users			
	to share peripherals- keyboards, video, mouse, audio, and USB- between four			
22-00004490	networks/computers. It also enables assigning a USB port to a specific computer			
	while switching other pe	\$829.00	30%	\$580.30
	DK42P-3 is a secure dual head 4-port, 4K30 UHD DisplayPort KVM switch. It			
00 0000000	enables users to share peripherals- keyboard, video, mouse and audio- between			
22-00003320	four different security- level networks/ computers while isolating all hosts and			
	protecting against dat	\$1,258.00	30%	\$880.60
	DK42PU-3 is a secure dual head 4-port, 4K30 UHD DisplayPort KVM switch. It			
00 00000400	enables users to share peripherals- keyboard, video, mouse, audio, and USB-			
22-00003420	between four different security-level networks/computers while isolating all hosts			
	and protecting agains	\$1,320.00	30%	\$924.00
22-00002230	Secure 8-Port DVI-I Video Dual-Head KVM Switch w/fUSB,PP 3.0	\$2,188.00	30%	\$1,531.60
	DK82DU-N is a dual head 8-port, 4K30 UHD DVI-I KVM switch. It enables users			
00 00005000	to share peripherals- keyboards, video, mouse, audio, and USB between eight			
2-00005230	different networks/ computers. It also enables assigning a USB port to a specific			
	computer while switch	\$1,369.00	30%	\$958.30
	DK82DU-N is a dual head 8-port, 4K30 UHD DVI-I KVM switch. It enables users			
00 00005000	to share peripherals- keyboards, video, mouse, audio, and USB between eight			
22-00005330	different networks/ computers. It also enables assigning a USB port to a specific			
	computer while switch	\$1,455.00	30%	\$1,018.50
	DK82PU-N is a dual head 8-port, 4K30 UHD DisplayPort KVM switch. It enables			
00 00005400	users to share peripherals- keyboards, video, mouse, audio, and USB port to a			
22-00005430	specific computer while switching other peripherals, such as when a USB smart			
	card reader must remain	\$1,598.00	30%	\$1,118.60
	FC-70R is a protocol translator from RS-232 to USB signals to enable remote			
40.00004000	control of secure and non-secure HighSecLabs products are controlled using			
40-00001990	keyboard shortcuts. FC-70R translates RS-232 control commands into keyboard			
	shortcuts.	\$395.00	30%	\$276.50
22-00001199	HSL USB eLock Configurable Filter, 2P, PP 3.0	\$178.00	30%	\$124.60
22-00000299	USB eLock HID Filter	\$130.00	30%	\$91.00
	This product offers the highest possible separation between the source computer			
40-00001590	and the peripheral device. The HKS100I uses uni-directional optical data-diodes			
	to prevent any potential leakage between the source and the peripheral	\$268.00	30%	\$187.60
	The K202B and K202D allow users to share peripherals-keyboard, mouse and			
20 0000000	monitor- between two different security-level networks/computers. They target to			
20-00008090	reduce desktop clutter and increase productivity and are built by design to provide			
	highest possible	\$469.00	30%	\$328.30

	Designed to provide the highest possile isolation between four connected			
	computers. A perfect fit for high-security, multi-network organizations such as			
20-00008190	government agencies, military and financial institutions, and any other			
	organization that handles sens	\$675.00	30%	\$472.50
	HSL Secure KM Switch enables users to simultaneously operate four or eight	φονο.σσ	0070	ψ+12.00
	computers, each with its own displays, using a single set of keyboard and mouse.			
20-00010190	The user can easily switch between computers and displays by simply moving the			
	cursor from one disp	\$297.00	30%	\$207.90
	HSL Secure KM Switch enables users to simultaneously operate four or eight	Ψ231.00	30 70	Ψ201.30
	computers, each with its own displays, using a single set of keyboard and mouse.			
20-00008290	The user can easily switch between computers and displays by simply moving the			
	cursor from one disp	\$459.00	30%	\$321.30
	HSL Secure KM Switch enables users to simultaneously operate four or eight	φ+00.00	0070	Ψ021.00
	computers, each with its own displays, using a single set of keyboard and mouse.			
20-00008310	The user can easily switch between computers and displays by simply moving the			
	cursor from one disp	\$1,071.00	30%	\$749.70
	HSL Secure KM Switch enables users to simultaneously operate four or eight	Ψ1,071.00	0070	ψ1 10.7 0
	computers, each with its own displays, using a single set of keyboard and mouse.			
20-00014710	The user can easily switch between computers and displays by simply moving the			
	cursor from one disp	\$1,179.00	30%	\$825.30
	HSL KVM Combiner provides a comfortable means of interaction with multiple	ψ1,170.00	3370	Ψ020.00
20-00008590	computers at different security levels improving usability and situational			
	awareness. The four isolated sources are integrated into single or dual large	\$2,526.00	30%	\$1,768.20
20-0000859019	Secure 6-port Dual-display Scaling KVM Combiner	\$3,256.00		\$2,279.20
20-0001590	2-Port Display Port KVM Switch, USB keyboard and mouse, Display Port video	\$675.00	30%	\$472.50
20-0001790	4P SH DP video KVM Switch with DPP	\$770.00	30%	\$539.00
	4-Port Dual-headDisplay Port KVM Switch, USB PS/2 keyboard and mouse, 2 x	*		*
20-0001890	Display Port video, Audio out, USB user authentication port	\$1,159.00	30%	\$811.30
00.0000100	RK-4U-HKS-10 enables mounting up to 10 HighSecLabs HxS100I isolators in a	. ,		
22-00000199	19 4U rack space.	\$240.00	30%	\$168.00
60-10000199	Rack Mount Kit 1U for K208 & K308	\$68.00	30%	\$47.60
	RK-KVM-1U-PP3 includes 2 brackets for rack mounting one 19 1U KVM 4-port			
22-00002499	PP3 HighSecLabs product.	\$35.00	30%	\$24.50
22-00002399	Rack Mount kit for K202SI	\$31.00	30%	\$21.70
22-00002599	Rack Mount kit for KVM 2U PP3 products	\$31.00	30%	\$21.70
	SC21H-3 is a secure 2-port 4K30 UHD HDMI KVM combiner. It enables users to			
00 000044	share peripherals- keyboards, video, mouse, audio and USB- between two			
22-000011	different security-level networks/computers while isolating all hosts and protecting			
	against data leakage and	\$610.00	30%	\$427.00
	SC21H-N is a 2-port 4K30 UHD HDMI KVM combiner. It enables users to share			
200 00000000	peripherals- keyboard, video, mouse, audio and USB- between two different			
22-00003290	networks/computers. Advanced multiviewer and scaling capabilities enable			
	increased productivity in environm	i l		

20-0000859017	Secure 4P Dual-display Scaling KVM CombinerPP 3.0 complaint	\$3,100.00	30%	\$2,170.00
	SK21D-N is a 2-port, small-form-factor DVI-I KVM switch. It enables users to			
22-00002690	share peripherals- keyboard, mouse and monitor- between two different			
	networks/computers.	\$292.00	30%	\$204.40
	SK21H-3 is a secure 2-port, small-form-factor 4K30 UHD HDMI KVM switch. It			
00 00004500	enables users to share peripherals- keyboards, mouse and monitor-between two			
22-00001590	different security-level networks/computers. It provides the highest possible			
	isolation between two con	\$565.00	30%	\$395.50
	SK21P-3 is a secure 2-port, small-form-factor DisplayPort KVM switch. It allows			
00 00004400	users to share peripherals- keyboard, mouse, and monitor- between two different			
22-00001490	security-level networks/computers. It provides the highest possible isolation			
	between two conn	\$638.00	30%	\$446.60
	SK41DU-3 is a secure 4-port 4K30 UHD DVI-I KVM switch. It enables users to			
00 00000700	share peripherals- keyboards, video, mouse, audio and USB- between four			
22-00002720	different security-level networks/computers while isolating all hosts and protecting			
	against data leakage a	\$843.00	30%	\$590.10
	SK41DU-N is a 4-port 4K30 UHD DVI-I KVM switch. It enables users to share			·
00 00000700	peripherals- keyboards, video, mouse, audio and USB- between four different			
22-00003790	networks/computers. It also enables assigning a USB port to a specific computer			
	while switching other per	\$532.00	30%	\$372.40
	SK41H-3 is a secure 4-port 4K30 UHD HDMI KVM switch. It enables users to			
00 00000100	share peripherals- keyboards, video, mouse, audio and USB- between four			
22-00000490	different security- level networks/computers while isolating all hosts and			
	protecting against data leakage and	\$700.00	30%	\$490.00
	SK41HU-3 is a secure 4-port 4K30 UHD HDMI KVM switch. It enables users to			·
00 00000100	share peripherals- keyboards, video, mouse, audio, and USB- between four			
22-00006430	different security- level networks/computers while isolating all hosts and			
	protecting against data leakage a	\$765.00	30%	\$535.50
22-00003890	4-Port 4K HDMI Video KVM Switch w/sUSB	\$599.00	30%	\$419.30
	SK41P-3 is a secure 4-port 4K30 UHD DisplayPort KVM switch. It allows users to			
00 00047000	share peripherals- keyboard, video, mouse, audio, and USB- between four			
20-00017220	different security- level networks/computers while isolating all hosts and			
	protecting against data leaka	\$873.00	30%	\$611.10
	SK41PU-3 is a secure 4-port 4K30 UHD DisplayPort to HDMI KVM switch. It			
00.00047000	enables users to share peripherals- keyboards, video, mouse, audio, and USB-			
20-00017320	between four different security- level networks/computers while isoltaing all hosts			
	and protecting against	\$935.00	30%	\$654.50
	SK41PU-N is a 4-port 4K30 UHD DisplayPort KVM Switch. It enables users to			
	share peripherals- keyboards, video, mouse, audio, and USB- between four			
22-00003990	different networks/computers. It also enables assigning a USB port to a specific			
	computer while switching ot	\$643.00	30%	\$450.10

	SK81DU-3 is a secure 8-port, 4K30 UHD DVI-I KVM switch. It enables users to			
	share peripherals- keyboards, video, mouse, audio, and USB- between eight			
22-00004120	different security-level networks/computers while isolating all hosts and protecting			
	against data leakage	\$1,678.00	30%	\$1,174.60
	SK81DU-N is an 8-port, UHD DVI-I KVM switch. It enables users to share	Ψ1,070.00	30 70	ψ1,174.00
	peripherals- keyboards, video, mouse, audio, and USB between eight different			
22-00004730	networks/computers. It also enables assigning a USB port to a specific computer			
	while switching other perip	\$1,096.00	30%	\$767.20
	SM20N-3 is a secure 2-port KM switch. It enables users to share peripherals-	Ψ1,030.00	30 70	Ψ101.20
	keyboard, mouse, audio, and USB- between two different security-level			
22-00005690	networks/computers while isolating all hosts and protecting agains data leakage			
	and malicious attacks throug	\$493.00	30%	\$345.10
	SM20N-N is a 2-port KM switch. It enables users to share peripherals-keyboard,	ψ495.00	30 70	φ343.10
22-00002990	mouse, audio, and USB- between two different networks/computers.	\$243.00	30%	\$170.10
	SM40NU-3 is a secure 4-port KM switch. It enables users to share peripherals-	\$243.00	30 %	\$170.10
	keyboard, mouse, audio, and USB- between four different security-level			
22-00000390				
	networks/computers while isolating all hosts and protecting agains data leakage and malicious attacks thro	\$683.00	200/	¢470.40
		\$083.00	30%	\$478.10
20-00016420	SM40NU-3 is a secure 4-port KM switch. It enables users to share peripherals-			
	keyboard, mouse, audio, and USB- between four different security-level			
	networks/computers while isolating all hosts and protecting agains data leakage	#7F0 00	000/	ΦE07.40
	and malicious attacks thro	\$753.00	30%	\$527.10
	SM40NU-N is a 4-port KM switch. It enables users to share peripherals-			
22-00004090	keyboard, mouse, audio and USB-between four different networks/computers. It			
	also enables assigning a USB port to a specific computer while switching other		000/	004040
	peripherals, such as when a	\$443.00	30%	\$310.10
	SM80N-3 is a secure 8-port KM switch. It enables users to share peripherals-			
22-000019	keyboard, mouse, audio, and USB- between four different security-level			
22 000010	networks/computers while isolating all hosts and protecting against data leakage	l.		
	and malicious attacks thro	\$1,313.00	30%	\$919.10
	SM80NU-3 is a secure 8-port KM switch. It enables users to share peripherals-			
22-00006630	keyboard, mouse, audio, and USB- between four different security-level			
22 00000000	networks/computers while isolating all hosts and protecting against data leakage			
	and malicious attacks thr	\$1,313.00	30%	\$919.10
	SM80NU-N is an 8-port KM switch. It enables users to share peripherals-			
22-00005030	keyboard, mouse, audio, and USB- between four different networks/computers. It			
22-00003030	also enables assigning a USB port to a specific computer while switching other			
	peripherals, such as when	\$821.00	30%	\$574.70
	SX22H-3 is a secure 2x2 4K30 UHD HDMI mini-matrix KVM switch. It enables			
22-00005890	viewing and controlling two computers with different security classifications			
22-00003090	simultaneously while securely sharing peripherals- keyboard, video, mouse, and			
	audio devices. SX22H-3 pr	\$616.00	30%	\$431.20

	SX22H-N is a 2x2 4K30 UHD HDMI mini-matrix KVM switch. It enables viewing			
22-00003190	and controlling two computers simultaneously while sharing peripherals-			
22-00003130	keyboards, video, mouse, and audio devices.	\$340.00	30%	\$238.00
	SX42DU-N is a 2x4 4K30 UHD DVI-I mini matrix KVM switch. It enables viewing	φ0-10.00	0070	Ψ200.00
	and controlling four computers simultaneously while sharing peripherals-			
22-00004130	keyboard, video, mouse, audio, and USB devices. It also enables assigning a			
	USB port to a specific compute	\$994.00	30%	\$695.80
	SX42HU-3 is a secure 2x4 4K30 UDH HDMI mini matrix KVM switch. It enables	ψ004.00	0070	Ψ000.00
	viewing and controlling four computers with different security classifications			
22-00000620	simultaneously while securely sharing peripherals- keyboard, video, mouse,			
1	audio, and USB devices. It	\$1,080.00	30%	\$756.00
	SX42HU-N is a 2x4 4K30 UHD HDMI mini matrix KVM switch. It enables viewing	ψ1,000.00	30 70	Ψ130.00
I	and controlling four computers simultaneously while sharing peripherals-			
22-00004230	keyboard, video, mouse, audio, and USB devices. It also enables assigning a			
	USB port to a specific computer	\$1,029.00	30%	\$720.30
22-00005530	HSL Secure 8-Port to 2P DVI Video KVM Mini-Matrix w/sUSB	\$1,774.00		\$1,241.80
22-00003330	SX82DU-N is a 2x8 4K30 UHD DVI-I mini matrix KVM switch. It enables viewing	φ1,774.00	30 /0	\$1,241.00
	and controlling four computers simultaneously while sharing peripherals-			
22-00005130	keyboard, video, mouse, audio, and USB devices. It also enables assigning a			
	USB port to a specific compute	\$1,369.00	30%	\$958.30
22-000010	UE10N-3-50 - USB eLock Plug - 50 pcs. pack	\$1,485.00		\$1,039.50
20-00010	Secure 16-Port, DVI-I KVM Switch	\$3,089.00		\$2,162.30
20-0001410	designed to provide the highest possible isolation between four connected	\$3,089.00	30%	\$2,162.30
20-0001090	computers. Perfect fit for high-security, multi-network organizations such as			
	government agencies, military and financial institutions, and any other	004000	000/	<b>0.450.40</b>
	organization that handles sensi	\$643.00	30%	\$450.10
	HSLs K244E Secure KVM Switch provides the highest possible isolation between			
20-0001290	four connected dual-head computer. This Third-Generation Secure KVM was			
	designed to meet the requirements of organizations challenged by the need to	Ø4 400 00	000/	<b>#</b> 700.00
	provide secret or top-secret	\$1,129.00	30%	\$790.30
00.0004040	Designed for rack-mounting in data centers and server rooms. Tailor-made for			
20-0001310	users in high-density environments. Designed to provide a secure solution for		/	
	users in high-density environments involving isolated networks with different	\$2,349.00	30%	\$1,644.30
	HSLs K5xx Series DisplayPort Secure KVM is the industrys first Secure KVM			
20-0001690	switch with DisplayPort. This product offers the highest possible separation			
	between four connected computers. The K5xx Secure KVM designed to meet the	1.		
	requirements of organizations	\$788.00	30%	\$551.60
	SC42DHU-3 is a secure 4-port 4K30 UHD DVI-I HDMI KVM combiner. It enables			
20-00014420	users to share peripherals- keyboard, video, mouse, audio, and USB- between			
20 000 17720	two different security- level networks/computers while isolating all hosts and			
	protecting against data le	\$3,648.00	30%	\$2,553.60

	PA-120Z is a high-performance, selectable Hi-Z (70V/100V) or Lo-Z			
12 00455020	(4ohms/8ohms) power amplifier featuring balanced and unbalanced inputs and			
13-80455030	additional line-level output. This versatile amplifier features built-in DSP, auto-			
	standby and maximum durability.	\$795.00	30%	\$556.50
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
97-0132110	The slim HDMI connector and narrower cable diameter fits more easily into tight			
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$28.00	30%	\$19.60
	Offers safe centralized control, which prevents unintended data transfer between			
40,00004400	computers and peripherals running at different security levels. Isolators ensure			
40-00001490	that video, audio, and USB data coming from a non-secure source, such as guest			
	laptop, flows	\$238.00	30%	\$166.60
	Enables users to simultaneously operate four or eight computers, each with its			·
00 000 1000	own displays using a single set of keyboard and mouse. The user can easily			
20-0001990	switch between computers and displays by simply moving the cursor from one			
	display to another.	\$565.00	30%	\$395.50
	SK21H-N is a 2-port, small-form-factor HDMI KVM switch. It enables users to			•
22-00002790	share peripherals- keyboard, mouse and monitor- between two different			
	networks/computers.	\$313.00	30%	\$219.10
	SK21P-N is a 2-port, small-form-factor DisplayPort KVM switch. It allows users to			·
22-00002890	share peripherals- keyboard, mouse and monitor- between two different			
	networks/computers.	\$354.00	30%	\$247.80
	SK41D-3 is a secure 4-port 4K30 UHD DVI-I KVM switch. It enables users to			,
00 0000000	share peripherals- keyboard, video mouse, audio and USB- between four different	:		
22-00006330	security- level networks/ computers while isolating all hosts and protecting against			
	data leakage and	\$778.00	30%	\$544.60
	SK81HU-N is an 8-port, 4K30 UHD HDMI KVM switch. It enables users to share			,
00 00004000	peripherals- keyboard, video, mouse, audio, and USB between eight different			
22-00004830	networks/computers. It also enables assigning a USB port to a specific computer			
	while switching other pe	\$1,169.00	30%	\$818.30
22-000009	UE10N-3-10 - USB eLock Plug - 10 pcs. pack	\$297.00	30%	\$207.90
	DIP-20 is a high-performance multi-format switcher transmitter of 4K video			
00 00050000	signals over extended-reach HDBaseT. Offering intelligent Maestro application,			
20-80356090	with priority and last-connected switching options, it automatically switches and			
	operates room accor	\$1,145.00	30%	\$801.50
04.0440040	The VS-41H is a high-performance switcher for HDMI signals. It equalizes the			·
21-0412010	signal and switches one of the four inputs to a single HDMI output.	\$595.00	30%	\$416.50
	The CP-AOCH/60 is an innovative active optical HDMI cable for 4K@60Hz (4:4:4)			
07.0440000	signal resolution up to 100 meters (328ft). This hybrid-fiber cable features micro-			
97-0416033	HDMI ends with detachable HDMI connectors, making it easy to run through a			
	conduit or other ti	\$325.00	30%	\$227.50
				•

	True vin ero in the control of the c			1
	The VP-553xl is high-performance 6x2 presentation switcher/scaler for HDMI,			
70-80218110	HDBaseT and analog signals, and a 4x1 USB switcher. The unit has dual,			
70 002 101 10	independent, scaled outputs, the first on both HDMI and HDBaseT connectors,			
	and the second on an HDMI connec	\$2,725.00	30%	\$1,907.50
	VM-2H2 is a 1:2 distribution amplifier for up to 4K HDR, HDMI signals that comply			
10-804080190	with HDCP 2.2 content protection standard. The unit takes one HDMI input,			
	equalizes and reclocks the signal and distributes it to two identical outputs.	\$385.00	30%	\$269.50
	SL-240C is a compact master/space controller (Kramer Control brain) with PoE. It			
30-80484090	can operate over Ethernet with control interfaces that include: four bidirectional			
30-00404090	RS-232, four IR, four GPI/O and four relays. It controls devices suce as scalers,			
	video dis	\$1,045.00	30%	\$731.50
CO 000000F	19-inch rack adapter for mounting up to 3 VIA Connect PRO units and their power			
60-0000305	supplies in a 2U rack space.	\$165.00	30%	\$115.50
00.000447	Computer Graphics Video, HDMI & Stereo Audio Passive Wall Plate. WXA-H-D			
80-000117	model supplied with DECORA design frame.	\$79.00	30%	\$55.30
	VM-4DT is a high-quality, long-reach 4K@60Hz (4:2:0) HDBaseT extender			-
10-8046301090	distributor that takes one long-reach HDBaseT input, equalizes and reclocks the			
	signal and distributes it to four identical HDBaseT outputs. VM-4DT distributes			
	native HDBaseT signals wi	\$1,295.00	30%	\$906.50
	PA-240Z is a high-performance, selectable Hi-Z (70V/100V) or Lo-Z	<del>+ 1,=00100</del>		4000100
	(4ohms/8ohms) power amplifier featuring balanced and unbalanced inputs and			
13-80455130	additional line-level output. This versatile amplifier features built-in DSP, auto-			
	standby and maximum durability.	\$995.00	30%	\$696.50
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.	φοσο.σσ	0070	ψοσο.σσ
97-0132710	The slim HDMI connector and narrower cable diameter fits more easily into tight			
07 0102710	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$28.00	30%	\$19.60
	The Tavor 5-O is a pair of 5.25-inch powered two-way speakers designed for	Ψ20.00	30 70	ψ13.00
60-00008910	indoor wall mounting. The active speaker accepts a line-level stereo input and			
00-00000910	amplifies it using a built-in amplifier and outputs a speaker signal to the passive	\$245.00	30%	\$171.50
	The CP-AOCH/60 is an innovative active optical HDMI cable for 4K@60Hz (4:4:4)		3070	φ171.5U
	signal resolution up to 100 meters (328ft). This hybrid-fiber cable features micro-			
97-0416050				
	HDMI ends with detachable HDMI connectors, making it easy to run through a	<b>4070.00</b>	000/	<b>#050.00</b>
	conduit or other ti	\$370.00	30%	\$259.00
	The CP-AOCH/60 is an innovative active optical HDMI cable for 4K@60Hz (4:4:4)			
97-0416066	signal resolution up to 100 meters (328ft). This hybrid-fiber cable features micro-			
	HDMI ends with detachable HDMI connectors, making it easy to run through a			
	conduit or other ti	\$430.00	30%	\$301.00
	VIA site Management (VSM) is a software application that allows and			
87-00000799	administrator to manage, monitor and make changes to all connected VIA GO,			
	VIA Collage, VIA Connect PRO or VIA Campus gateways.	\$1,995.00	30%	\$1,396.50
87-00001899	VIA Site Management License -1 Year Extended Warranty - up to Unlimited VIA			
01-00001033	gateways	\$750.00	30%	\$525.00

87-00006899	VIA Site Management License -2 Year Extended Warranty - up to Unlimited VIA			
	gateways	\$1,495.00	30%	\$1,046.50
99-94610500	Plenum CATA 23AWG U/FTP for 4K UHD, LAN HdBaseT & Kramer DGKat			
	applications-500ft.	\$495.00	30%	\$346.50
99-94611000	Plenum CATA 23AWG U/FTP for 4K UHD, LAN HdBaseT & Kramer DGKat			
	applications-1000ft.	\$995.00	30%	\$696.50
	The VM-4UX is a compact and high performance 1:4 4K distributor for standard			
10-80441090	broadcast-grade SDI signals of up to 12G transmitted data rate. It auto-adapts to			
	the data rate of one SDI input signal, equalizes and re-clocks the signal to			
	improve transmitted	\$775.00	30%	\$542.50
	CRS-AOCH/XL is an active optical HDMI cable for 4K@60HZ (4:2:0) and			
97-1403328	4K@30Hz (4:4:4) resolutions over distances up to 100m (328ft). Built with a TPU-			
	rated (thermoplastic polyurethane) jacket that has excellent abrasion resistance,			
	tensile strength and high	\$1,325.00	30%	\$927.50
	AD-AOCH/XL/TR is an HDMI adapter set used with the Kramer pluggable			
97-0403001	AOCH/XL cables (CLS-AOCH/XL, CP-AOCH/XL). AD-AOCH/XL/TR can be a			
37-0403001	spare set of adapters in case of loss or damage to the original set included with			
	the cable. CABLE INSTALLATION NOTE: Cabl	\$46.00	30%	\$32.20
91-011299	The UTBUS-2xl is a furniture-mounted modular connection bus that is easily			
	installed underneath a wooden table or podium top. It has six slots for wall plate			
91-011299	inserts and dual power socket openings. NOTE: The UTBUS enclosure, power			
	socket, power cord & ins	\$85.00	30%	\$59.50
80-000054	Dual insert US power socket module for inner frame and UTBUS.	\$40.00	30%	\$28.00
	VM-2HDT is a high-quality, long-reach 1:2 HDBaseT extender distributor that			
10-8048901190	takes one HDMI input, with IR and RS-232 control signals, converts it to an			
10-6046901190	HDBaseT extension line signal and distributes it to 2 HDBaseT outputs that			
	connect to compatible HDBase	\$1,045.00	30%	\$731.50
	VS-411UHD is an automatic switcher for 4K@60Hz (4:2:0) HDMI and analog			
20-90051790	audio signals. VS-411UHD automatically switches one of four HDMI inputs to a			
20-90031790	predefined or last connected input whenever the currently active video signal is			
	interrupted or whenever a	\$750.00	30%	\$525.00
	DIP-31 is a high-performance multi-format switcher of 4K video signals. Offering			
20-8035801290	intelligent Maestro automation, with priority and last-connected switching options,			
20-0033001290	it automatically switches and operates the room according to the selected			
	switching scheme	\$845.00	30%	\$591.50
	VIA Digital Signage is software that enables you to use any VIA device to display			
SW-000009	dynamic content and information on the main display when there is no meeting in			
	progress. Use a predefined template or create your own display configuration with			
	up to three		30%	#VALUE!
60-000119	The VIA Pocket stand elegantly stores your VIA Step-in touch Pads.	\$90.00	30%	\$63.00
87-000099	NFC tags are optional accessories for Kramer VIA devices that replace the login			
01-000099	process when connecting an Android user to a VIA unit.	\$15.00	30%	\$10.50

87-000199	NFC tags are optional accessories for Kramer VIA devices that replace the login	445.00	222/	<b>A</b> 40.50
	process when connecting an Android user to a VIA unit.	\$15.00	30%	\$10.50
40.0040000	VM-4H2 is a 1:4 distribution amplifier for up to 4K HDR, HDMI signals that comply			
10-80408090	with HDCP 2.2 content protection standard. The unit takes one HDMI input,		222/	4007.50
	equalizes and reclocks the signal and distributes it to four identical outputs.	\$525.00	30%	\$367.50
	VP-428H2 is an HDBaseT 4K transmitter/scaler with HDMI, DP and VGA inputs.			
VP-428H2	VP-428H2 supports HDBaseT tunneling of Ethernet, bidirectional RS-232 and IR			
	signals, as well as PoE to provide power to the HDBaseT receiver. It receives the			
	selected AV signal, u	\$1,400.00	30%	\$980.00
	The 482xl is a high-performance audio transcoder for balanced and unbalanced			
482KL	stereo audio signals. It simultaneously converts balanced stereo signals to			
TOZIKL	unbalanced stereo audio and unbalanced stereo audio signals to balanced stereo			
	audio.	\$225.00	30%	\$157.50
	VS-84UHD is a high-quality 8x4 matrix switcher for 4K@60Hz (4:2:0) HDMI			
VS-84UHD	signals and embedded audio. It reclocks and equalizes the signals and can route			
V 3-04UND	any one of eight HDMI, HDCP-compliant sources (selectable) to any or all outputs			
	simultaneously. VS-84U	\$3,885.00	30%	\$2,719.50
	The FC-6P is an RS-232/IR multi-function control gateway with Power over			
FC-6P	Ethernet, capable of plug and play deployment over a customer Ethernet LAN for			
	remote bidrectional RS-232 and IR emitter control of customer devices. Multiple			
	control clients can be	\$397.00	30%	\$277.90
	TBUS-1N is a modular furniture-mounted connection bus enclosure that easily			
00.000004	installs into a table or podium top. Once assembled, TBUS-1N enables you to			
80-000234	connect any equipment to the rooms presentation system via cable access or			
	passive interfaces. When the	\$230.00	30%	\$161.00
	The CP-AOCH/60 is an innovative active optical HDMI cable for 4K@60Hz (4:4:4)			
07.0440000	signal resolution up to 100 meters (328ft). This hybrid-fiber cable features micro-			
97-0416098	HDMI ends with detachable HDMI connectors, making it easy to run through a			
	conduit or other ti	\$495.00	30%	\$346.50
	C-USBC/HM is a high-quality USB type-C (M) to HDMI (M) 6ft cable, that enables			
00.07044400	HDMI equipped monitors, TVs and projectors to be connected to any USB-C port			
99-97211106	that supports DP Alt Mode (DisplayPort Alternate Mode). This cable support up to			
	4K@60Hz (4:4:4) re	\$43.00	30%	\$30.10
	VM-10H2 is a 1:10 distribution amplifier for up to 4K HDR, HDMI signals that	7.0.00		<del>-</del>
10-80102030	comply with HDCP 2.2 content protection standard. The unit takes one HDMI			
	· · ·	\$1,345.00	30%	\$941.50
	VIA Connect PLUS provides simultaneous wired and wireless presentation and	+ 1,0 10.00	3370	ψυ 11.00
	collaboration for a variety of spaces with no need for any additional hardware.			
87-000790	This cost-effective solution includes all the benefits of VIA Connect PRO together			
	with an HDMI inpu	\$1,250.00	30%	\$875.00
	with an individual	Ψ1,200.00	30 /0	ψυ 1 υ.υυ

	Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio	1		1
	cable. 4-core star quad cables with mutally offsetting twisting technology can			
95-1211025	reduce induction noise levels to 10% of that in regular two-pair balanced			
	microphone cable.	\$22.00	30%	\$15.40
04-916003-R155	32x32 RGBHV Matrix Switcher	\$22,523.00	30%	•
04-310003-11133	VS-44UHDA is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI	ΨΖΖ,0Ζ0.00	0070	
	signals and embedded/de-embedded analog audio. It reclocks and equalizes the			
20-04400030	signals and can route any one of four HDMI, HDCP-compliant sources			
	(selectable) to any or all outputs sim	\$3,100.00	30%	\$2,170.00
85-3002099	Dual Ethernet Wall Plate Insert.	\$43.00	30%	\$30.10
00-3002099	AD-RING is a stainless steel ring of HDMI adapters that attaches to your display	φ43.00	30 /0	φ30.10
	cable so you can plug different presentation sources into the HDMI cable.			
99-9191029	Laptops, tablets, smart phones, digital cameras, and net books have a variety of			
	connectors for disp	\$220.00	30%	\$154.00
00.400400	·			
60-100199	T-4INSERT is a bracket for installing four inserts in a dual powe socket opening.	\$55.00	30%	\$38.50
85-820299	Wall Plate Insert Slot.	\$5.00	30%	\$3.50
	The TBUS-4xl is the enclosure of a new modular system with a tilt-up lid. A			
80-003399	complete TBUS system requires the enclosure, an inner frame, a power socket,			
	inserts and a power cord. NOTE: The TBUS enclosure, power socket, power cord		000/	<b>#</b> 400.00
	& inserts are purchased s	\$270.00	30%	\$189.00
	UHD-IN2-F16 is a two-channel 4K@60Hz (4:2:0) HDMI input card for the VS-			
20-70007998	1616 Series Modular Multi-Format Digital Matrix Switchers. The UHD-IN2-F16		/	
	inputs two HDMI signals into the chassis.	\$1,195.00	30%	\$836.50
	HAD-OUT2-F16 is a two-channel HDMI with digital audio output card for the VS-			
20-70005198	1616 Series Modular Multi-Format Digital Matrix Switchers. The HAD-OUT2-F16			
	outputs two HDMI signals with de-embedded S/PDIF audio from the chassis.	\$495.00	30%	\$346.50
TS-1WUS	Dual insert US power socket module for inner frame and UTBUS.	\$40.00	30%	\$28.00
	Kramers C-HM/HM/PRO HDMI cable delivers high-speed, high-performance			
97-01114020	digital video and audio with impeccable impedance stability, low skew, high signal			
37-01114020	integrity, and noise immunity for up to 4K@60Hz (4:4:4). With pro-grade heavy-			
	duty construction, triple	\$45.00	30%	\$31.50
	VS-66UHD is a high-quality 6x6 matrix switcher for 4K@60Hz (4:2:0) HDMI			
20-06600130	signals and embedded audio. It reclocks and equalizes the signals and can route			
20-00000130	any one of six HDMI, HDCP-compliant sources (selectable) to any or all outputs			
	simultaneously. VS-66UHD	\$3,885.00	30%	\$2,719.50
	VS-1616DN-EM is a high-performance 2x2 to 16x16 4k@60Hz (4:2:0) modular			
28-70001430	matrix switcher chassis for AV signals. The unit is a mult-format digital switcher,			
	populated from 2x2 to 16x16 increments of two inputs and/or two outputs. The			
	chassis includes optio	\$6,395.00	30%	\$4,476.50
	UHD-OUT2-F16 is a two-channel 4K@60Hz (4:2:0) HDMI output card for the VS-			
20-70008098	1616 Series Modular Multi-Format Digital Matrix Swtichers. The UHD-OUT2-F16			
	outputs two HDMI signals from the chassis.	\$715.00	30%	\$500.50

	PT-101UHD is a high-performance repeater/extender for 4K@60Hz (4:2:0) HDMI			
50-80366090	and HDCP 2.2 signals. The unit can extend the range up to 20m (66ft) for			
	4K@60Hz (4:2:0) signals.	\$265.00	30%	\$185.50
	Due to its design, USB cable has a normal maximum length of about 5 meters			
00 0044005	(16.4 feet), but you can get longer distances by using the CA-UAM/UAF active			
96-0211035	USB extension cable from Kramer This is a bus-powered extension cable that			
	can be used to increase the	\$43.00	30%	\$30.10
	The SL-10 is a master room controller that can operate over Ethernet (LAN) with			
31-70900190	control ports that include: bidirectional one RS-485, two RS-232, three IR, two			
31-70900190	GPI/O, and give relay. It controls devices such as scalers, video displays, audio			
	amplifiers, D	\$695.00	30%	\$486.50
	VS-88UHDA is a high-quality 8x8 matrix switcher for 4K@60Hz (4:2:0) HDMI			
20 00000120	signals and embedded/de-embedded analog audio. It reclocks and equalizes the			
20-08800130	signals and can route any one of eight HDMI, HDCP-compliant sources			
	(selectable) to any or all outputs si	\$4,750.00	30%	\$3,325.00
	VS-622DT is an all-in-one 4K@60Hz (4:2:0) presentation system with 6x2			
VS-622DT	HDMI/HDBaseT matrix switching,control gateway, PoE, power amplifier, and			
	Maestro room automation. The unit reclocks and equalizes the signals and can			
	route any input to the HDMI or the	\$3,995.00	30%	\$2,796.50
94-095400030	DVI All Fiber Optic Cable Non-HDCP - 98	\$468.00	30%	\$327.60
	WP 20 is a high-performance, 4K, multi-format, wall-plate switcher and			
20-80371195	transmitter over extended-reach HDBaseT. Offering intelligent Maestro			
20-00371193	automation, with priority and last-connected switching options, it automatically			
	switches and operates the room ac	\$995.00	30%	\$696.50
	WP 20 is a high-performance, 4K, multi-format, wall-plate switcher and			
20-80371095	transmitter over extended-reach HDBaseT. Offering intelligent Maestro			
20-0037 1093	automation, with priority and last-connected switching options, it automatically			
	switches and operates the room ac	\$995.00	30%	\$696.50
	KDS-MP4 is a high-quality LAN-based 4K@60Hz (4:2:0) digital signage media			
60-00002290	player. The unit receives content from the Media Manager software installed on			
00-00002290	the PC, either via LAN or from an external USB memory stick, loads it into its			
	internal memory and the	\$1,195.00	30%	\$836.50
	VS-611DT is a high-performance automatic switcher for HDMI video signals with			
20-00611090	resolution up to 4K@60Hz (4:2:0). With six HDMI inputs, the unit can			
20-00011090	automatically or manually switch to a predefined or last connected input whenever	r		
	the currently active video	\$1,295.00	30%	\$906.50
	VM-2D is a 1:2 distribution amplifier for up to 4K@60Hz (4:2:0) HDMI signals,			
10-8048501090	complying with HDCP 1:4 content protection standard, via single-link DVI-I			
10-0040301090	connections. The unit takes on DVI input, equalizes and reclocks the signal, and			
	distributes it to two	\$465.00	30%	\$325.50
97-16011025	Mini DisplayPort (M) to HDMI (M) Cable.	\$55.00	30%	\$38.50

	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest			
99-3460125	technology signals. Over four individually screened twisted pairs, this U/FTP			
99-3400123	CAT6a cable runs Krramers DGKat technology, 4K HDBaseT technology or LAN			
	applications and ensures opt	\$63.00	30%	\$44.10
	861 HDMI 18G (6G per graphic channel) 4K HDR Pocket Signal Generator,			
60-00013090	Analyzer and Cable Tester is an advanced and handy tool for generating, testing			
00-00013090	and verifying the signal path within your (up to) 4K@60Hz (4:4:4) HDMI/HDCP			
	2.2 ecosystem. With 23 built-	\$1,065.00	30%	\$745.50
60-0009390	PS-4801 is a desktop power supply with a standard 2-pin terminal block			
00-0009390	connector that provides 48V DC / 1.36A to any compatible device.	\$75.00	30%	\$52.50
60-0009399	PS-4801 is a desktop power supply with a standard 2-pin terminal block			
00-0009399	connector that provides 48V DC / 1.36A to any compatible device.	\$83.00	30%	\$58.10
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz			
97-0413328	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
97-0413328	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving			
	a much smaller head th	\$1,060.00	30%	\$742.00
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz			
07.0440000	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
97-0413230	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving			
	a much smaller head th	\$780.00	30%	\$546.00
	CA-HM active HDMI copper cable provides a perfect cable solution for delivering			
07.0440005	HDMI signals over long distances: 18Gbps up to 20m (66ft) and 10.2 Gbps up to			
97-0142025	30 (98ft). The innovative technology utilized in the cables connector features			
	superior equalizin	\$105.00	30%	\$73.50
	CA-HM active HDMI copper cable provides a perfect cable solution for delivering			
07.04.40005	HDMI signals over long distances: 18Gbps up to 20m (66ft) and 10.2 Gbps up to			
97-0142035	30 (98ft). The innovative technology utilized in the cables connector features			
	superior equalizin	\$135.00	30%	\$94.50
	CA-HM active HDMI copper cable provides a perfect cable solution for delivering			
07.04.40050	HDMI signals over long distances: 18Gbps up to 20m (66ft) and 10.2 Gbps up to			
97-0142050	30 (98ft). The innovative technology utilized in the cables connector features			
	superior equalizin	\$175.00	30%	\$122.50
	CA-HM active HDMI copper cable provides a perfect cable solution for delivering			
07.0440000	HDMI signals over long distances: 18Gbps up to 20m (66ft) and 10.2 Gbps up to			
97-0142082	30 (98ft). The innovative technology utilized in the cables connector features			
	superior equalizin	\$280.00	30%	\$196.00
	CA-HM active HDMI copper cable provides a perfect cable solution for delivering		1	·
07.0440000	HDMI signals over long distances: 18Gbps up to 20m (66ft) and 10.2 Gbps up to			
97-0142098	30 (98ft). The innovative technology utilized in the cables connector features			
	superior equalizin	\$305.00	30%	\$213.50

	HS-OUT2-F16 is a two-channel HDMI scaler care for the VS-1616 Series Modular	r		
20-80225098	Multi-Format Digital Matrix Swtichers. The card scales each output signal			
	separately to a set resolution, aspect ratio and color depth according to the native requirements of the	\$1,455.00	200/	¢1 010 50
	The VP-445 is a high-performance presentation scale/switcher for HDMI,	\$1,455.00	30%	\$1,018.50
	computer graphics and composite video signals. The unit scales the video and			
72-80290010				
	gives you an option to embed HDMI or analog audio. Then it sends the signal to	¢4 750 00	200/	¢4 005 00
	two HDMI outputs and S/PDIF	\$1,750.00	30%	\$1,225.00
	Kramers C-HM/HM/ETH HDMI cable is a high-performance cable with molded			
97-01213012	HDMI connectors at both ends. It supports Ethernet Channel, Deep Color,			
	x.v.Color, Lip Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC and ARC and			
	resolutions up to 4K@60Hz (4:4:4)	\$29.00	30%	\$20.30
	Kramers C-MGM/MGM Micro computer graphics video cable is a high-			
92-7201035	performance cable with molded 15-pin HD connectors on both ends. This micro			
32-7201033	coax cable is thin and flexible and is an excellent option for connecting computer			
	graphics video signals between c	\$70.00	30%	\$49.00
	VM-2DT is a high-quality, long-reach 4K@60Hz (4:2:0) HDBaseT extender			
10-80444090	distributor that takes one long-reach HDBaseT input, equalizes and reclocks the			
	signal and distributes it to two identical HDBaseT outputs. VM-2DT distributes			
	native HDBaseT signals wit	\$975.00	30%	\$682.50
	VP-440H2 is a high-performance 4K@60Hz (4:4:4) presentation scaler/switcher			
70 00000700	with one HDBaseT/PoE, three HDMI and one computer graphics (VGA) inputs.			
72-00069790	The unit scales the video, embeds the audio and outputs the signal to an HDMI			
	and an HDBaseT output simult	\$2,235.00	30%	\$1,564.50
	The 690R is a high-performance fiber optic receiver for SDI video signals up to			. ,
	3G HD-SDI. The 690T converts two 3G HD-SDI signals to single-mode fiber optic			
50-80039090	and the 690R receiver converts them back to the two original SDI formats.			
	Compatible with the fib	\$1,195.00	30%	\$836.50
	The 690T is a high-performance fiber optic transmitter for SDI video signals up to	ψ.,.σσ.σσ		<b>4000.00</b>
	3G HD-SDI. The 690T converts two 3G HD-SDI signals to single-mode fiber optic			
50-80038090	and the 690R receiver converts them back to the two original SDI formats. The			
	unit is compatib	\$1,291.00	30%	\$903.70
	Kramers C-4LC/4LC is constructed of four color coded multi-mode 50/125um	ψ1,231.00	0070	ψ500.70
	simplex cables of 2.0mm (0.079in) diameter each, contained in a round overall			
94-0401984	orange jacket. It is intended primarily as a companion to various Kramer			
	detachable transmitter/receiver	\$1,414.00	30%	\$989.80
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz	ψ1,414.00	30%	ψ505.00
	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
97-0413262	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving	]		
			200/	¢coe eo
	a much smaller head th	\$865.00	30%	\$605.50

	The CP-AOCH/60 is an innovative active optical HDMI cable for 4K@60Hz (4:4:4)			
	signal resolution up to 100 meters (328ft). This hybrid-fiber cable features micro-			
97-0416131	HDMI ends with detachable HDMI connectors, making it easy to run through a			
	conduit or other ti	\$565.00	30%	\$395.50
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz	φοσο.σσ	0070	Ψ000.00
	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
97-0413197	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving			
	a much smaller head th	\$670.00	30%	\$469.00
	FC-6 is an RS-232/IR multi-function control gateway, capable of plug and play	ψ010.00	30 70	ψ+05.00
	deployment over a customer Ethernet LAN for remote bidirectional RS-232 and IR	,		
30-80414090	emitter control of customer devices. Multiple control clients can be IP-connected			
	to the FC-6 cont	\$330.00	30%	\$231.00
60-80191010	Energy Star Stereo Audio Power Amplifier125W per Channel	\$715.00	30%	\$500.50
00-00191010	Kramers ADC-U31C/HF is a USB 3.1 Type-C to HDMI adapter cable that lets you		30 70	ψ300.30
	output HDMI video and audio from a USB Type-C device to easily connect extra			
99-97210001	monitors to a laptop or desktop without having an extra graphic card. This short			
	cable adapter is idea	\$38.00	30%	\$26.60
	The TBUS-10xl is the enclosure of a new modular system with a manually	ψ30.00	30 70	Ψ20.00
91-000037	retracting lid. A complete TBUS system requires the enclosure, an inner frame, a			
91-00003 <i>1</i>	power socket, inserts and a power cord.	\$290.00	30%	\$203.00
	VS-48UHD is a high-quality 4x8 matrix switcher for 4K@60Hz (4:2:0) HDMI	φ290.00	30 70	φ203.00
	signals and embedded audio. It reclocks and equalizes the signals and can route			
20-04800130	any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs			
	simultaneously. VS-48UH	\$3.885.00	30%	\$2,719.50
	The VM-3H2 is a 1:3 distribution amplifier for up to 4K HDR, HDMI signals, that	φ3,003.00	30 70	φ2,7 19.50
10-804080290	comply with HDCP 2.2 content protection standard. The unit takes one HDMI			
10-004000290	input, equalizes and reclocks the signal and distributes it to three identical	\$450.00	30%	\$315.00
	Kramer Control Dashboard is a cloud-based service that enables an administrator		30 /0	φ313.00
	to manage, monitor and remotely control devices in each space related to the			
SW-000005	project. The platform boasts automatic data gathering about room usage, device			
	health and energy c	\$120.00	30%	\$84.00
	Kramer Control Dashboard is a cloud-based service that enables an administrator		30 70	φ04.00
	to manage, monitor and remotely control devices in each space related to the			
SW-000006	project. The platform boasts automatic data gathering about room usage, device			
	health and energy c	\$360.00	30%	\$252.00
SW-000007	Cloud Based Monitoring&Remote Control Service per room 5year	\$600.00	30%	\$420.00
377-000007	Due to its design, USB cable has a normal maximum length of about 5 meters	φ000.00	30 70	φ420.00
	(16.4 feet), but you can get longer distances by using the CA-UAM/UAF active			
96-0211025	USB extension cable from Kramer This is a bus-powered extension cable that			
<del>-</del>	can be used to increase the	\$37.00	30%	\$25.90
	HAD-IN2-F16/STANDALONE 2 channels HDMI Audio Digital Input Cards for	φ31.00	30%	φ20.90
20-70005098	Frame 16	¢905.00	30%	¢606 E0
EU 00300000	HDMI, POE, RS-232 & IR over HDBaseT Twisted Pair Receiver	\$895.00		\$626.50
50-80398090	ΠDIVII, FOE, NO-202 α IN OVEL HDDASET TWISTED PAIL RECEIVED	\$360.00	30%	\$252.00

50-80398190	HDMI, POE RS-232, ETH & IR over HDBaseT Twisted Pair Receivr	\$450.00	30%	\$315.00
	TP-780T is a high-performance, long-reach HDBaseT transmitter for 4K60Hz			
FO 00000000	(4:2:0) HDMI, RS-232 and IR signals over twisted pair. TP-780T converts all input			
50-80399090	signals into the transmitted HDBaseT signal. It extends video signals to up to 40m			
	(130ft) over CAT	\$410.00	30% 30% 30% 30% 30% 30% 30% 30%	\$287.00
	TP-780Txr is a high-performance, extended-reach HDBaseT transmitter for			
EO 00000400	4K60Hz (4:2:0) HDMI, Ethernet, RS-232 and IR signals over twisted pair. The TP-			
50-80399190	780Txr converts all input signals into the transmitted HDBaseT signal. It extends			
	video signals to up to	\$495.00	30%	\$346.50
99-0318500	500ft 18 AWG 2-Conductor Speaker Cable	\$135.00	30%	\$94.50
99-03181000	1000ft 18 AWG 2-Conductor Speaker Cable	\$224.00	30%	\$156.80
40.00477000	PA-50HZ (PA-50Z) is a compact Hi-Z (70V/100V) power amplifier with line-level			
13-80477090	output, ideal for small to medium-size meeting spaces and classrooms.	\$394.00	30%	\$275.80
	Due to its design, USB cable has a normal maximum length of about 5 meters			
00.0044050	(16.4 feet), but you can get longer distances by using the CA-UAM/UAF active			
96-9211050	USB extension cable from Kramer This is a bus-powered extension cable that			
	can be used to increase the	\$96.00	30%	\$67.20
20-700298	FAN-16DN is a replacement fan array for the VS-1616DN matrix switcher.	\$255.00	30%	\$178.50
20-70008198	HDBT7-IN2-F16 is a two-channel 4K60Hz 4:2:0 HDMI, long reach, HDBaseT			
	input card for the VS-1616 Series Modular Multi-Format Digital Matrix Switchers.			
	The HDBT-IN2-F16 inputs two long reach HDBaseT signals with bidirectional RS-			
	232 and IR from the line to	\$1,295.00	30%	\$906.50
	HDBT7-OUT2-F16 is a two-channel 4K60 4:2:0, long reach, HDBaseT output			
00.7000000	card for the VS-1616 Series Modular Multi-Format Digital Matrix Switchers. The			
20-70008298	HDBT7-OUT2-F16 outputs two long reach HDBaseT signals with bidirectional RS-			
	232 and IR from the chassis t	\$1,295.00	30%	\$906.50
	UHD-IN2-F16 is a two-channel 4K@60Hz (4:2:0) HDMI input card for the VS-			
20-70007798	1616 Series Modular Multi-Format Digital Matrix Switchers. The UHD-IN2-F16			
	inputs two HDMI signals into the chassis.	\$1,455.00	30%	\$1,018.50
	UHDA-OUT2-F16 is a two-channel 4K@60Hz (4:2:0) HDMI output card with		30% 30% 30% 30% 30% 30%	
00 70007000	configurable analog audio features for the VS-1616 Series Modular Multi-Format			
20-70007898	Digital Matrix Switchers. The UHDA-OUT2-F16 outputs two 4K HDMI signals with			
	selectable ARC (on the upper p	\$995.00	30%	\$696.50
SW-000010	Kramer Control BRAINware license for Kramer Touch Panels	\$395.00	30%	\$276.50
	The WU3-AA is a single wall plate insert with one USB 2.0 Type A and a cable			
30-020699	with a USB 2.0 Type A connector at the rear.	\$55.00	30%	\$38.50
60-001290	H.264 4K Video and Audio Encoder	\$1,450.00	30%	\$1,015.00
60-001390	H.264 4K Video and Audio Decoder	\$1,450.00	30%	\$1,015.00
	The TBUS- 6xl is the enclosure of a new modular system with a tilt-up lid. A			
80-004199	complete TBUS system requires the enclosure, an inner frame, a power socket,			
	inserts and a power cord.	\$265.00	30%	\$185.50

	The Yarden 4-C Closed-back Ceiling Speaker consists of a pair of high			
	performance closed back speakers. Mount your Yarden 4-C speakers to the			
60-000058	ceiling in one of two ways; either directly onto the ceiling or, for added protection,			
	secure the speakers safely	\$295.00	30%	\$206.50
	The RC-43SL is a touch-sensitive 6-button control keypad. Connected over	7-00:00		<del>+</del> ======
	Ethernet to Site-CTRL remote AV control, site management & monitoring system,			
30-80342090	as well as LAN-connected control gateways for extended controlled devices			
	capacity. It also connects ove	\$465.00	30%	\$325.50
	The VM-10xl is a high-quality. 1:10 video audio distribution amplifier using BNC			·
44.0404040	connectors for composite video, and RCA connectors for unbalanced stereo			
11-0181010	audio signals. The VM-10xl accepts a composite video input and distributes the			
	signal to 10 identical	\$655.00	30%	\$458.50
	VM-218DT is a high-quality, long-reach 4K@60Hz (4:2:0) HDBaseT distributor	*		, , , ,
40.00404000	that takes either an HDMI or long-reach HDBaseT input (selectable), equalizer			
10-80431030	and reclocks the signal and distributes it to eight identical long-reach HDBaseT			
	outputs, each with it	\$4,050.00	30%	\$2,835.00
	VM-218DTxr is a high-quality, extended-reach 4K@60Hz (4:2:0) HDBaseT			
40.0040000	disributor that takes either an HDMI or an extended-reach HDBaseT input			
10-80432030	(seletable), equalizes and reclocks the signal and distributes it to eight identical			
	extended-reach HDBaseT output	\$5,795.00	30%	\$4,056.50
	HDBT-IN4-F32 is a four-channel HDMI, bidirectional RS-232, Ethernet, & IR over			
00.7000000	HDBaseT twisted pair receiver card for the VS-3232 Series Modular Multi-Format			
20-70003998	Digital Matrix Switchers. The HDBT-IN4-F32 inputs four extended reach			
0-70003998	HDBaseT signals with bidire	\$2,095.00	30%	\$1,466.50
	HDBT-OUT4-F32 is a four-channel HDMI, bidirectional RS-232, Ethernet, & IR			
00.70004000	over HDBaseT twisted pair transmitter card for the VS-3232 Series Modular Multi-			
20-70004098	Format Digital Matrix Switchers. The HDBT-OUT4-F32 outputs four extended			
	reach HDBaseT signals with	\$2,155.00	30%	\$1,508.50
60,000,400	KT-107-OWLK is a panel-locker frame that enables safely locking the KT-107			
68-000499	touch panel, with screws, to its on-wall mount.	\$95.00	30%	\$66.50
	VP-510 is a down-converter for 4K UHD HDMI signals. The unit takes a 4K			
70-5100090	resolution input, provides a loop output and down-converts it to 2K resolution. It			
	allows the use of legacy equipment with 4K signals (23.98Hz to 30Hz).	\$395.00	30%	\$276.50
	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with			
97-0131012	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
97-0131012	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1			
	PCM, Dolby TrueHD, DTS-HD, CE	\$40.00	30%	\$28.00
	VIAcast transforms your VIA GO, VIA Connect PRO and VIA Connect PLUS into			
VIACAST	a true BYOD presentation solution. Laptops and smartphones, Android and Apple			
VIACAST	can all display simultaneously to the same presentation screen. Simply plug the			
	USB dongle into your VI	\$150.00	30%	\$105.00
99-93460050	Four-Pair U/FTP Cable assembly for DGKat,HDBT&LAN,Plenum-50	\$60.00	30%	\$42.00

	VM-400HDCPxl is a 1:4 distribution amplifier for up to 4K@60Hz (4:2:0) HDMI			
40.00400000	signals, complying with HDCP 1.4 content protection standard, via single-link DVI-			
10-80429090	I connections. The unit takes one DVI imput, equalizes and reclocks the signal,			
	and distributes i	\$555.00	30%	\$388.50
	DT-IN4-F32 is a four-channel 4K@60Hz (4:2:0), long-reach, HDBaseT input card			
	for the VS-3232 Series Modular Multi-Format Digital Matrix Switchers. DT-IN4-			
20-70008398	F32 inputs four long reach HDBaseT signals with bidirectional RS-232 and IR			
	from the line to the chas	\$2,095.00	30%	\$1,466.50
	DT-OUT4-F32 is a four-channel 4K@60Hz (4:2:0), long reach, HDBaseT output			
00.70000400	card for the VS-3232 Series Modular Multi-Format Digital Matrix Swithchers. DT-			
20-70008498	OUT4-F32 outputs four long reach HDBaseT signals with bidirectional RS-232			
	and IR from the chassis to	\$2,395.00	30%	\$1,676.50
	The TP-580R is a 4K UHD, twisted pair receiver for HDMI, bidirectional RS-232			
F0 00000000	and IR signals. It supports resolutions up to 4K@60 UHD (4:2:0). The TP-580T			
50-80022090	converts HDMI, RS-232, and IR signals into a twisted pair signal that it transmits			
	to a TP-580R rece	\$285.00	30%	\$199.50
	UHD-IN4-F32 is a four-channel 4K@60Hz (4:2:0) HDMI input card for the VS-			
20-7001098	3232DN-EM Modular Multi-Format Digital Matrix Switcher. The UHD-IN4-F32			
	inputs four HDMI signals into the chassis.	\$1,995.00	30%	\$1,396.50
	VS-3232DN-EM is a high-performance 4x4 to 32x32 4K@60Hz (4:2:0) modular			
28-70001830	matrix switcher chassis for AV signals. The unit is a multi-format digital switcher,			
	populated from 4x4 to 32x32 in increments of four inputs and/or four outputs. The			
	chassis includes	\$10,595.00	30%	\$7,416.50
	VS-62HA is a high-quality matrix switcher for 4K@60Hz (4:2:0) HDMI and analog			
00 00000010	audio signals that employs advanced auto switching schemes and control options.			
20-80338010	It reclocks and equalizes the signals and can route any input to either or both			
	outputs simultane	\$1,725.00	30%	\$1,207.50
	Kramers C-USB/MircoB cable is a high-speed USB2.0 Type-A male to USB micro-			
96-02156010	B cable used to connect computers and peripherals, such as smartphones,			
	external hard drives and other digital devices for superior signal transfer of up to	\$4.00	30%	\$2.80
	The TBUS-5xl is the enclosure of a new modular system with a retractable lid. A			
TDUC CVI (D)	complete TBUS system requires the enclosure, an inner frame, a power socket,			
TBUS-5XL(B)	inserts and apower cord. NOTE: The TBUS enclosure, power socket, power			
	cord, and inserts are purc	\$190.00	30%	\$133.00
97-16010106	Mini DisplayPort (M) to HDMI (M) Cable.	\$22.00	30%	\$15.40
	C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with			
C-MHM/MHM(W)-3	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.Color, Lip Sync, 7.1 PCM,			
	Dolby TrueHD, DTS-HD, CEC.	\$20.00	30%	\$14.00
C65P/T	Background/Foreground full range ceiling speakers			#VALUE!
XLS1002	2-channel Power Amplifier		30%	
60-000150	Cable Pass-Through Wall Plate Insert.	\$22.00	30%	\$15.40

	KRT-3 is a furniture-mounted cable retactor that is easily installed underneath a			
85-0420000	table-top.You can also install one or more KRT-3 units in conjunction with a			
	Kramer TBUS unit, such as TBUS-1AXL, TBUS-10XL, UTBUS-1XL, UTBUT-2XL	\$265.00	30%	\$185.50
	KRT-3 is a furniture-mounted cable retactor that is easily installed underneath a			
85-0420001	table-top. You can also install one or more KRT-3 units in conjunction with a			
	Kramer TBUS unit, such as TBUS-1AXL, TBUS-10XL, UTBUS-1XL, UTBUT-2XL	\$265.00	30%	\$185.50
	KRT-3 is a furniture-mounted cable retactor that is easily installed underneath a			
85-0420002	table-top. You can also install one or more KRT-3 units in conjunction with a			
	Kramer TBUS unit, such as TBUS-1AXL, TBUS-10XL, UTBUS-1XL, UTBUT-2XL	\$265.00	30%	\$185.50
	KRT-3 is a furniture-mounted cable retactor that is easily installed underneath a			
85-0420003	table-top. You can also install one or more KRT-3 units in conjunction with a			
	Kramer TBUS unit, such as TBUS-1AXL, TBUS-10XL, UTBUS-1XL, UTBUT-2XL	\$265.00	30%	\$185.50
	KRT-3 is a furniture-mounted cable retactor that is easily installed underneath a			•
85-0420004	table-top. You can also install one or more KRT-3 units in conjunction with a			
	Kramer TBUS unit, such as TBUS-1AXL, TBUS-10XL, UTBUS-1XL, UTBUT-2XL	\$265.00	30%	\$185.50
	KRT-3 is a furniture-mounted cable retactor that is easily installed underneath a			,
85-0420005	table-top. You can also install one or more KRT-3 units in conjunction with a			
	Kramer TBUS unit, such as TBUS-1AXL, TBUS-10XL, UTBUS-1XL, UTBUT-2XL	\$265.00	30%	\$185.50
	VM-3DT is a high-quality, long-reach 4K@60Hz (4:2:0) HDBaseT extender			,
	distributor that takes one long-reach HDBaseT input, equalizes and reclocks the			
10-804630190	signal and distributes it to three identical HDBaseT outputs. VM-3DT distributes			
	native HDBaseT signals w	\$1,155.00	30%	\$808.50
	AD-RING is a stainless steel ring of HDMI adapters that attaches to your display	<b>V</b> 1, 100.00	0070	ψουσίου
	cable so you can plug different presentation sources into the HDMI cable.			
99-9191032	Laptops, tablets, smart phones, digital cameras, and net books have a variety of			
	connectors for disp	\$195.00	30%	\$136.50
	UHD-OUT4-F32 is a four-channel 4K@60Hz (4:2:0) HDMI output card for the VS-		0070	Ψ100.00
20-7001198	3232FN-EM Modular Multi-Format Digital Matrix Switcher. UHD-OUT4-F32			
20-7001130	outputs four HDMI signals from the chassis.	\$1.195.00	30%	\$836.50
99-93460025	Four-Pair U/FTP Cable assembly for DGKat,HDBT&LAN,Plenum-25	\$38.00	30%	\$26.60
33-33400023	VS-21DTP is a high-performance automatic switcher for 4K, HDBaseT, HDMI,	ψ30.00	30 70	Ψ20.00
	HDCP 2.2 video signals. Offering priority and last-connected switching options, it			
20-80498190	automatically switches according to the selected switching scheme based on			
	active video signal dete	\$695.00	30%	\$486.50
	PT-872xr is a high-performance, long-reach DGKat 2.0 receiver for 4K@60Hz	\$095.00	30 %	<b>Φ</b> 400.30
	(4:4:4) HDR HDMI 2.0 and HDCP 2.2 signals and 2-way powering over twisted			
50-8038701190				
	pair. It converts the transmitted DGKat 2.0 signal into an HDMI signal. PT-872xr	#07F 00	000/	<b>0400.50</b>
	extends the signal to up t	\$275.00	30%	\$192.50
	AD-RING is a stainless steel ring of HDMI adapters that attaches to your display			
99-9191028	cable so you can plug different presentation sources into the HDMI cable.			
	Laptops, tablets, smart phones, digital cameras, and net books have a variety of	1		
	connectors for disp	\$145.00	30%	\$101.50

	IVM 14T is a high definition wireless LIDMI transmitter for indeed use the form	1 1		
	KW-14T is a high-definition, wireless, HDMI transmitter for indoor use. Up to four			
60-0000295	KW-14R receivers can receive from one KW-14T transmitter and up to three KW-			
	14T transmitters can be paired with one KW-14R receiver. The KW-14T and KW-		000/	<b>0.470.50</b>
	14R pair comes pre-as	\$685.00	30%	\$479.50
	WP-871xr is a high-performance, long-reach DGKat 2.0 wall-plate transmitter for			
50-805160295	4K@60Hz (4:4:4) HDR HDMI and HDCP 2.2 signals and power over twisted pair.			
	It converts the HDMI input signal into a DGKat 2.0 signal and transmits it to a			
	compatible reciever.	\$264.00	30%	\$184.80
İ	WP-871xr is a high-performance, long-reach DGKat 2.0 wall-plate transmitter for			
50-805160195	4K@60Hz (4:4:4) HDR HDMI and HDCP 2.2 signals and power over twisted pair.			
00 000 100 100	It converts the HDMI input signal into a DGKat 2.0 signal and transmits it to a			
	compatible reciever.	\$264.00	30%	\$184.80
	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest			
99-3460015	technology signals. Over four individually screened twisted pairs, this U/FTP			
99-3460015	CAT6a cable runs Krramers DGKat technology, 4K HDBaseT technology or LAN			
	applications and ensures opt	\$16.00	30%	\$11.20
	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest			
00 0400075	technology signals. Over four individually screened twisted pairs, this U/FTP			
99-3460075	CAT6a cable runs Krramers DGKat technology, 4K HDBaseT technology or LAN			
	applications and ensures opt	\$40.00	30%	\$28.00
	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest			-
	technology signals. Over four individually screened twisted pairs, this U/FTP			
99-3460035	CAT6a cable runs Krramers DGKat technology, 4K HDBaseT technology or LAN			
	applications and ensures opt	\$24.00	30%	\$16.80
	VS-44H2A is a high-performance 4x4 matrix switcher for 18G 4K@60Hz (4:4:4)	,		*
	HDR HDMI signals. It reclocks and equalizes the signals and can route any one			
VS-44H2A	of four HDMI, HDCP-compliant sources (selectable) to any or all outputs			
	simultaneously.	\$3,100.00	30%	\$2,170.00
	RK-3T-B is a 19-inch rack adapter for mounting 3 Kramer TOOLS size devices in	ψο, ισσίσσ		ψ=,σ.σ
RK-3T-B	a 1U rack space.	\$135.00	30%	\$94.50
	TP-580RA is a high-performance, long-reach HDBaseT receiver for 4K@60Hz	ψ100.00	0070	ψο 1.00
	(4:2:0) HDMI, RS-232, IR and stereo audio signals over twisted pair that de-			
TP-580RA	embeds the stereo audio signal on its digital and analog audio ports. It extends			
	video signals to up to 40m	\$515.00	30%	\$360.50
	AD-RING is a stainless steel ring of HDMI adapters that attaches to your display	φ515.00	30 /0	φ300.30
	cable so you can plug different presentation sources into the HDMI cable.			
99-91910230	Laptops, tablets, smart phones, digital cameras, and net books have a variety of			
	connectors for disp	¢405.00	200/	¢420 50
		\$185.00	30%	\$129.50
	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with	'		
97-0131015	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1	45.00	2221	001.55
	PCM, Dolby TrueHD, DTS-HD, CE	\$45.00	30%	\$31.50

	VS-6464DN-EM is a high-performance 8x8 to 64x64 modular matrix switcher			
	chassis for AV signals. The unit is a multi-format digital switcher, populated from			
28-70001030	8x8 to 64x64 in increments of eight inputs and/or eight outputs. The chassis			
	includes two power sup	\$19,995.00	30%	########
	TL-RING is a tool set used for installing or modifying Kramers AD-RING HDMI	ψ10,000.00	0070	
99-9191022	adapter ring. The tool set includes T-10 driver and a 1.5mm HEX Key wrench.	\$22.00	30%	\$15.40
	FC-54P is a multi-function PoE control gateway, capable of plug and play	Ψ22.00	0070	ψ10.40
	deployment over a customer Ethernet LAN for GPI/O, relay, IR and serial control			
30-804300190	of customer devices. Multiple control clients can be IP-connected to the FC-54P			
	control gateway for co	\$625.00	30%	\$437.50
	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest	ψ023.00	30 70	ψ+37.50
	technology signals. Over four individually screened twisted pairs, this U/FTP			
99-3460100	CAT6a cable runs Krramers DGKat technology, 4K HDBaseT technology or LAN			
	• • • • • • • • • • • • • • • • • • • •	\$52.00	30%	\$36.40
C LIM/ETIL 10	applications and ensures opt  10ft HDMI Cable Assembly	\$15.00	30%	\$30.40 \$10.50
C-HM/ETH-10	,	\$15.00	30%	\$10.50
	VS-3232DN is a high-performance 4x4 to 32x32 modular matrix switcher chassis			
28-70001610	for AV signals. The unit is a multi- format digital switcher, populated from 4x4 to			
	32x32 in increments of four inputs and/ or four outputs. The chassis includes	#0 00F 00	000/	<b>#0.700.50</b>
	optional dual, r	\$9,695.00	30%	\$6,786.50
	VS-6464DN-EM is a high-performance 8x8 to 64x64 modular matrix switcher			
28-70001010	chassis for AV signals. The unit is a multi-format digital switcher, populated from			
	8x8 to 64x64 in increments of eight inputs and/or eight outputs. The chassis		/	
	includes two power sup	\$17,995.00	30%	#########
20-70000399	Blank cover plate for empty module slots in the VS-1616DN and VS-1616D matrix		,	
	switchers.	\$15.00	30%	\$10.50
20-70002198	2 channels DVI Input Card for Frame 16	\$745.00	30%	\$521.50
	DVI-OUT2-F16 is a two channel DVI output card for the VS-1616 series Modular			
20-70002298	Multi-Format Digital Matrix Switchers. The DVI-OUT2-F16 outputs two DVI			
	signals from the chassis.	\$425.00	30%	\$297.50
20-70003498	2 channels 4LC Fiber Input Card for Frame 16	\$965.00	30%	\$675.50
20-70003298	2 channels 4LC Fiber Output Card for Frame 16	\$965.00	30%	\$675.50
	HDCP-IN2-F16 is a two-channel HDMI over DVI (HDCP) input card for the VS-			
20-70002398	1616 series Modular Multi-Format Digital Matrix Switchers. The HDCP-IN2-F16			
	inputs two HDMI/HDCP signals into the chassis.	\$965.00	30%	\$675.50
	HDCP-OUT2-F16 is a two-channel HDMI over DVI (HDCP) output card for the VS			
20-70002498	1616 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-OUT2-F16			
	outputs two HDMI/HDCP signals from the chassis.	\$495.00	30%	\$346.50
20-70009998	SDI with ananlog audio input board to vs-1616d	\$1,365.00	30%	\$955.50
	VGA-IN2-F16 is a two-channel VGA input card for the VS-1616 Series Modular			
20-70006198	Multi-Format Digital Matrix Switchers. The VGA-IN2-F16 inputs two VGA signals	1		
	into the chassis.	\$1,295.00	30%	\$906.50

	VGA-OUT2-F16 is a two channel VGA output card for the VS-1616 Series			
20-70006298	Modular Multi-Format Digital Matrix Switchers. The VGA-OUT2-F16 outputs two			
	VGA signals from the chassis.	\$715.00	30%	\$500.50
	VGA-IN2-F16 is a two-channel VGA input card for the VS-1616 Series Modular			*
20-70001198	Multi-Format Digital Matrix Switchers. The VGA-IN2-F16 inputs two VGA signals			
	into the chassis.	\$1,065.00	30%	\$745.50
	VGA-OUT2-F16 is a two channel VGA output card for the VS-1616 Series	, , , , , , , , , , , , , , , , , , , ,		*
20-70000198	Modular Multi-Format Digital Matrix Switchers. The VGA-OUT2-F16 outputs two			
	VGA signals from the chassis.	\$595.00	30%	\$416.50
	DGKat-IN2-F16 is a two-channel HDMI and RS-232 over DGKat twisted pair inpu			*
20-70002798	card for the VS-1616 Series Modular Multi-Format Digital Matrix Switchers. The			
	DGKat-IN2-F16 inputs two HDMI and RS-232 over DGKat signals to the chassis.	\$995.00	30%	\$696.50
	DGKat-OUT2-F16 is a two channel HDMI and RS-232 over DGKat twisted pair	,		*
20-70002898	output card for the VS-1616 Series Modular Multi-Format Digital Matrix Switchers	.		
	The DGKat-OUT2-F16 outputs two HDMI and RS-232 signals from the chassis.	\$750.00	30%	\$525.00
	AAD-IN4-F32 is a four channel analog and digital input card for the VS-3232			*
20-70006098	Series Modular Multi-Format Digital Matrix Switchers. The AAD-IN4-F32 inputs			
	four analog and digital signals into the chassis.	\$1,995.00	30%	\$1,396.50
	AAD-OUT4-F32 is a four-channel analog and digital output card for the VS-3232			
20-70006798	Series Modular Multi-Format Digital Matrix Switchers. The AAD-OUT4-F32			
	outputs four analog and digital signals from the chassis.	\$1,195.00	30%	\$836.50
20-70001598	4 channels DVI Input Card for Frame 32	\$1,495.00	30%	\$1,046.50
20-70001698	4 channels DVI Output Card for Frame 32	\$775.00	30%	\$542.50
20-70004198	4 channels 4LC Fiber Input Card for Frame 32	\$1,750.00	30%	\$1,225.00
	F610-OUT4-F32 is four channel DVI over 4LC fiber output card for the VS-3232			
20-70004298	Series Modular Multi-Format Digital Matrix Switchers. The F610-OUT4-F32			
	outputs four DVI over 4LC fiber signals from the chassis.	\$1,750.00	30%	\$1,225.00
	HAA-IN4-F32 is a four-channel HDMI with analog audio input card for the VS-			
20-70004998	3232 Series Modular Multi-Format Digital Matrix Switchers. The HAA-IN4-F32			
	inputs four HDMI signals with optional embedding of unbalanced stereo audio to	\$2,195.00	30%	\$1,536.50
20-70005298	4 channels HAA Output Card for Frame 32	\$1,295.00	30%	\$906.50
20-70005798	4 channels Hdmi Audio Digital Input Card for Frame 32	\$1,995.00	30%	\$1,396.50
20-70005898	4 channels Hdmi Audio Digital output Card for Frame 32	\$1,184.00	30%	\$828.80
	HDCP-IN4-F32 is a four channel HDMI over DVI (HDCP) input card for the VS-			
20-70001798	3232 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-IN4-F32			
	inputs four HDMI/HDCP signals into the chassis.	\$1,795.00	30%	\$1,256.50
	HDCP-OUT4-F32 is a four-channel HDMI over DVI (HDCP) output card for the			
20-70001898	VS-3232 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-OUT4	-		
	F32 outputs four HDMI/HDCP signals from the chassis.	\$995.00	30%	\$696.50
20-70001998	H-IN4-F32 is a four-channel HDMI input card for the VS-3232D Modular Multi-			
20-7000 1998	Format Digital Matrix Switcher. The H-IN4-F32 inputs four HDMI signals to the	\$1,795.00	30%	\$1,256.50

	H-OUT4-F32 is a four-channel HDMI output card for the VS-3232 Series Modular			
20-70002098	Multi-Format Digital Matrix Switchers. The H-OUT4-F32 outputs four HDMI			
	signals from the chassis.	\$1,065.00	30%	\$745.50
	SDIA-IN4-F32 is a four-channel SDI input card with optional analog audio			·
00 70004000	embedding for the VS-3232 Series Modular Multi-Format Digital Matrix Switchers.			
20-70001298	The SDIA-IN4-F32 inputs four SDI with optional unbalanced stereo audio signals			
İ	into the chassis and co	\$2,695.00	30%	\$1,886.50
	VGAA-IN4-F32 is a four-channel VGA with analog audio input card for the VS-			
00.7000000	3232 Series Modular Multi-Format Digital Matrix Switchers. VGAA-IN4-F32 inputs			
20-70006898	four VGA with analog audio signals into the chassis. Audio is accessed by			
İ	connecting the supplied Kra	\$2,587.00	30%	\$1,810.90
	VGAA-OUT4-F32 is a four-channel VGA with analog audio output card for the VS	-		
20000000	3232 Series Modular Multi-Format Digital Matrix Switchers. The VGAA-OUT4-F32	2		
20-70006998	outputs four VGA with analog audio signals from the chassis. Audio output is			
	accessed by connecting t	\$1,426.00	30%	\$998.20
00.70000500	BLP-F32 is a blank cover plate for empty module slots in VS-3232 Series Modular	-		
20-70000599	Multi-Format Digital Matrix Switchers.	\$15.00	30%	\$10.50
	DGKat-IN4-F32 is a four-channel HDMI and RS-232 over DGKat twisted pair			
20-70002998	input card for the VS-3232DN Modular Multi-Format Digital Matrix Switcher. The			
	DGKat-IN4-F32 inputs four HDMI and RS-232 signlas to the chassis.	\$1,395.00	30%	\$976.50
	DGKat-OUT4-F32 is a four-channel HDMI and RS-232 over DGKat twisted pair			
20-70003098	output card for the VS-3232 Series Modular Multi-Format Digital Matrix Switchers.			
	The DGKat-OUT4-F32 outputs four HDMI and RS-232 signals from the chassis.	\$1,195.00	30%	\$836.50
	DT-IN4-F32 is four- channel 4K@60Hz (4:2:0), long reach, HDBaseT input card			
20-70008399	for the VS-3232 Series Modular Multi-Format Digital Matrix Switchers. DT-IN4-			
20-70000399	F32 inputs four long reach HDBaseT signals with bidirectional RS-232 and IR			
	from the line to the chass	\$2,095.00	30%	\$1,466.50
	DT-OUT4-F32 is a four-channel 4K@60Hz (4:2:0), long reach, HDBaseT output			
20-70008499	card for the VS-3232 Series Modular Multi-Format Digital Matrix Swithchers. DT-			
20-70000499	OUT4-F32 outputs four long reach HDBaseT signals with bidirectional RS-232			
	and IR from the chassis to	\$2,395.00	30%	\$1,676.50
	DVI-OUT8-F64 is an eight-channel DVI output card for the VS-6464 Series			
20-7005198	Modular Multi-Format Digital Matrix Switchers. The DVI-OUT8-F64 outputs eight			
	DVI signals from the chassis.	\$1,555.00	30%	\$1,088.50
	F610-IN8-f64 is an eight-channel DVI over 4LC fiber input card for the VS-6464			
20-7005098	Series Modular Multi-Format Digital Matrix Switchers. The F610-IN8-F64 inputs			
	eight DVI over 4LC fiber signals into the chassis.	\$3,395.00		\$2,376.50
20-7005398	8 channels 4LC Fiber Output Card for Frame 64	\$3,395.00	30%	\$2,376.50
	HDCP-IN8-F64 is an eight-channel HDMI over DVI (HDCP) input card for the VS-			
20-7005598	6464 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-IN8-F64			
	inputs eight HDMI/HDCP signals into the chassis.	\$3,775.00	30%	\$2,642.50

	HDCP-OUT8-F64 is an eight-channel HDMI over DVI (HDCP) output card for the			
20-7005498	VS-6464 Series Modular Multi-Format Digital Matrix Switchers. The HDCP-OUT8-			
20 7 000 100	F64 outputs eight HDMI/HDCP signals from the chassis.	\$2,095.00	30%	\$1,466.50
	DGKat-IN8-F64 is an eight channel HDMI and RS-232 over DGKat twisted pair	<del>+=</del> ,======		<del>+ 1, 100100</del>
20-70007198	input card for the VS-6464 Series Modular Multi-Format Digital Matrix Switchers.			
	The DGKat-IN8-F64 inputs four HDMI and RS-232 signals to the chassis.	\$2,995.00	30%	\$2,096.50
	DGkat-OUT8-F64 is an eight-channel HDMI and RS-232 over DGkat twisted pair	, , , , , , , , , , , , , , , , , , , ,		, , , , , , , , , , , , , , , , , , , ,
20-70007298	output card for the VS-6464 Series Modular Multi-Format Digital Matrix Switchers.			
	The DGkat-OUT8-F64 outputs eight HDMI and RS-232 signals from the chassis.	\$2,395.00	30%	\$1,676.50
	DTAxr-IN2-F16 is a 2-channel 4K60 4:2:0 HDMI, analog audio, bidirectional RS-	. ,		. ,
	232, Ethernet, and IR over HDBaseT twisted pair receiver card for the VS-1616			
20-70008798	Series Modular Multi-Format Digital Matrix Switchers. DTAxr-IN2-F16 inputs two			
	extended reach HDBase	\$1,695.00	30%	\$1,186.50
	DTAxr-OUT2-F16 is a two-channel HDMI, analog audio, bidirectional RS-232,	. ,		. ,
00.7000000	Ethernet, and IR over HDBaseT twisted pair transmitter card for the VS-1616			
20-70008898	Series Modular Multi-Format Digital Matrix Switchers. The DTAxr-OUT2-F16			
	outputs two extended reach HDBas	\$1,845.00	30%	\$1,291.50
20-70010098	4 Input 4K HDMI Analog Audio over HDBaseT Card F 32	\$2,895.00		\$2,026.50
	DTAxr-OUT4-F32 is a four-channel HDMI, analog audio, bidirectional RS-232,			
00.70040400	Ethernet, and IR over HDBaseT twisted pair transmitter card for the VS-3232			
20-70010198	Series Modular Multi-Format Digital Matrix Switchers. The DTAxr-OUT4-F32			
	outputs four extended reach HDB	\$2,995.00	30%	\$2,096.50
	UHDA-IN4-F32 is a four-channel 4K@60Hz (4:2:0) HDMI input card with			
20.70000500	configurable analog audio features for the VS-3232DN-EM Modular Multi-Format			
20-70008598	Digital Matrix Switcher, UHDA-IN4-F32 inputs four 4K HDMI signals with			
	selectable embedded, de-embedded, or AR	\$2,295.00	30%	\$1,606.50
	UHDA-OUT4-F32 is a four-channel 4K@60Hz (4:2:0) HDMI output card with			
20-70008698	configurable analog audio features for the VS-3232DN-EM Modular Multi-Format			
20-70000090	Digital Matrix Switcher, UHDA-OUT4-F32 outputs four 4K HDMI signals with			
	selectable embedded, de-embedded, o	\$1,995.00	30%	\$1,396.50
	VGAA-IN8-F64 si an eight-channel VGA with analog audio input card for the VS-			
20-7003098	6464 Series Modular Multi-Format Digital Matrix Switchers. The VGAA-IN8-F64			
20-7003096	inputs eight VGA with analog audio signals into the chassis. Audio is accessed by			
	connecting the suppl	\$5,095.00	30%	\$3,566.50
	VGAA-OUT8-F64 is and eight channel VGA with analog audio output card for the			
20.7004009	VS-6464 Series Modular Multi-Format Digital Matrix Switchers. The VGAA-OUT8-			
20-7004098	F64 outputs eight VGA with analog audio signals from the chassis. Audio output			
	is accessed by connecti	\$2,855.00	30%	\$1,998.50
	RC-208 is a compact 8-button control keypad that fits US, European and UK			
30-804750395	standard 1-gang wall junction boxes. Easy to deploy, RC-208 fits decoratively			
30-004730383	within a room design. It is perfectly suited for use as a user interface keypad with			
	a Kramer Control s	\$665.00	30%	\$465.50

	RC-308 is a compact 8-button control keypad that fits US, European and UK standard 1-gang wall junction boxes. Easy to deploy with a single LAN cable			
30-804701395	carrying both power (PoE) and communication, it fits decoratively within a room			
	design. It is perfectly s	\$755.00	30%	\$528.50
	WP-789T is a high-performance, long-reach HDBaseT wall-plate transmitter for	φ133.00	30 70	φ320.30
	4K@60Hz (4:2:0) HDMI and HDCP 2.2 signals over twisted pair. It converts the			
50-805180195	HDMI input signal into an HDBaseT signal and transmits it to a compatible			
	receiver. It extends video	\$435.00	30%	\$304.50
	TP-789R is a high-performance, long-reach HDBaseT receiver for 4K60Hz (4:2:0)	φ433.00	30 70	φ304.30
	HDMI, RS-232 and IR signals and two-way powering over twisted pair. It extends			
50-80506090	video signals to up to 40m (130ft) over Kramer copper cables at up to 4K@60Hz			
	(4:2:0) 24bpp video	\$395.00	30%	\$276.50
	RC-206 is a compact 6-button control keypad that fits US, European and UK	<b>Φ393.00</b>	30%	φ276.50
	standard 1-gang wall junction boxes. Easy to deploy, RC-206 fits decoratively			
30-804925395				
	within a room design and is perfectly suited for use as a user interface keypad within Kramer Control s	ΦΕ 40, 00	200/	<b>#270.00</b>
		\$540.00	30%	\$378.00
	WP-211T is a high-performance PoE-powered wall-plate automatic switcher of 4K			
20-804971195	HDMI video signals, transmitted over long-reach HDBaseT extension link.			
	Offering priority and last-connected switching options, it automatically switches	****	000/	<b>*</b> 40 <b>7 5</b> 0
	according to the select	\$625.00	30%	\$437.50
	The Tavor 6-O is a pair of 6.5 inch powered two-way speakers designed for			
60-000067	indoor wall mounting. The active speaker accepts a line-level stereo input and			
	amplifies it using a built-in amplifier and outputs a speaker signal to the passive	\$350.00	30%	\$245.00
	VS-84UT is an all-in-one 4K@60Hz (4:2:0) audio-video presentation system with			
50-80355110	integrated range extension and an integrated control system master. The unit			
00 00000110	switches the video, embeds the audio, and outputs the signal to both HDMI and			
	HDBaseT 2.0 with USB e	\$6,995.00	30%	\$4,896.50
	Kramers C-/HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
97-0132003	The slim HDMI connector and narrower cable diameter fits more easily into tight			
		\$20.00	30%	\$14.00
97-0132006	Slim High Speed HDMI Cable with Ethernet-6ft	\$25.00	30%	\$17.50
	The TR-2A is a high-performance isolation transformer for balanced stereo audio			
90-70206290	signals. It completely isolates devices to eliminate hum, ground loops, and DC			
	offsets that can degrade audio quality.	\$150.00	30%	\$105.00
	Kramers s-video (Y/C) breakout cable is constructed of dual mini coax cables with			
02 2402006	a male s-video (4-pin) connector on one end and 2 BNCs on the other. They are			
93-2102006	used for converting an s-Video signal from the typical 4-pin format to higher			
	quality dual BNC	\$7.00	30%	\$4.90
60-200210	RK-T2B-B is a 19-inch rack adapter for mounting 2 Kramer MegaTOOLS size			
00-2002 10	devices in a 1U rack space.	\$150.00	30%	\$105.00

	C-DP is a high-resolution DisplayPort cable for video signals up to 4K@60Hz			
97-0617010	(4:4:4) resolution supporting DisplayPort 1.2 standard. C-DP supports and HBR2			
07 0017010	(High Bit Rate 2) bandwidth of up to 21.6 Gbps. The cable is triple shielded for			
	superior noise immu	\$32.00	30%	\$22.40
	VS-88UT is an all-in-one 4K@60Hz (4:2:0) Audio-Video presentation system with			
50-80355010	integrated range extension and an integrated control system master. The unit			
00-00333010	switches the video, embeds the audio and outputs thee signal to both an HDMI			
	and an HDBaseT 2.0 wit	\$8,495.00	30%	\$5,946.50
	RC-306 is a compact 6-button control keypad that fits, US, European and UK			
30-804921395	standard 1-gang wall junction boxes. Easy to deploy with a single LAN cable			
30-004921393	carrying both power (PoE) and communication, it fits decoratively within a room			
	design. It is perfectly	\$635.00	30%	\$444.50
07.0047050	C-DP is a high-resolution DisplayPort cable for video signals up to 4K@60Hz			
97-0617050	(4:4:4) resolution supporting DisplayPort 1.2 standard.	\$92.00	30%	\$64.40
	TP=752R is a high-performance receiver for extending 1080p (HD) HDMI signlas			
50-00010490	over distances of up to 600m (2000ft) using any 2-wire cabling TP-752R supports			
	diverse cabling and connector options for typical long distance and legacy	\$545.00	30%	\$381.50
	TP-752T is a high-performance transmitter for extending 1080p (HD) HDMI			·
50 000 40000	signals over distances of up to 600m (2000ft) using any 2-wire cabling. TP-752T			
50-00010390	supports diverse cabling and connector options for typical long distance and			
	legacy installations.	\$545.00	30%	\$381.50
	PA-120NET is a high-performance, selectable Hi-Z (70V/100V) or Lo-Z	i i		·
40.00=0=00	(4ohms/8ohms) power amplifier featuring balanced and unbalanced inputs,			
13-80527030	additonal line-level output and Dante interface. This versatile amplifier features			
	built-in DSP, auto-standby and m	\$1,245.00	30%	\$871.50
	PA-240NET is a high-performance, selectable Hi-Z (70V/100V) or Lo-Z	, ,		, -
	(4ohms/8ohms) power amplifier featuring balanced and unbalanced imputs and			
13-80527130	additional line-level output and Dante interface. This versatile amplifier features			
	built-in DSP, auto-standby a	\$1,555.00	30%	\$1,088.50
	Due to its design, USB cable has a normal maximum length of about 5 meters	ψ.,σσσ.σσ		ψ.,σσσ.σσ
	(16.4 feet), but you can get longer distances by using the CA-UAM/UAF active			
96-0211065	USB extension cable from Kramer This is a bus-powered extension cable that			
	can be used to increase the	\$80.00	30%	\$56.00
	TP-789Rxr is a high-performance, extended-reach HDBaseT receiver for 4K60Hz		0070	Ψ00.00
	(4:2:0) HDMI, Ethernet, RS-232 and IR signals and 2-way powering over twisted			
50-805060190	pair. It extends video signals to up to 100m (330ft) over Kramer copper cables at			
	up to 4K@60Hz (4:2:	\$495.00	30%	\$346.50
	TBUS power sockets are available in single and dual, country-specific modules.	ψ 100.00	0070	ΨΟ ΤΟ.ΟΟ
	Modules are available with AC power sockets and /or USB charging sockets.			
80-001899	NOTE: The Universal power socket is fully compatible with power plugs in the UK			
	India, Italy and Denm	\$55.00	30%	\$38.50
	WU-AA is a single insert wall plate with one USB connector (type-A) at the front	ψυυ.υυ	30 /0	ψ30.30
85-0119799	and a cable with a USB connector (type-A) connector at the rear.	\$30.00	30%	\$21.00
	Jana a sable with a sob connector (type-A) connector at the real.	ψυυ.υυ	30 70	Ψ∠ 1.00

	The VS-62DT is a 6x2 4K@60Hz (4:2:0) HDMI/HDBaseT matrix switcher with			
00.00404000	HDMI and HDBaseT output transmitters that provide long-reach video and audio			
20-80434090	transmission. It supports resolutions of up to 4K@60Hz (4:2:0) and WUXGA. The			
	matrix is a PoE provider that	\$1,395.00	30%	\$976.50
85-0095099	Wall Plate Insert - Dual RCA	\$30.00	30%	\$21.00
85-1095099	Wall Plate Insert - Dual RCA	\$30.00	30%	\$21.00
	AD-RING is a stainless steel ring of HDMI adapters that attaches to your display			
00 0404022	cable so you can plug different presentation sources into the HDMI cable.			
99-9191033	Laptops, tablets, smart phones, digital cameras, and net books have a variety of			
	connectors for disp	\$133.00	30%	\$93.10
	VSM-4x4A is a 4x4 seamless matrix switcher that can also be used as a video			
20-00065430	wall driver (2x2 or 1x4) or dual and quad multi-viewers. The unit enables			
	switching between inputs with a clean video cut (frame-to-frame switching with no			
	glitches). It supports	\$3,750.00	30%	\$2,625.00
WR-000004	2 Years Hardware Warranty Extension for VIA ConnectPLUS	\$160.00	30%	\$112.00
	KDS-8 is a high-performance, zero latency, 4K@60Hz (4:4:4) video streaming			
F0 004000	transceiver for streaming via Ethernet over copper cable. KDS-8 can be set as			
59-001890	either an encoder or decoder. As an encoder, it encodes and streams the HDMI			
	input along eith IR, RS-2	\$2,000.00	30%	\$1,400.00
99-93460010	Four-Pair U/FTP Cable assembly for DGKat,HDBT&LAN,Plenum-10	\$19.00	30%	\$13.30
99-93460125	Four-Pair U/FTP Cable assembly for DGKat,HDBT&LAN,Plenum-125	\$151.00	30%	\$105.70
	The SPK-C800-PRO is an innovative, patent pending Kramer Complete K-			
60-160208480	overage ESD ceiling speaker. It is the only speaker in the industry with built-in			
00-100200400	stereo separation. Constructed with a central driver and four pivoting tweeters in			
	a sealed enclosure, th	\$145.00	30%	
PROC-FEE	ORDER PROCESSING FEE		30%	#VALUE!
	VM-3HDT is a high-quality, long-reach 1:3 HDBaseT extender distributor that			
VM-3HDT	takes one HDMI input, with IR and RS-232 control signals, converts it to an			
ง เงเ-งเกษ เ	HDBaseT extension line signal and distributes it to 3 HDBaseT receivers. VM-			
	3HDT includes an HDMI LOOP	\$1,095.00	30%	\$766.50
	The Galil 6-AW on-wall outdoor speaker features a multi-tap power transformer			
60-000047	for selecting 80hms (bypassing the transformer) or 70V/100V power settings,			
00-000047	which are suitable for an array installation. Suitable for outdoor installations and			
	applications. Av	\$295.00	30%	\$206.50
	The Galil 6-AW on-wall outdoor speaker features a multi-tap power transformer			
60-000048	for selecting 80hms (bypassing the transformer) or 70V/100V power settings,			
60-000048	which are suitable for an array installation. Suitable for outdoor installations and			
	applications. Av	\$295.00	30%	\$206.50
	Kramers BCLS-11 is a high-performance CAT 5E U/UTP cable designed for IT,			
00 45100205	LAN and Ethernet installations. BCLS-11 is constructed with four pairs of 24AWG			
99-45100305	solid bare copper conductors in an LSZH jacket with internal rip cord and			
	sequential markings every m	\$178.00	30%	\$124.60

	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
97-0133601	The slim HDMI connector and narrower cable diameter fits more easily into tight			
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$20.00	30%	\$14.00
BC-2S12-152M	12 AWG 2-Conductor Speaker Cable - 500	\$335.00	30%	\$234.50
	KT-107-INWL in-Wall lock secures any of the KT-107 family touch panels safely			
KT-107-INWL(B)	into a wall made of wood or drywall. You can also install KT-107-INWL in a			
	concrete wall by first installing an in-wall box (SEE ACCESSORIES & RELATED	\$375.00	30%	\$262.50
	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest			
00.2460040	technology signals. Over four Individually screened twisted pairs, this U/FTP			
99-3460010	CAT6a cables runs Kramers DGKat technology, 4K HDBaseT technology or LAN			
	applications and ensures opt	\$14.00	30%	\$9.80
	PT-871/2xr-KIT is a high-performance, long-reach DGKat 2.0 extender kit for			
	4K@60Hz (4:4:4) HDR HDMI 2.0 and HDCP 2.2 signals and 2-way powering over	-		
50-80389390	twisted pair. The PT-871xr transmitter converts all input signals into the DGKat			
	2.0 signal. The PT-871xr	\$525.00	30%	\$367.50
	The WP-580T is a high-performance, HDBaseT twisted pair wall plate transmitter	,		,
	for 4K@60Hz (4:2:0) HDMI signals. The WP-580T inputs the signals and converts			
50-800280095	them into an HDBaseT twisted pair signal that it transmits to WP-580R receiver.			
	The WP-580T(D) mod	\$313.00	30%	\$219.10
	CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz (4:2:0),	<del>\$0.0.00</del>	0070	ψ=10110
	4K@60Hz (4:4:4), over longer distances up to 100m (328ft) in a simple and			
97-0413131	practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving a			
	much smaller head that can	\$565.00	30%	\$395.50
	Kramers CP-AOCH/XL is an Active Optical HDMI Cable for running 4K@60Hz	φοσο.σσ	0070	φοσσ.σσ
	(4:2:0), 4K@30Hz (4:4:4), over longer distances up to 100m (328ft) in a simple			
97-0413164	and practical way. The HDMI ends of this hybrid-fiber cable quickly detach leaving			
	a much smaller head th	\$595.00	30%	\$416.50
	TBUS power sockets are available in single and dual, country-specific modules.	φυθυ.00	30 70	ψ+10.50
	Modules are available with AC power sockets and /or USB charging sockets.			
91-000147	NOTE: The Universal power socket is fully compatible with power plugs in the UK			
	India, Italy and Denm	\$69.00	30%	\$48.30
99-97200005	Mini DisplayPort (M) to HDMI (F) Adapter Cable.	\$26.00	30%	\$18.20
30-80204099	Wall Plate Insert - 2-Button Contact Closure Switch	\$125.00	30%	\$87.50
30-60204099	TP=580TD is a high-performance, long-reach HDBaseT transmitter for 4K@60Hz	\$125.00	30 %	φο1.50
50-8048701090		\$350.00	200/	¢245.00
	(4:2:0) HDMI, RS-232 and IR signals over twisted  RK-UT1 is a 19-inch under the table shelf for mounting multiple desktop and/or	\$350.00	30%	\$245.00
60 100010				
60-100010	MultiTOOLS models into a 1U space. The panel for this shelf can be purchased	¢405.00	000/	φ <b>7</b> 0.50
	separately using part number 60-9000013.	\$105.00	30%	\$73.50
	The Galil 6-C (formerly SPK C612) Closed-back Ceiling Speaker features a multi-			
82-500678	tap power transformer for selecting 8ohms(bypassing the transformer) or	4075.00		A465 ==
	70V/100V power settings that are suitable for an array installation.	\$275.00	30%	\$192.50

	Kramers C-DPM/HM/UHD enables you to connect your DisplayPort equipped PC			
07.0044000	or laptop to an HDMI display with no additional adapters or cables required. This			
97-0611003	active DisplayPort to HDMI cables is used for true conversion when the source			
	does not support DP++	\$27.00	30%	\$18.90
	Kramers C-DPM/HM/UHD enables you to connect your DisplayPort equipped PC			
07.0044000	or laptop to an HDMI display with no additional adapters or cables required. This			
97-0611006	active DisplayPort to HDMI cables is used for true conversion when the source			
	does not support DP++	\$29.00	30%	\$20.30
	Kramers C-DPM/HM/UHD enables you to connect your DisplayPort equipped PC			
07.0044040	or laptop to an HDMI display with no additional adapters or cables required. This			
97-0611010	active DisplayPort to HDMI cables is used for true conversion when the source			
1	does not support DP++	\$31.00	30%	\$21.70
	TP-583T is a high-performance, long-reach HDBaseT transmitter for 4K HDR			
	HDMI, RS-232 and IR signals over twisted pair. TP-583T converts all input			
50-80023090	signals into the transmitted HDBaseT signal. It extends video signals to up to 70m			
	(230ft) over Kramer coppe	\$380.00	30%	\$266.00
	TP-583R is a high-performance, long-reach HDBaseT receiver for 4K HDR HDMI,			*
	RS-232 and IR signals over twisted pair. TP-583R converts the HDBaseT signal			
50-80024090	and outputs it to its HDMI and control ports. It enables extending video signals to			
	up to 70m (230ft)	\$380.00	30%	\$266.00
	VP-551X is a versatile, professional presentation scaler/switcher for 4K@60			·
<b>70.000000</b>	(4:4:4) HDMI, VGA and composite video signals. The unit scales the video and			
72-00003030	provides options to use the embedded HDMI audio or to select the companion			
	audio channel from one of t	\$2,850.00	30%	\$1,995.00
	Kramers C-3RVAM/3RVAM is a high-quality 3 RCA cable assembly designed for	,		. ,
00.0004050	video and stereo audio signals. It is perfect for connection of DVD players, VCRs,			
98-0301050	and consumer style display devices that are routinely used in professional AV			
	systems.	\$55.00	30%	\$38.50
	VS-42H2 is a high-performance 4x2 matrix switcher for 4K HDR HDMI signals. It			·
20-00018290	reclocks and equalizes the signals and can route any one of four HDMI, HDCP-			
	compliant sources (selectable) to any or all outputs simultaneously.	\$1,140.00	30%	\$798.00
	The 614T and 614R are a small and lightweight, detachable optical transmitter	,		·
	and receiver pair. They transmit uncompressed DVI resolutions of up to			
50-00003395	1920x1200 at 60Hz using one multimode fiber optic cable with SC connectors.			
	The 614T converts the DVI sign	\$995.00	30%	\$696.50
99-9175000	BNC (M) 75(OHMS) Terminator.	\$2.00	30%	\$1.40
	Kramers ADC-DPM/HF/UHD enables you to connecto your DisplayPort equipped			,
00 0700000	PC or Laptop to an HDMI display. This active DisplayPort to HDMI adapter is			
99-97220002	used for true conversion when the source does not support DP++ and can be			
	used in either DisplayPort singl	\$28.00	30%	\$19.60
		1.1		

	Kramers ADC-DPM/HF/UHD enables you to connecto your DisplayPort equipped	1		
	PC or Laptop to an HDMI display. This active DisplayPort to HDMI adapter is			
99-97220004	used for true conversion when the source does not support DP++ and can be			
	used in either DisplayPort singl	\$29.00	30%	\$20.30
99-9697031	DisplayPort (M) to HDMI (F) Adapter Cable.	\$16.00	30%	\$11.20
99-97200004	Mini DisplayPort (M) to HDMI (F) Adapter Cable.	\$17.00	30%	\$11.90
	Kramers ADC-U31C/M2 is a USB 3.1 Type-C to multi-port adapter cable,			
00.07040004	supporting 4K@60Hz resolution on the HDMI video output to any HDMI display or			
99-97210004	projector. A USB3.0 port is included to charge/sync your smartphone or connecto			
	other legacy devices such as	\$73.00	30%	\$51.10
	AD-DPM/HF is a DisplayPort male to HDMI female adapter that enable			
99-9797012	transmission of signals from dual-mode DisplayPort equipped sources to HDMI			
	equipped displays, supporting display resolutions of up to 1920x1200@60Hz and	\$15.00	30%	\$10.50
	AD-RING is a stainless steel ring of HDMI adapters that attaches to your display			·
00 0404000	cable so you can plug different presentation sources into the HDMI cable.			
99-9191020	Laptops, tablets, smart phones, digital cameras, and net books have a variety of			
	connectors for disp	\$125.00	30%	\$87.50
	AD-RING is a stainless steel ring of HDMI adapters that attaches to your display			·
00 0404004	cable so you can plug different presentation sources into the HDMI cable.			
99-9191021	Laptops, tablets, smart phones, digital cameras, and net books have a variety of			
	connectors for disp	\$160.00	30%	\$112.00
	AD-RING is a stainless steel ring of HDMI adapters that attaches to your display			
00 0404000	cable so you can plug different presentation sources into the HDMI cable.			
99-9191023	Laptops, tablets, smart phones, digital cameras, and net books have a variety of			
	connectors for disp	\$150.00	30%	\$105.00
	Kramers AD-USB31/CAE is a USB 3.1 Gen-1 to a USB-A female adapter that			
00.07040000	offers a new level of connectivity. Use the adapter to transfer data at incredible			
99-97210006	speeds, charge other devices, and even power mobile devices. Quickly becoming			
	the new universal stand	\$8.00	30%	\$5.60
	Due to its design, USB cable has a normal maximum length of about 5 meters			
06 0044045	(16.4 feet), but you can get longer distances by using the CA-UAM/UAF active			
96-0211015	USB extension cable from Kramer This is a bus-powered extension cable that			
	can be used to increase the	\$31.00	30%	\$21.70
	Kramers C-D9F/OPEN control cables are for RS-232 applications to control			
95-0210006	devices within a professional AV system. Many Kramer products are RS-232			
95-0210006	controllable and equipped with terminal block connector. This RS-232 cable helps			
	to connect them safely to tr	\$5.00	30%	\$3.50
97-0132001	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
	The slim HDMI connector and narrower cable diameter fits more easily into tight			
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$12.00	30%	\$8.40
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
97-0132002	The slim HDMI connector and narrower cable diameter fits more easily into tight			
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$15.00	30%	\$10.50

	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
97-0132406	The slim HDMI connector and narrower cable diameter fits more easily into tight			
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$25.00	30%	\$17.50
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
97-0132306	The slim HDMI connector and narrower cable diameter fits more easily into tight			
		\$25.00	30%	\$17.50
	Kramers C-HM/HM cable is your default choice for high-performance, HDMI			
97-0101012	cable. It supports signals up to 4K@60Hz (4:4:4), Deep Color, x.v.Color, Lip			
	Sync, 7.1 PCM, Dolby TrueHD, DTS-HD, CEC.	\$22.00	30%	\$15.40
	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with			
07.0424025	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
97-0131035	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1			
	PCM, Dolby TrueHD, DTS-HD, CE	\$80.00	30%	\$56.00
	Kramers CP-A35M/A35M mini stereo audio cable is a premium quality plenum			
05 0404005	rated cable constructed of shielded pair style cable terminated with precision male			
95-9101035	tip-ring-sleeve style 3.5mm connectors at each end. It offers outstanding durability			
	and high perf	\$21.00	30%	\$14.70
	Kramers C-UA/LTN cable is a Mfi certified USB 2.0 cable to connect and charge			
96-0210016	your iPhone , iPod with a Lightining connector. The cable can be used to			
90-0210010	connect to your computers USB port for syncing and charging or to a USB power			
	adapter for reliable cha	\$20.00	30%	\$14.00
	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest			
00 3460003	technology signals. Over four individually screened twisted pairs, this U/FTP			
99-3460003	CAT6a cable runs Kramers DGKat(tm) technoloy, 4K HDBaseT(tm) techonoloy or			
	LAN applications and ensur	\$9.00	30%	\$6.30
	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest			
99-3460006	technology signals. Over four individually screened twisted pairs, this U/FTP			
99-3460006	CAT6a cable runs Kramers DGKat(tm) technoloy, 4K HDBaseT(tm) techonoloy or			
	LAN applications and ensur	\$12.00	30%	\$8.40
	The Galil 4-C Closed-back Compact Ceiling Speaker features a multi-tap power			
82-000055	transformer for selecting 8ohms (bypassing the transformer) or 70V/100V power			
02-000000	settings that are suitable for an array installation. The Galil 4-CO open-back			
	version is also avail	\$225.00	30%	\$157.50
	The Galil 6-CO is a pair of two-way open-back 8ohms speakers designed for			
60,000000	mounting in the ceiling. The speakers feature a multi-tap power transformer for			
60-000033	selecting direct 8ohms (bypassing the transformer) or 70V/100V power settings			
	suitable for array inst	\$165.00	30%	\$115.50
	The Galil 8-C Closed-back Ceiling Speaker features a mult-tap power transformer			
60-000057	for selecting 8ohms (bypassing the transformer) or 70V/100V power settings that			
	are suitable for an array installation.	\$455.00	30%	\$318.50

	The VM-2UX is a compact and high-performance 1:2 4K distributor for standard			
40.00440000	broadcast-grade SDI signals of up to 12G transmitted data rate. It auto-adapts to			
10-80440090	data rate of one SDI input signal, equalizes and re-clocks the signal to improve			
	transmitted sig	\$595.00	30%	\$416.50
10.70750110	The VM-8H is a distribution amplifier for HDMI signals. It reclocks and equalizes			
10-70753110	the signal and distributes it to 8 identical outputs.	\$950.00	30%	\$665.00
	The Kramer VP-734 is a 7-input Presentation Switcher/Scaler for a wide variety of			·
70 7070 40 40	presentation and multimedia applications. The VP-734 has four HDMI, one			
70-70734010	DisplayPort, and two user definable (universal) analog video inputs (each can be			
	set as computer grap	\$2,145.00	30%	\$1,501.50
85-0009099	HDMI Wall Plate Insert.	\$36.00	30%	\$25.20
	The WP-571 is a PoC DGKat wall plate transmitter for HDMI signals. The WP-	ľ		·
50-80037095	571 converts an HDMI signal to a DGKat twisted pair signal that it transmits to a			
00 0000, 000	WP-572.	\$255.00	30%	\$178.50
	The WP-572 is a PoC DGKat twisted pair receiver for HDMI signals. The WP-571	ľ		·
50-80035095	converts an HDMI signal to a single twisted pair signal and the WP-572 converts			
	the twisted pair signal back to an HDMI signal.	\$255.00	30%	\$178.50
85-0015699	USB Wall Plate Insert	\$30.00	30%	\$21.00
	The VP-444 is a high-performance presentation scaler/switcher for HDMI and	ľ		
70.000040	computer graphics signals. The unit scales the video, embeds the audio, and			
70-8800210	outputs the signal to two HDMI (with embedded audio) outputs (with S/PDIF and			
	balanced stereo audio) sim	\$1,650.00	30%	\$1,155.00
	Kramers C-HM/HM/FlaT/ETH flat high-speed HDMI cable with Ethernet is			
97-01014006	designed for invisible and long distance installations. It routes through the wall,			
	under the carpet, around corners and behind the entertainment system with ease.	\$22.00	30%	\$15.40
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
97-0132010	The slim HDMI connector and narrower cable diameter fits more easily into tight			
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$28.00	30%	\$19.60
	Kramers C-4LC/4LC is constructed of four color coded multi-mode 50/125um			
04.0404000	simplex cables of 2.0mm (0.079in) diameter each, contained in a round overall			
94-0401033	orange jacket. It is intended primarily as a companion to various Kramer			
	detachable transmitter/receiver	\$159.00	30%	\$111.30
97-16010010	Mini DisplayPort (M) to HDMI (M) Cable.	\$39.00	30%	\$27.30
99-95200006	Mini DisplayPort (M) to DVI-D (F) Adapter Cable.	\$29.00	30%	\$20.30
	617R/T is a compact fiber optic transmitter and receiver capable of extending			
94-0006150	HDMI signals over fiber optic cable. This set of extenders supports 4K@60 (4:4:4)			
	resolution up to 656 feet (200 meters) on a dual LC multi-mode fiber cable.	\$1,195.00	30%	\$836.50
99-9204573	Crimp Style RJ-45 STP Connector for category cables	\$4.00	30%	\$2.80
	C-DP is a high-resolution DisplayPort cable for video signals up to 4K@60Hz			
07.0047005	(4:4:4) resolution supporting DisplayPort 1.2 standard. C-DP supports and HBR2			
97-0617035	(High Bit Rate 2) bandwidth of up to 21.6 Gbps. The cable is triple shielded for			
	superior noise immu	\$75.00	30%	\$52.50

	Kramers C-GM/GF computer graphics video cable is a high-performance cable			
00.0404000	with molded 15-pin HD connectors on both ends. It is used for connecting			
92-6101006	computer graphics video signals between computers or video scalers and			
	plasma, LCD or other popular display	\$14.00	30%	\$9.80
	C-DP is a high-resolution DisplayPort cable for video signals up to 4K@60Hz			
07.0047045	(4:4:4) resolution supporting DisplayPort 1.2 standard. C-DP supports and HBR2			
97-0617015	(High Bit Rate 2) bandwidth of up to 21.6 Gbps. The cable is triple shielded for			
	superior noise immu	\$41.00	30%	\$28.70
	C-DP is a high-resolution DisplayPort cable for video signals up to 4K@60Hz			
07.0047000	(4:4:4) resolution supporting DisplayPort 1.2 standard. C-DP supports and HBR2			
97-0617006	(High Bit Rate 2) bandwidth of up to 21.6 Gbps. The cable is triple shielded for			
	superior noise immu	\$26.00	30%	\$18.20
1	TBUS power sockets are available in single and dual, country-specific modules.			
	Modules are available with AC power sockets and /or USB charging sockets.			
80-000899	NOTE: The Universal power socket is fully compatible with power plugs in the UK,			
	India, Italy and Denm	\$40.00	30%	\$28.00
85-0009299	HDMI Wall Plate Insert.	\$36.00	30%	\$25.20
85-0009399	HDMI Wall Plate Insert.	\$36.00	30%	\$25.20
80-80314099	2 Gang On-Wall Box (LEVITON).	\$59.00	30%	\$41.30
	Kramers C-MHM/MHM is a flexible high-speed 4K@60Hz (4:4:4) HDMI cable with			
07.0454040	Ethernet. It is a high-performance cable that supports signals up to 4K@60Hz			
97-0151010	(4:4:4) and HDMI Ethernet Channel, Deep Color, x.v.ColorTM, Lip Sync, 7.1			
	PCM, Dolby TrueHD, DTS-HD, CE	\$35.00	30%	\$24.50
	The TBUS-6xl is the enclosure of a new modular system with a tilt-up lid. A			
80-004299	complete TBUS sytem requires th enclosure, an inner frame, a power socket,			
	inserts and a power cord.	\$270.00	30%	\$189.00
	Kramers C-MGMA/MGMA is a micro sized, high-performance cable for computer			
00.7004005	graphics and audio with slim molded 15-pin HD and 3.5mm connectors at both			
92-7301035	ends. This micro coax cable is thin and flexible and is an excellent choice for			
	connecting computer graphi	\$75.00	30%	\$52.50
	TP-583Txr is a high-performance, extended-reach HDBaseT transmitter for 4K			
F0 0000F000	HDR, HDMI, RS-232 and IR signals over twisted pair. TP-583Txr converts all			
50-80025090	input signals into transmitted HDBaseT signal. It enables extending video signal			
	up to 100m (330ft) at 4K	\$495.00	30%	\$346.50
50-80026090	TP-583Rxr is a high-performance, extended-reach HDBaseT receiver for 4K HDR			
	HDMI, RS-232 and IR signals over twisted pair. TP-583Rxr converts the			
	HDBaseT signal and outputs it to its HDMI and control ports. It enables extending			
	video signal up to 100m(330	\$495.00	30%	\$346.50
	TP-580RD is a high-performance, long-reach HDBaseT receiver for 4K@60Hz			
E0.0040004000	(4:2:0) DVI/HDMI, RS-232 and IR signals over twister pair. It extends video			
50-8048801090	signals to up to 40m (130ft) over CAT copper cables at up to 4K@60Hz (4:2:0)			
	24bpp video resolution and pro	\$350.00	30%	\$245.00
22-00000420	16P 4K KVM Combiner SDI/DP/HDMI with redundant PS	\$21,488.00		########

		_		
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
97-0133001	The slim HDMI connector and narrower cable diameter fits more easily into tight			
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$20.00	30%	\$14.00
	Kramers C-HM/HM/PICO is an ultra-slim high-speed HDMI cable with Ethernet.			
97-0133101	The slim HDMI connector and narrower cable diameter fits more easily into tight			
	spaces behind televisions or in a cabinet. It supports resolutions up to 4K@60Hz	\$20.00	30%	\$14.00
	The VM-22H is a distribution amplifier for HDMI signals. The unit reclocks and			
90-70745090	equalizes one of two selectable input signals and distributes it to two identical			
	outputs.	\$485.00	30%	\$339.50
	The Yarden 6-C consits of a pair of high performance closed back speaker. They			
60-000059	feature a multi-tap power transformer for selecting 8ohms (bypassing the			
	transformer) or 70V/100V power settings that are suitale for an array installation.	\$395.00	30%	\$276.50
	TP-594Txr is a high-performance, extended-reach HDBaseT 2.0 transmitter for			
E0 00040400	4K@60Hz (4:4:4) HDR, HDMI, Ethernet, RS-232, IR ARC (Audio Return			
50-00010190	Channel) and stereo audio signals over twisted pair. TP-594Txr converts all input			
	signals into the transmitted HD	\$999.00	30%	\$699.30
	TP-594Rxr is a high-performance, extended-reach HDBaseT receiver for			
F0 00040000	4K@60Hz (4:4:4) HDR, HDMItm, Ethernet, RS-232, IR ARC (Audio Return			
50-00010290	Channel) and stereo audio signals over twisted pair. TP-594Rxr receives			
	extended HDBaseT 2.0 signals and converts them	\$999.00	30%	\$699.30
	VS-21T is a high-performance select for Ethernet and HDBaseT CAT lines. The	ľ		·
20-80512090	user selected input CAT line, either Ethernet or HDBaseT, is connected to the			
	output CAT line with its carried signal.	\$295.00	30%	\$206.50
	C-D9F/OPEN control cables are for RS-232 applications to control devices within			
05.0040050	a professional AV system. Many Kramer products are RS-232 controllable and			
95-0210050	equipped with terminal block connector. This RS-232 cable helps to connect them			
	safely to transmit t	\$14.00	30%	\$9.80
	VIA Campus2 is a wireless presentation and collaboration solution that makes it			·
	easier to get actual work done during meetings. With any laptop or mobile device,			
87-80000390	users can view, edit and comment on documents in real time and record			
	sessions. Meeting parti	\$2,899.00	30%	\$2,029.30
	VP-429H2 is a 4K@60Hz (4:4:4) scaler/switcher tool for HDMI, DisplayPort, VGA,			* ,
	and unbalanced audio signals. The unit scales the signal and outputs it on HDMI.			
72-000074590	Step-in functionality provides easy plug-and-play collaboration when connected to			
	a switcher th	\$1,045.00	30%	\$731.50
	WP-871xr is a high-performance, long-reach DGKat 2.0 wall-plate transmitter for	<b>+</b> 1,0 1010		<del>-</del>
50-805161195	4K@60Hz (4:4:4) HDR HDMI and HDCP 2.2 signals and power over twisted pair.			
	It converts the HDMI input signal into a DGKat 2.0 signal and transmits it to a			
	compatible reciever.	\$285.00	30%	\$199.50
	WP-872xr is a high-performance, long-reach DGKat 2.0 wall-plate receiver for	7200.00	3370	ψ.55.56
1	4K@60Hz (4:4:4) HDR, HDMI, HDCP 2.2 signals and power over twisted pair. It			
50-805510195	converts the transmitted DGKat 2.0 signals into an HDMI signal. WP-872xr			
1	extends the signal to up to 6	\$285.00	30%	\$199.50
	Toxionae the eight to up to o	Ψ200.00	50 /0	ψ100.00

17 signals. Over four individually screened twisted pairs, this U/FTP CAT6A cable runs Kramers DGKat tm technology, 4K HDBaseT tm technology or LAN applications and ensures optim Due to its design, USB cable has a normal maximum length of about 5 meters (16.4 feet), but you can get longer distances by using the CA-UAM/UAF active USB extension cable from Kramer This is a bus-powered extension cable that can be used to increase the S67.00 30% \$46.90 The FC-46H2 is a professional HDMI audio de-embedder for HDMI signals up to 4K/@60Hz (4.4.4) resolution. The unit de-embedds the audio signal from the HDMI input or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the S/PDIF Kramers C-XLQMXLQF is a quad style professional-grade mic or line level audio cable. 4-core star quad cables with mutally offsetting byisting technology can reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.  20-04400130 VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH S2-44UH S2-44UH S2-45U Outputs is mutaneously. VS-44UH S2-44UH S2-45U Output S2-550.00 30% \$52-50.00 30% \$52-50.00 30% \$69-50.00 30					
runs Kramers DGKat Im technology, 4K HDBaseT im technology or LAN applications and ensures optim Due to its design, USB cable has a normal maximum length of about 5 meters (16.4 feet), but you can get longer distances by using the CA-UAM/UAF active USB extension cable from Kramer This is a bus-powered extension cable that can be used to increase the The FC-4HP2 is a professional HDMI audio de-embedder for HDMI signals up to 4K@60Hz (4:44) resolution. The unit de-embedder for HDMI signals up to 4K@60Hz (4:44) resolution. The unit de-embedder for HDMI signals up to 4K@60Hz (4:44) resolution. The unit de-embedder for HDMI signals up to 4K@60Hz (4:44) resolution. The unit de-embedder for HDMI signals up to 4K@60Hz (4:44) resolution. The unit de-embedder for HDMI signals up to 4K@60Hz (4:44) resolution. The unit de-embedder for HDMI signals up to 4K@60Hz (4:44) resolution. The unit de-embedder for HDMI signals up to 4K@60Hz (4:44) resolution in the HDMI input or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the S/PDIF  Kramers C-XLCMIXLQF is a quad style professional-grade mic or line level audio cable. 4-core star quad cables with mutally offsetting twisting technology can reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.  VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously, VS-44UHD  RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space.  TEUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets.  NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm  TEUS power socket is fully compatible with power plugs in the UK, India, Italy and Denm  Teus power socket is ne		Kramers BC-UNIKAT cable is a unified CAT6a cable that handles all Pro AV and			
runs Kramers DGKat Im technology, 4K HDBase I Im technology or LAM applications and ensures optim Due to its design, USB cable has a normal maximum length of about 5 meters (16.4 feet), but you can get longer distances by using the CA-UAM/UAF active USB extension cable from Kramer This is a bus-powered extension cable that can be used to increase the The FC-46HZ is a professional HDMI audio de-embedder for HDMI signals up to 4W-000090 4W-000090 4W-000090 4W-000090 4W-000090 4W-000090 4W-000090 AGM-000090  AGM-000090 AGM-00	QQ_0 <u>4</u> 61306				
Due to its design, USB cable has a normal maximum length of about 5 meters (16.4 feet), but you can get longer distances by using the CA-UAM/UAF active USB extension cable from Kramer This is a bus-powered extension cable that can be used to increase the The FC-46H2 is a professional HDMI audio de-embedder for HDMI signals up to 4K@60H2 (4.4-4) resolution. The unit de-embeds the audio signal from the HDMI input or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the S/PDIF \$595.00 30% \$416.50 Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio cable. 4-core star quad cables with mutally offsetting twisting technology can reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable. VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH Saccession at 1U rack space. TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets. NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm Su-44260 is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4.4) at a maximum data rate of 18Cbps (6bps per graphic channel). The user FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphone level sources and can provide 48 PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60H2 (4:2.0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp	33-0401300				
16.4 feet), but you can get longer distances by using the CA-UAMUAF active USB extension cable from Kramer This is a bus-powered extension cable that can be used to increase the The FC-46H2 is a professional HDMI audio de-embedder for HDMI signals up to 4K@60Hz (4.4-1) resolution. The unit de-embeds the audio signal from the HDMI input or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the SiPDIF Septembeds. Septembed simultaneously outputs it to the SiPDIF Septembed should be subjected induction noise levels to 10% of that in regular two-pair balanced microphone cable. Septembed simultaneously of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously simultaneously. Septembed should be adviced any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. Septembed should be any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. Septembed should be any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. Septembed should be any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. Septembed should be any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. Septembed should be any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. Septembed should be any or all outputs simultaneously. Septembed should be any or all outputs simultaneously. Septembed should be any or all outputs simultaneously. Septembed should be any or all outputs simultaneously. Septembed should be any or all outputs simultaneously. Septembed should be any or all outputs simultaneously. Septembed should be any or all outputs simultaneously. Septembed should be any or all outputs simultaneously. Septembed should be any or all outputs should be all outputs should be allowed should be any or all outputs should be allowed should be allowed should be allowed			\$375.00	30%	\$262.50
USB extension cable from Kramer This is a bus-powered extension cable that can be used to increase the The FC-46H2 is a professional HDMI audio de-embedder for HDMI signals up to 4K@60H2 (44:4) resolution. The unit de-embeds the audio signal from the HDMI input or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the SiPDIF Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio cable. 4-core star quad cables with mutally offsetting twisting technology can reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.  VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UHD signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH Signals and remove of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH Signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH Signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH Signals and can be subjected to select the signals and can be subjected devices in a 10 rack space.  RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 10 rack space.  REUS power sockets are available in single and dual, country-specific modules.  MOdules are available with AC power sockets and /or USB charging sockets.  NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm Signals and Canada available with AC power sockets and resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Bps per graphic channel). The user FC-102Net is					
USS estrension cable from Kramer Tins is a bus-powered extension cable that can be used to increase the The FC-46H2 is a professional HDMI audio de-embedder for HDMI signals up to 4K@60Hz (4:4:4) resolution. The unit de-embeds the audio signal from the HDMI input or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the S/PDIF  Kramers C-XLCM/XLCP is a quad style professional-grade mic or line level audio cable. 4-core star quad cables with mutally offsetting twisting technology can reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.  VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UHD signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UHD signals and embedded audio. The control of the c	06_0211050				
The FC-46H2 is a professional HDMI audio de-embedder for HDMI signals up to 4K@60Hz (4:4-3) resolution. The unit de-embeds the audio signal from the HDMI input or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the S/PDIF  Kramers C-XLOM/KIQF is a quad style professional-grade mic or line level audio cable. 4-core star quad cables with mutally offsetting twisting technology can reduce induction noise levels to 10% off that in regular two-pair balanced microphone cable.  VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UHD subject of the complex simultaneously. VS-44UH signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH subject of the complex simultaneously. VS-44UH subject of the complex simultaneously. VS-44UH subject of the complex simultaneously. VS-44UH subject of the complex simultaneously. VS-44UH subject of the complex simultaneously. VS-44UH subject of the complex simultaneously. VS-44UH subject of the complex simultaneously. VS-4500 subject of the complex simultaneously. VS-4500 subject of the complex simultaneously. VS-4500 subject of the complex simultaneously. VS-4500 subject of the complex simultaneously. VS-4500 subject of the complex simultaneously. VS-4500 subject of the complex simultaneously. VS-4500 subject of the complex simultaneously. VS-4500 subject of the complex simultaneously. VS-4500 subject of the complex signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4.4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user structure of the complex signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4.4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user scoulable subject s	90-0211030	USB extension cable from Kramer This is a bus-powered extension cable that			
AK@60Hz (4:4:4) resolution. The unit de-embeds the audio signal from the HDMI input or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the S/PDIF   \$595.00 30% \$416.50			\$67.00	30%	\$46.90
input or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the S/PDIF  Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio cable. 4-core star quad cables with mutally offsetting twisting technology can reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.  VS-44UHD is a high-quality 4x4 matrix switcher for 4k(@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs signals. The HDMI signals and the selection of the signal sources and constant sources and can route any one of four HDMI, HDCP-compliant sources sources and can route any one of four HDMI, HDCP-compliant sources sources and can route any one of four HDMI signals up to 4K604 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0)					
unput or from the HDMI output ARC (Audio Return Channel) and simultaneously outputs it to the S/PDIF  Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio cable. 4-core star quad cables with mutally offsetting twisting technology can reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.  VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UHD sa injentaneously. VS-44UHD and the properties of	40 000000				
Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio cable. 4-core star quad cables with mutally offsetting twisting technology can reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.   \$19.00   30% \$13.30	40-000090	input or from the HDMI output ARC (Audio Return Channel) and simultaneously			
cable. 4-core star quad cables with mutally offsetting twisting technology can reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.  VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH  94-095000610 Detachable DVI Optical Transmitter & Receiver \$750.00 30% \$1,802.50 (RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space.  RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space.  TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets. NOTE: The Universal power sockets and /or USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets and lor USB charging sockets. NOTE: The Universal power sockets is fully comparison. Sp. 175.00 30% \$120.00 30% \$10.00 3			\$595.00	30%	\$416.50
reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.  VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH  94-095000610 Detachable DVI Optical Transmitter & Receiver \$750.00 30% \$1,802.50  60-900110 RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space.  TBUS power sockets are available in single and dual, country-specific modules.  Modules are available with AC power sockets and /or USB charging sockets.  NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm  80-00026799 W-45 is an RJ-45, Ethernet wall-plate insert.  VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4·4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K@0Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as acameras, external		Kramers C-XLQM/XLQF is a quad style professional-grade mic or line level audio			
reduce induction noise levels to 10% of that in regular two-pair balanced microphone cable.  VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI. HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH  94-095000610 Detachable DVI Optical Transmitter & Receiver \$750.00 30% \$1,802.50 (8.4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space.  TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets. NOTE: The Universal power socket is fully compatible with power plugs in the UK. India, Italy and Denm \$175.00 30% \$122.50 (9.494.690) W-45 is an RJ-45, Ethernet wall-plate insert.  VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	05 1211015				
VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH \$2,575.00 30% \$1,802.50 94-095000610 Detachable DVI Optical Transmitter & Receiver \$750.00 30% \$525.00 RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space. \$125.00 30% \$87.50 TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets. NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm \$175.00 30% \$122.50 \$1.00 \$	95-1211015	reduce induction noise levels to 10% of that in regular two-pair balanced			
signals and embedded audio. It reclocks and equalizes the signals and can route any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH  94-095000610 Detachable DVI Optical Transmitter & Receiver \$750.00 30% \$2,575.00  RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space. \$125.00 30% \$87.50  TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets. NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm \$175.00 30% \$122.50  80-00026799 W-45 is an RJ-45, Ethernet wall-plate insert. \$175.00 30% \$24.50  VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user \$1,045.00 30% \$731.50  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48 \$595.00 30% \$416.50  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini6 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external		microphone cable.	\$19.00	30%	\$13.30
any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH  94-095000610  Detachable DVI Optical Transmitter & Receiver  RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space.  TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets. NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm  80-00026799  W-45 is an RJ-45, Ethernet wall-plate insert.  VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini6 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external		VS-44UHD is a high-quality 4x4 matrix switcher for 4K@60Hz (4:2:0) HDMI			
any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs simultaneously. VS-44UH  94-095000610  Detachable DVI Optical Transmitter & Receiver  RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space.  TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets. NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm  80-00026799  W-45 is an RJ-45, Ethernet wall-plate insert.  VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	20.04400420	signals and embedded audio. It reclocks and equalizes the signals and can route			
94-095000610 Detachable DVI Optical Transmitter & Receiver  RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space.  TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets.  NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm \$175.00 30% \$122.50 \$175.00	20-04400130	any one of four HDMI, HDCP-compliant sources (selectable) to any or all outputs			
60-900110  RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size devices in a 1U rack space.  TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets. NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm  80-00026799  W-45 is an RJ-45, Ethernet wall-plate insert.  VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external		simultaneously. VS-44UH	\$2,575.00	30%	\$1,802.50
devices in a 1U rack space.  TBUS power sockets are available in single and dual, country-specific modules. Modules are available with AC power sockets and /or USB charging sockets. NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm  80-00026799  W-45 is an RJ-45, Ethernet wall-plate insert.  VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	94-095000610	Detachable DVI Optical Transmitter & Receiver	\$750.00	30%	\$525.00
TBUS power sockets are available in single and dual, country-specific modules.  Modules are available with AC power sockets and /or USB charging sockets.  NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm  80-00026799  W-45 is an RJ-45, Ethernet wall-plate insert.  72-042690  VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	00 000440	RK-4PT-B is a 19-inch rack adapter for mounting 4 Kramer Pico TOOLS size			
Modules are available with AC power sockets and /or USB charging sockets.  NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm \$175.00 \$30% \$122.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$24.50 \$35.00 \$30% \$35.	60-900110	devices in a 1U rack space.	\$125.00	30%	\$87.50
NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm \$175.00 30% \$122.50 80-00026799 W-45 is an RJ-45, Ethernet wall-plate insert. \$35.00 30% \$24.50 VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48 \$595.00 30% \$416.50 PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp \$395.00 30% \$276.50 Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external		TBUS power sockets are available in single and dual, country-specific modules.			
NOTE: The Universal power socket is fully compatible with power plugs in the UK, India, Italy and Denm \$175.00 \$30% \$122.50 \$80-00026799 W-45 is an RJ-45, Ethernet wall-plate insert. \$35.00 \$30% \$24.50 VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user \$1,045.00 \$30% \$731.50 FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48 \$595.00 \$30% \$416.50 PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp \$395.00 \$30% \$276.50 Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	00 000054	Modules are available with AC power sockets and /or USB charging sockets.			
W-45 is an RJ-45, Ethernet wall-plate insert.  VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	80-000251	NOTE: The Universal power socket is fully compatible with power plugs in the UK	,		
VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user \$1,045.00 \$30% \$731.50 \$13-80534090 \$13-805340 \$1		India, Italy and Denm	\$175.00	30%	\$122.50
computer graphics signals. The unit up-or down-scales the selected video signal to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	80-00026799	W-45 is an RJ-45, Ethernet wall-plate insert.	\$35.00	30%	\$24.50
to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user \$1,045.00 30% \$731.50  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp \$395.00 30% \$276.50  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external		VP-426C is a high-performance digital scaler for HDMI, USB Typ-C and			
to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps per graphic channel). The user    13-80534090   FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48   \$595.00   30% \$416.50     PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp   \$395.00   30% \$276.50     Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	70.040000	computer graphics signals. The unit up-or down-scales the selected video signal			
graphic channel). The user  FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	72-042690	to resolutions up to 4K@60 (4:4:4) at a maximum data rate of 18Gbps (6Gbps pe	-		
FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio inputs that enables connecting non-Dante sources, such as microphones, laptops and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external				30%	\$731.50
and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external		FC-102Net is a compact 2-channel Dante encoder with 2 balanced mono audio			·
and players to a Dante network. It supports line level and microphone level sources and can provide 48  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	40.00=0.4000				
sources and can provide 48 \$595.00 30% \$416.50  PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp \$395.00 30% \$276.50  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	13-80534090	•			
PT-12 is CEC-enabled TV/display ON/OFF controller and extended EDID processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp \$395.00 30% \$276.50 Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external			\$595.00	30%	\$416.50
processor for HDMI signals up to 4K60Hz (4:2:0) resolution. When PT-12 detects and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external	60-803370190		,		*
and HDMI cables plug, it automatically turns on the connected display, and automatically shuts down the disp  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external					
automatically shuts down the disp \$395.00 30% \$276.50  Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external					
Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin male cable used to connect computers and peripherals such as cameras, external			\$395.00	30%	\$276.50
96-02155015 male cable used to connect computers and peripherals such as cameras, external			+ 555.55	2370	Ψ=10.00
	96-02155015				
1 2 and other digital devices for superior signal database of up to 100 100.00 100.00	55 52 1555 15			30%	\$5.60
	96-02155015			30%	\$5.60

	Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin			
96-02155003	male cable used to connect computers and peripherals such as cameras, external			
	hard drives and other digital devices for superior signal transfer of up to 480	\$4.00	30%	\$2.80
	Kramers C-USB/Mini5 is a high-speed USB 2.0 type-A male to USB mini-B 5-pin			
96-02155006	male cable used to connect computers and peripherals such as cameras, external			
	hard drives and other digital devices for superior signal transfer of up to 480	\$5.00	30%	\$3.50
	691 is a high-performance HDBaseT 2.0 fiber transmitter for ultra-reach extension			
50-80370090	of 4K60Hz (4:2:0) HDMI, USB, Ethernet, RS-232, IR and stereo audio signals			
50-60370090	over either multi-mode or single-mode fiber optic. 691 converts all input signals to			
	an HDBaseT 2.	\$2,500.00	30%	\$1,750.00
	692 is a high-performance HDBaseT 2.0 fiber receiver for ultra-reach extension of			
F0 0007F000	4K60Hz (4:2:0) HDMI, USB, Ethernet, RS-232, IR and stereo audio signals over			
50-80375090	either multi-mode or single-mode fiber optic. 692 converts the HDBaseT 2.0 fiber			
	optics signal r	\$2,500.00	30%	\$1,750.00
	FC-18 is a display ON/OFF controller for 4K@60Hz (4:4:4) HDR HDMI signals. It			
00.044000	accepts and outputs an HDMI signal after reclocking and equalizing. On detection			
30-011890	of the onset of an input signal FC-18 sends an ON command to the display or			
	prjector and on dete	\$495.00	30%	\$346.50
	VP-451 is a high-performance 18G 4K digital scaler for HDMI and USB-C signals.			·
<b>70.045400</b>	The unit up-scales, down-scales, and cross-scales to resolutions up to 4k@60Hz			
72-045190	(4:4:4). The output resolution can be set to automatically follow the native			
	resolution of the si	\$1,095.00	30%	\$766.50
97-0612006	DisplayPort (M) to DVI-D (M) Cable-6	\$16.00	30%	\$11.20
20-700130	PS-16DN is a power supply drawer for the VS-1616DN Matrix Switcher.	\$1,695.00	30%	\$1,186.50
	VIA Campus(2) PLUS is a simultaneous wired and wireless presentation and			
07 00000000	collaboration solution that makes it easier to get actual work done during			
87-80000290	meetings. VIA Campus(2) PLUS delivers all the outstanding features found in the			
	VIA Campus(2) with the addi	\$3,499.00	30%	\$2,449.30
	K-POD302 is a high-quality mounting enclosure especially designed for mounting			
00 00006400	3-Gang US size products on a podium, lectern or table. The unit is sturdy, cost-			
80-00026199	effective and easy to install. NOTE: Kramer RC-74DL control keypad, depicted			
	above not included.	\$295.00	30%	\$206.50
	The RC-74DL is a 12-button control keypad, with knob and LCD displays. It is a			
05 700770000	versatile device that connects to powerful control tools: over Ethernet it connects			
85-709770290	to Kramers Site-CTRL(tm), a remote AV control, site management and monitoring			
	system.For ext	\$1,075.00	30%	\$752.50
	VIA Connect PRO is a wireless collaboration and presentation solution that			
00.0004000	makes sharing and presenting in meetings easier. With any laptop or mobile			
20-0004000	device, users can view, edit and comment on documents in real time, share files			
	and chat with individuals	\$995.00	30%	\$696.50

20-80548090	VS-411X is a high-performance 4x1 automatic switcher for 4K HDR, HDMI video signals. Offering priority and last-connected switching options, it automatically			
20-00040000	switches according to the selected switching scheme based on active video signal			
	detection.	\$495.00	30%	\$346.50
92-3103006	Molded 15-pin HD to 3 RCA (Male- Male) (6 ft).	\$17.00	30%	\$11.90
	PT-101H2 is a high-performance 4K HDR repeater and extender for HDMI and			
50-80409090	HDCP 2.2 signals. For 4K@30Hz, it extends the range up to 20m (66ft) (15m to			
	the input, 5m from the output).	\$325.00	30%	\$227.50
	FC-101Net is a compact 2-channel Dantetm decoder with 2 balanced mono audio			
13-80490010	outputs. It enables connecting non-Dante devices, such as amplifiers and			
13-00490010	powered speakers, to a Dante network and enables volume control. FC-101Net is			
	powered over Ethernet from a	\$515.00	30%	\$360.50
	AFM-20DSP is a member of the Kramer XSPerience family of DSP products.			
40.00454400	AFM-20DSP is an advanced, professional audio matrix switcher with 20 analog			
13-80451130	ports that can be configured as inputs or outputs according to preset I/O			
	configurations. AFM-20DSP includes	\$2,895.00	30%	\$2,026.50
	Kramers C-HM/HM/A-D is a high speed, high-performance HDMI with Ethernet			. ,
07.04440000	cable that has a molded HDMI connector at one end and micro connectror at the			
97-01116003	other. It supports resolutions up to 4K@60Hz (4:4:4) and multi-channel audio in a			
	single cable.	\$15.00	30%	\$10.50
	Kramers C-HM/HM/A-D is a high speed, high-performance HDMI with Ethernet	7 10100		Ţ, cite
	cable that has a molded HDMI connector at one end and micro connectror at the			
97-01116006	other. It supports resolutions up to 4K@60Hz (4:4:4) and multi-channel audio in a			
	single cable.	\$18.00	30%	\$12.60
	Kramers C-HM/HM/A-D is a high speed, high-performance HDMI with Ethernet	ψ10.00	0070	ψ12.00
	cable that has a molded HDMI connector at one end and micro connectror at the			
97-01116010	other. It supports resolutions up to 4K@60Hz (4:4:4) and multi-channel audio in a			
	single cable.	\$24.00	30%	\$16.80
	VIA GO(2) gives iOS, Android, Chromebook, PC and Mac users instand wireless	ΨΣ-1.00	0070	Ψ10.00
	connectivity with 4K advanced presentation capabilities. The product features			
87-000190	content streaming with crystal-clear mirrored images and stunning video playback			
	and uncludes iOS mir	\$545.00	30%	\$381.50
87-000390	Compact & Secure 4K Wireless Presentation Device - Educational units	\$495.00	30%	\$346.50
07-000330	The TP-112HD is a twisted pair transmitter for computer graphics video and	ψ+33.00	30 70	ψ0-10.00
90-70167090	HDTV signals. It converts a computer graphics video or HDTV signal on a 15-pin			
	HD connector to two identical twisted pair signals.	\$270.00	30%	\$189.00
	Kramer KronoMeet is an enterprise class, user-friendly, cloud-based, room	ψ210.00	3070	φ109.00
	scheduling and management platform for Kramer KronoMeet touch panels. It			
SW-000027	streamlines and automates the management side of room bookings and provides			
	·	\$120.00	30%	¢94.00
	live notifications to meeting pa	φ1∠U.UU	პ∪%	\$84.00

	Kramer KronoMeet is an enterprise class, user-friendly, cloud-based, room			
	scheduling and management platform for Kramer KronoMeet touch panels. It			
SW-000028	streamlines and automates the management side of room bookings and provides			
		¢220.00	30%	¢154 00
	live notifications to meeting pa  Kramer KronoMeet is an enterprise class, user-friendly, cloud-based, room	\$220.00	30%	\$154.00
SW-000029	scheduling and management platform for Kramer KronoMeet touch panels. It			
	streamlines and automates the management side of room bookings and provides	<b>0.400.00</b>	000/	<b>#</b> 000 00
	live notifications to meeting pa	\$400.00	30%	\$280.00
85-0005299	WAV-5 is a computer graphics video, composite video & stereo audio passive	0400.00	000/	<b>#04.00</b>
	wall plate.	\$130.00	30%	\$91.00
85-0005099	WAV-5 is a computer graphics video, composite video & stereo audio passive	* 4 0 0 0 0	000/	***
	wall plate.	\$120.00	30%	\$84.00
	Kramer KronoMeet is an enterprise class, user-friendly, cloud-based, room			
30-002790	scheduling and management platform for Kramer KronoMeet touch panels. It			
	streamlines and automates the management side of room bookings and provides			
	live notifications to meeting pa	\$715.00	30%	\$500.50
	K-SPIDER is an active multi-format male input to HDMI male output adapter that			
91-00015599	enables you to connect one HDMI, DisplayPort, mini DisplayPort, or USB Type-C			
31-00013333	source to an HDMI acceptor. NOTE: Video output for smartphones is supported			
	only for smartphones t	\$260.00	30%	\$182.00
	VS-66H2 is a high-performance 6x6 matrix switcher for 4K@60Hz (4:4:4) HDR			
20-00011530	signals and digital audio routing. It reclocks and equalizes the signals and can			
20-00011330	route any one of 6 HDMI, HDCP-compliant sources (selectable) to any or all			
	outputs simultaneously. V	\$3,900.00	30%	\$2,730.00
	DK42PU-3 is a secure dual head 4-port, 4K30 UHD DisplayPort KVM switch. It			
CPN15808	enables users to share peripherals- keyboard, video, mouse, audio, and USB-			
CPN 15808	between four different security-level networks/computers while isolating all hosts			
	and protecting agains	\$1,517.00	30%	\$1,061.90
	Kramers C-USB3/MicroB is a SuperSpeed USB 3.0 Type-A male to MicroB male			
96-02356003	cable used to connect computers and peripherals such as, external hard drives			
	and other digital devices for superior signal transfer of up to 4.8Gbps.	\$8.00	30%	\$5.60
	KT-1010 is a powerful, 10-inch, IPS, multi-touch, touch panel with 1280x800			
00 00000400	resolution. Elegantly designed for decorative room intergration, this portable touch			
30-0000190	panel can be deployed either on a tabletop or wall. It supports wired PoE (power			
	over eitherne	\$1,800.00	30%	\$1,260.00
75-70667010	The PL-50 is a power controller that monitors and controls up to five power	, ,		, ,
	channels by detecting the power status of the connect units. Using an embedded			
75-70667010				
75-70667010		\$1.075.00	30%	\$752.50
75-70667010	Web server, the unit can schedule outlet activity and manage alarm response.	\$1,075.00	30%	\$752.50
75-70667010	Web server, the unit can schedule outlet activity and manage alarm response.  VP-424C is a high-performance digital scaler for HDMI and USB type-C signals.	\$1,075.00	30%	\$752.50
75-70667010 72-042490	Web server, the unit can schedule outlet activity and manage alarm response.	\$1,075.00	30%	\$752.50

		1	1	
	CRS-AOCH/XL is an active optical HDMI cable for 4K@60HZ (4:2:0) and			
97-1403164	4K@30Hz (4:4:4) resolutions over distances up to 100m (328ft). Built with a TPU-			
	rated (thermoplastic polyurethane) jacket that has excellent abrasion resistance,			<b>A</b> 444.5-
	tensile strength and high	\$630.00	30%	\$441.00
	CRS-AOCH/XL is an active optical HDMI cable for 4K@60HZ (4:2:0) and			
97-1403131	4K@30Hz (4:4:4) resolutions over distances up to 100m (328ft). Built with a TPU-			
37-1403131	rated (thermoplastic polyurethane) jacket that has excellent abrasion resistance,			
	tensile strength and high	\$620.00	30%	\$434.00
	CRS-AOCH/XL is an active optical HDMI cable for 4K@60HZ (4:2:0) and			
97-1403098	4K@30Hz (4:4:4) resolutions over distances up to 100m (328ft). Built with a TPU-			
97-1403090	rated (thermoplastic polyurethane) jacket that has excellent abrasion resistance,			
	tensile strength and high	\$555.00	30%	\$388.50
85-1002099	Wall Plate Insert - Dual RJ-45 W4545(W)	\$45.00	30%	\$31.50
	The RC-62 is a 6-button controller for multimedia rooms. The unit can control			
80-705931495	audio components, video components and other room facilities such as lights and			
1	screens.	\$645.00	30%	\$451.50
1	The TBUS-10xl is the enclosure of a new modular system with a manually			·
	retracting lid. A complete TBUS system requires the enclosure, an inner frame, a			
91-000038	power socket, inserts and a power cord. NOTE: The TBUS enclosure, inner			
	frame, power socket(s), power	\$295.00	30%	\$206.50
	The TBUS-10xl is the enclosure of a new modular system with a manually	<del>+</del> 200.00		Ψ200.00
	retracting lid. A complete TBUS system requires the enclosure, an inner frame, a			
91-000132	power socket, inserts and a power cord. NOTE: The TBUS enclosure, inner			
	frame, power socket(s), power	\$295.00	30%	\$206.50
	Kramers C-BM/BM is constructed of high-performance RG-6 cable with 75ohms	Ψ200.00	0070	Ψ200.00
91-0101015	BNC connectors at each end. It offers outstanding quality, durability, and high			
31-0101013	performance for any video signal application.	\$17.00	30%	\$11.90
	ADC-GM/HF is a VGA to HDMI adapter cable. This active cable converts an	φ17.00	30 /0	φ11.90
99-9698002	analog VGA signal to a digital HDMI signal. A USB-A connector enables inputting			
99-9090002	audio to the HDMI output and powering the cable.	\$40.00	30%	\$28.00
	VS-88H2 is a high-performance 8x8 matrix switcher for 4K@60Hz (4:4:4) HDR	φ40.00	30 70	\$20.00
20-00018330	signals and digital audio routing. It reclocks and equalizes the signals and can			
	route any one of 8 HDMI, HDCP-compliant sources (selectable) to any or all	<b>#</b> 4 000 00	000/	#0 000 00
	outputs simultaneously. V	\$4,800.00	30%	\$3,360.00
	Kramer KronoMeet is an enterprise class, user-friendly, cloud-based, room			
30-00011090	scheduling and management platform for Kramer KronoMeet touch panels. It			
22 000 1 1000	streamlines and automates the management side of room bookings and provides			
	live notifications to meeting pa	\$1,550.00	30%	\$1,085.00
	Kramers C-GM/xl cable offers the highest possible performance and a new			
92-81100015	configuration designed to give installers and users a new level of convenience			
02 01100010	and aesthetics. It is ideal for any application requiring no-compromise quality and			
	perforamnce in a VGA	\$17.00	30%	\$11.90

	C-USB31/CA is a USB-C(M) to USB-A(M), USB 3.1 Gen-2 SuperSpeed+ cable			
96-02357203	offering a whole new level of connectivity. Transfer data at incredible speeds,			
90-02337203	charge other devices, and even power mobile devices- all with just one cable.			
	Quickly becoming the new un	\$25.00	30%	\$17.50
	C-USBC/DPM is a high quality USB type-C(M) to DisplayPort (M) 6ft cable, that			
00 07044006	enable DisplayPort equipped monitors, TVs and projectors to be connected to any			
99-97211206	USB-C port that supports DP Alt Mode (DisplayPort Alternative Mode). This cable			
	support up to 4K@	\$38.00	30%	\$26.60
	Kramers ADC-U31C/DPF is a USB 3.1 Type-C to DisplayPort adapter cable that			
99-97210002	lets you output DisplayPort video and audio from a USB Type-Ctm device to			
99-97210002	easily connect extra monitors to a laptop or desktop without having an extra			
	graphic card. This short cabl	\$30.00	30%	\$21.00
	The TBUS-203xl is a furniture-mounted pop-up connection bus that is easily			
04 044000	installed into a table or podium top. The TBUS-203xl interface enables you to			
91-011999	connect any equipment to systems installed in a room via five single inserts or			
	two dual inserts and o	\$415.00	30%	\$290.50
	The TBUS-203xl is a furniture-mounted pop-up connection bus that is easily			
0.4.04.0000	installed into a table or podium top. The TBUS-203xl interface enables you to			
91-012099	connect any equipment to systems installed in a room via five single inserts or			
	two dual inserts and o	\$415.00	30%	\$290.50
05.70040005	RC-2C is ideal for simple, convenient control of small spaces with serial and IR			
85-70842095	controlled devices such as projectors and displays.	\$245.00	30%	\$171.50
05.70040005	RC-2C is ideal for simple, convenient control of small spaces with serial and IR			•
85-70842295	controlled devices such as projectors and displays.	\$245.00	30%	\$171.50
22-00013690	Secure Isolator 1-Port Video HDMI	\$308.00	30%	\$215.60
	CRS-AOCH/XL is an active optical HDMI cable for 4K@60HZ (4:2:0) and			
07.4400000	4K@30Hz (4:4:4) resolutions over distances up to 100m (328ft). Built with a TPU-			
97-1403033	rated (thermoplastic polyurethane) jacket that has excellent abrasion resistance,			
	tensile strength and high	\$415.00	30%	\$290.50
	CRS-AOCH/XL is an active optical HDMI cable for 4K@60Hz (4:2:0) and			,
	4K@30Hz (4:4:4) resolutions over distances up to 100m (328ft). Built with a TPU-			
97-1403050	rated (thermoplastic polyurethane) jacket that has excellent abrasion resistance,			
	tensile strength and high	\$435.00	30%	\$304.50
	CRS-AOCH/XL is an active optical HDMI cable for 4K@60HZ (4:2:0) and	ψ 100.00	0070	φοσ 1.σσ
97-1403066	4K@30Hz (4:4:4) resolutions over distances up to 100m (328ft). Built with a TPU-			
	rated (thermoplastic polyurethane) jacket that has excellent abrasion resistance,			
	tensile strength and high	\$465.00	30%	\$325.50
	VS-88H2A is a high-quality, 8x8 matrix switcher for 4K@60Hz (4:4:4), HDR,	Ţ 100.00	3370	Ψ020.00
	HDMI signals and analog and digital audio routing. It reclocks and equalizes the			
20-08800230	signals and can route any one of eight HDMI, HDCP-compliant sources			
	(selectable) to any or all outpu	\$5,595.00	300/	\$3,916.50
	Negetianie) to any or an outpu	φυ,υθυ.υυ	30%	φ3,9 IU.3U

	KRT-4 is a cable retractor designed for installing in a meeting room, classroom or			
80-00027799	other AV site. KRT-4 extends a variety of common AV connector types and is	#050 00	000/	<b>0045.00</b>
<del> </del>	easy to install and use.	\$350.00	30%	\$245.00
97-1403197	CRS-AOCH/XL is an active optical HDMI cable for 4K@60HZ (4:2:0) and	Φ <b>7</b> 05 00	000/	<b>0540.50</b>
UA/D 000000	4K@30Hz (4:4:4) resolutions over distances up to 100m (328ft).	\$785.00	30%	\$549.50
WR-000006	2 years Hardware Warranty Extension for VIA CampusPLUS/Campus2PLUS	\$330.00	30%	\$231.00
I	WP-789R is a high-performance, long-reach HDBaseT wall-plate receiver for			
50-80562095	4K@60Hz (4:2:0) HDMI and HDCP 2.2 signals over twisted pair. It converts the			
 	transmitted HDBaseT signal into an HDMI signal. It extends video signals up to			
	40m (130ft) over Kramer c	\$395.00	30%	\$276.50
1	Kramers ADC-MDP/HF/UHD enables you to connect your DisplayPort equipped			
99-97220001	PC or Laptop to an HDMI display. This active Mini DisplayPort to HDMI adapter is			
1	used for true conversion when the source does not support DP++ and can be			
	used in either DisplayPort	\$30.00	30%	\$21.00
I	VS-44H2 is a high-performance 4x4 matrix switcher for 4K@60Hz (4:4:4) HDR			
20-80445130	signals. It reclocks and equalizes the signals and can route any one of 4 HDMI,			
<u> </u>	HDCP-compliant sources (selectable) to any or all outputs simultaneously.	\$2,595.00	30%	\$1,816.50
80-000225	WXA-H1/US is a passive wall plate that includes the following inputs: 15-pin HD,			
00-000223	3.5mm Audio, and HDMI.	\$60.00	30%	\$42.00
	Kramers C-UNIKAT cable is a unified CAT6a cable that handles all the latest			
00 2460025	technology signals. Over four individually screened twisted pairs, this U/FTP			
99-3460025	CAT6a cable runs Kramers DGKat(tm) technoloy, 4K HDBaseT(tm) techonoloy or			
I	LAN applications and ensur	\$19.00	30%	\$13.30
	PT-2UT/R-KIT is a comprehensive, extended-reach CAT extender kit for USB 2.0,			
E0 0004EE00	RS-232 and audio signals and 2-way powering over twisted pair. The PT-2UT			
50-00015590	transmitter converts the USB input signal into a CAT signal. The PT-2UR receiver			
I	converts the transmitt	\$595.00	30%	\$416.50
04 0055000	The VS-4X is a high-performance switcher for balanced stereo audio signals on			
21-0255099	XLR connectors. It switches any one of four stereo signals to a single stereo	\$265.00	30%	\$185.50
I	675R/T is a high-performance HDMI fiber extender kit for ultra-reach extension of			
E0 00040000	4K@60Hz (4:4:4) HDMI signals. 675T converts the HDMI input signal to an			
50-00016090	optical signal that is transmitted over a fiber optic cable to 675R, which converts it			
I	back to an HDM	\$1,550.00	30%	\$1,085.00
<del></del>	OSP-MM1 is a fiber optic transceiver for 850mm multimode signals. This standard			. ,
50-000096	pluggable SFP+ optical module has two LC connectors for reception and			
1	transmission of signasl over two strands of multimode optical fiber.	\$265.00	30%	\$185.50
	WP-3H2 is a 4K HDR HDMI wall-plate extender that extends the HDMI cable			,
l	distance between the HDMI player and the HDMI display by reclocking and			
50-00013095	equalizing the HDMI signal. Placing WP-3H2 in the transmission path, removes		ļ	
	requalizing the ribidi signal. Flacing WF-3HZ in the transmission bath. Temoves			

	The VS-44Dxl is a high-performance matrix switcher for 3G HD-SDI and HD-SDI			
21-70686010	dual link video signals. The unit can switch any or all inputs to any or all outputs.			
	Switching is implemented during the vertical internal period according to the			
	SMPTE RP-168 st	\$3,555.00	30%	\$2,488.50
22-000014	HSL Secure DH KVM Switch 8-port HDMI video w/fUSB, PP 3.0	\$2,233.00	30%	\$1,563.10
91-011590	TBUS-1-KWC adaptor for smart phones Wireless charger	\$255.00	30%	\$178.50
85-000699	Wall Plate Insert - 3.5mm & RJ-45	\$30.00	30%	\$21.00
80-00026499	Wall Plate insert - USB3.0 Type C(F) to Type A(F) Cable	\$65.00	30%	\$45.50
80-021199	Wall Plate insert - 2 x USB 2.0 (A/A)	\$55.00	30%	\$38.50
80-0063299	Wall Plate Insert - 3.5mm	\$35.00	30%	\$24.50
80-00027699	Cable Retractor, LAN-8ft	\$350.00	30%	\$245.00
80-00027299	Cable Retractor, HDMI-8ft	\$350.00	30%	\$245.00
80-00028099	USB 3.0 cable retractor with USB type A connector	\$350.00	30%	\$245.00
97-0617003	DisplayPort 1.2 cable with Latches -3	\$21.00	30%	\$14.70
80-003799	TBUS-5XL Enclosure - Black Anodized Aluminum Top	\$190.00	30%	\$133.00
80-003899	TBUS-5XL Enclosure - Silver Anodized Aluminum Top	\$195.00	30%	\$136.50
87-00002190	4K Auto-Switcher / Scaler Kit over Long Reach HDBaseT	\$1,395.00	30%	\$976.50
97-2400164	Active Optical Armored 4K HDMI Cable-164	\$575.00	30%	\$402.50
97-2400230	Active Optical Armored 4K HDMI Cable-230	\$675.00	30%	\$472.50
97-2400328	Active Optical Armored 4K HDMI Cable-328	\$825.00	30%	\$577.50
97-2400050	Active Optical Armored 4K HDMI Cable-50	\$425.00	30%	\$297.50
97-2400066	Active Optical Armored 4K HDMI Cable-66	\$445.00	30%	\$311.50
97-2400098	Active Optical Armored 4K HDMI Cable-98	\$525.00	30%	\$367.50
97-2400033	Active Optical Armored 4K HDMI Cable-33	\$405.00	30%	\$283.50
97-2400131	Active Optical Armored 4K HDMI Cable-131	\$550.00	30%	\$385.00
97-2400197	Active Optical Armored 4K HDMI Cable-197	\$625.00	30%	\$437.50
97-2400262	Active Optical Armored 4K HDMI Cable-262	\$725.00	30%	\$507.50
97-2400295	Active Optical Armored 4K HDMI Cable-295	\$775.00	30%	\$542.50
91-00015799	USB C Hub Multiport Adapter	\$150.00	30%	\$105.00
50-80037295	HDMI Over Twisted Pair Transmitter	\$255.00	30%	\$178.50
50-80035295	HDMI Over Twisted Pair Receiver	\$255.00	30%	\$178.50
20-00011730	8x4 4K HDR HDCP 2.2 Matrix Switcher with Digital Audio Routing	\$3,900.00	30%	\$2,730.00
91-000139	2 USB Charging in a power bracket module	\$55.00	30%	\$38.50
60-100099	Podium Table Bus	\$145.00	30%	\$101.50
	VSM (VIA Site Management) is an advanced software management platform that			
014/ 000000	enables anadministratortodeploy,manage,configure, and monitor all connected			
SW-000030	VIA devices from one central location. VSM is compatible with all VIA			
	devicemodelsandis	\$36.00	30%	\$25.20
87-00002090	model VP-440X Compact 18G 4K HDR	\$1,495.00		\$1,046.50
	RS-232,D9(M) to D9(F) cable-3ft.Kramers C-D9M/D9F control cables are for RS-			,
95-0200003	232 applications to control devices within a professional AV system. Many Kramer			
	products are RS-232 controllable and equipped with 9-pin D connector. This RS-			
	232 cable helps to co	\$6.00	30%	\$4.20

95-0200006	RS-232,D9(M) to D9(F) cable-6ft.Kramers C-D9M/D9F control cables are for RS-			
	232 applications to control devices within a professional AV system. Many Krame	r		
	products are RS-232 controllable and equipped with 9-pin D connector. This RS-			
	232 cable helps to co	\$7.00	30%	\$4.90
95-0200010	RS-232,D9(M) to D9(F) cable-10ft.Kramers C-D9M/D9F control cables are for RS			
	232 applications to control devices within a professional AV system. Many Krame	r		
	products are RS-232 controllable and equipped with 9-pin D connector. This RS-			
	232 cable helps to c	\$8.00	30%	\$5.60
95-0200015	RS-232,D9(M) to D9(F) cable-15ft.Kramers C-D9M/D9F control cables are for RS			
	232 applications to control devices within a professional AV system. Many Krame	r		
93-0200013	products are RS-232 controllable and equipped with 9-pin D connector. This RS-			
	232 cable helps to c	\$9.00	30%	\$6.30
	RS-232,D9(M) to D9(F) cable-25ft.Kramers C-D9M/D9F control cables are for RS			
95-0200025	232 applications to control devices within a professional AV system. Many Krame	r		
95-0200025	products are RS-232 controllable and equipped with 9-pin D connector. This RS-			
	232 cable helps to c	\$14.00	30%	\$9.80
	RS-232,D9(M) to D9(F) cable-35ft.Kramers C-D9M/D9F control cables are for RS	5-		
05 0000005	232 applications to control devices within a professional AV system. Many Krame	r		
95-0200035	products are RS-232 controllable and equipped with 9-pin D connector. This RS-			
	232 cable helps to c	\$16.00	30%	\$11.20
	RS-232,D9(M) to D9(F) cable-50ft.Kramers C-D9M/D9F control cables are for RS	5-		
05 0000050	232 applications to control devices within a professional AV system. Many Krame	r		
95-0200050	products are RS-232 controllable and equipped with 9-pin D connector. This RS-			
	232 cable helps to c	\$21.00	30%	\$14.70
72-00004490	4K Auto Switcher Scaler Receiver over Long Reach HDBaseT	\$1,095.00	30%	\$766.50
94-0502033	2 LC (M) to 2 LC (M) MM OM3 Fiber Optic Cable, LSHF-33	\$95.00	30%	\$66.50
50-000097	SM 10G 1310nm 10Km fiber SFP+	\$295.00	30%	\$206.50
59-002290	AVoIP USB2 extender	\$1,095.00	30%	\$766.50
59-002390	AVoIP USB 2 extender based on Icron	\$550.00	30%	\$385.00
59-002490	AVoIP USB 2 extender based on Icron Ranger RG2304S	\$550.00	30%	\$385.00
99-3460002	Four-Pair U/FTP Cable assembly for DGKat, HDBaseT and LAN-2	\$7.00	30%	\$4.90
96-0230003	USB 3.0 A(M) to A(M) Cable-3ft	\$7.00	30%	\$4.90
96-0216010	CA-USB3/AAE-10. USB 3.0 Active Extender Cable	\$50.00	30%	\$35.00
96-0216015	CA-USB3/AAE-15. USB 3.0 Active Extender Cable	\$70.00	30%	\$49.00
96-0216025	CA-USB3/AAE-25. USB 3.0 Active Extender Cable	\$100.00	30%	\$70.00
96-0216035	CA-USB3/AAE-35. USB 3.0 Active Extender Cable	\$120.00	30%	\$84.00
96-0216050	CA-USB3/AAE-50. USB 3.0 Active Extender Cable	\$150.00	30%	\$105.00
30-00021090	KC-BRAINWARE-5. Hardware platform with 5 instances of Kramer BRAINware	\$1,495.00	30%	\$1,046.50
10-80460090	VM-8UX. 4K 1:8 12G SDI DA	\$1,445.00		\$1,011.50
60-200110	RK-T2SB-B. 19-Inch Rack Adapter	\$150.00	30%	<u> </u>
97-2410131	CRS-PlugNView-DP-131. Active Optical Armored 4K Display Port Cable 131ft	\$915.00	30%	

	EDU-HYBRID-1. One VIA-Campus2 / 87-80000390 and a VSM-ON-CLOUD-SUB-			
07 0000000	3Y subscription / SW-000031. Easy in-class & remote hybrid learning.			
87-80000390	Compatible with all Windows VC software. Live stream to Kaltura, Panopto,			
,	YouTube etc. Wirelessly share up to 6 scr	\$3,000.00	30%	\$2,100.00
96-02357010	C-USB/CC-10. USB 2.0 C(M) to C(M) Cable-10ft	\$28.00	30%	\$19.60
00 00007400	DK82PPU-3(CPN15811). Secure 8-Port DP to DP Video DH KVM Switch			
22-00007430	w/fUSB, PP 3.0	\$2,498.00	30%	\$1,748.60
96-02357006	C-USB/CC-6. USB 2.0 C(M) to C(M) Cable-6ft	\$24.00	30%	\$16.80
61-10000899	KRT-4-M1(B) Table Mounting Bracket for KRT-4	\$35.00	30%	\$24.50
97-04161050	CP-AOCH/60F-50. Fiber Optic Plenum - High speed HDMI cable	\$225.00	30%	\$157.50
SW-000017	KN-5D-LIC. Kramer Network Licence for Up to 5 Devices	\$595.00	30%	\$416.50
60-00013099	KN-30D-LIC. Kramer Network Licence for Up to 30 Devices	\$1,495.00	30%	\$1,046.50
60-00012499	KN-UPG-30D-LIC. Kramer Network Licence Upgrade for Extra 30 Devices	\$495.00	30%	\$346.50
50-067690	676T. Reach MM/SM fiber Tx Multi-drop (one-Tx to many-Rx) scenario2	\$995.00	30%	\$696.50
50-167690	676R.MI RS232 Ultra Reach MM/SM fiber Rx Auto sink poweron/off	\$995.00	30%	\$696.50
20-70017998	F676 IN2F16.4K60 4 4 4 HDMIover Ultra Reach MM SM FiberOpticInputCard	\$2,495.00	30%	\$1,746.50
20-70027998	F676 OUT2 F16.60 4 4 4HDMIover Ultra Reach MM SM FiberOptic Output Card	\$2,495.00	30%	\$1,746.50
20-80549090	VS-211X. 4K60 4:4:4 2x1 HDMI Switcher	\$465.00	30%	\$325.50
10-80441090	VM-4UX. 4K 1:4 12G SDI DA	\$775.00	30%	\$542.50
	W-3H2. 4K HDR HDMI Dual Insert Extender.	\$150.00	30%	\$105.00
50-00013095	WP 3H2/US-D(W)US Dsize Wall Plate Extender, with White Decora Design			
50-00013095	Frame set	\$265.00	30%	\$185.50
50-003290	PT-3H2.4K HDMI repeater	\$130.00	30%	\$91.00
80-00028299	RTBUS-4C(B). Round Table Mount enclosure for AV cables access. Round Table			
00-00020299	Mount 4 CablePassThroughBlack,SandblastedAnodized Aluminum Top	\$200.00	30%	\$140.00
97-0102003		\$25.00	30%	\$17.50
97-0102006		\$35.00	30%	\$24.50
97-0102009		\$45.00	30%	\$31.50