



Statewide Term Contract for Audio/Visual # 4400026081

BridgeTek Solutions, LLC.
 110 Connector Park Ct,
 Piedmont, SC 29673
 864-214-0221



www.bridgeteksolutions.com

SN2106

MFG Part #	Product Description	MSRP	AV Discount	AV Price
AD96 CABLE	Breakout cable for MY8AD96-CA, 13ft long, 25-pin D-sub to XLR female x 8	\$88.00	20%	\$70.40
AES CABLE	Breakout cable for MY16AE/MY8AE/MY8AE96/MY8AE96S, 15 long, 25-pin D-sub to XLR male x 4 and XLR female x 4	\$199.00	20%	\$159.20
AVY16-ES100	Auivitran 16-channel EtherSound network I/O card; two EtherCon connectors, one RJ45 connector and one 9-pin D-sub connector	\$1,440.00	20%	\$1,152.00
CMA1MB	Ceiling installation kit for VXS1ML. Black finish	\$22.00	20%	\$17.60
CMA1MW	Ceiling installation kit for VXS1ML. White finish	\$22.00	20%	\$17.60
CMA3SB	Ceiling installation kit for VXS3S. Black finish	\$99.00	20%	\$79.20
CMA3SW	Ceiling installation kit for VXS3S. White finish	\$99.00	20%	\$79.20
CP1SF	Passive GPI wall control panel. Features 1 fader and 1 button. Euroblock connectors. 1 Gang electrical box size. Blue finish	\$269.00	20%	\$215.20
CP4SF	Passive GPI wall control panel. Features 4 faders and 4 buttons. Euroblock connectors. 3 Gang electrical box size. Blue finish	\$319.00	20%	\$255.20
CP4SW	Passive GPI wall control panel. Features 4 buttons. Euroblock connectors. 1 Gang electrical box size. Blue finish	\$219.00	20%	\$175.20
D24 AES CABLE	15 Yamaha AES to Yamaha AES cable; two 25-pin D-sub connectors	\$150.00	20%	\$120.00
DA96 CABLE	Breakout cable for MY8DA96-CA, 13 long, 25-pin D-sub to XLR male x 8	\$82.00	20%	\$65.60
DANTE-MY16-AUD	Mini-YGDAI Card Support for Plug-and-play Dante Digital Audio Networking	\$689.00	20%	\$551.20
DANTE-MY16-AUD2	Mini-YGDAI Card Support for Dante Digital Audio Networking	\$729.00	20%	\$583.20
DCH8	RS485 control hub for DCP wall control panels. 8 ports for splitting control lines from MRX/MTX series in star topology configurations	\$249.00	20%	\$199.20
DCP1V4S-US	RS485 wall control panel for MTX processors and MA/PA series. Features 1 rotary encoder and 4 buttons. Simple connection via Cat5. 1 Gang electrical box size. White finish	\$145.00	20%	\$116.00
DCP4S-US	RS485 wall control panel for MTX processors and MA/PA series. Features 4 buttons. Simple connection via Cat5. 1 Gang electrical box size. White finish	\$125.00	20%	\$100.00
DCP4V4S-US	RS485 wall control panel for MTX processors and MA/PA series. Features 4 rotary encoders and 4 buttons. Simple connection via Cat5.3 Gang electrical box size. White finish	\$299.00	20%	\$239.20
EX18	EX18 Input Expander/Output Expander	\$1,249.00	20%	\$999.20
EXO8	Analog output expansion unit. Features 8 line outputs. Connects via YDIF format on Cat5 cable. Euroblock and RJ45 connectors. 1U Rackspace	\$1,149.00	20%	\$919.20
MA2030A	Mixer amp with 3 stereo inputs and 2 microphone inputs. Uses the DCP1V4S-US wall mount controller for remote control. Lo-Z: 30 watts x 2 channels; Hi-Z: 60 watts x 1 channel	\$439.00	20%	\$351.20
MA2120	Mixer amp with 2 stereo inputs and 6 mic/line inputs. Output EQ and Crossover, Compressor, Reverb, and more. Uses any DCP Series wall mount controllers for remote control. Lo-Z: 120 watts x 2 channels; Hi-Z: 120 watts x 2 channels, or 200 watts x 1	\$939.00	20%	\$751.20
MCP1	Flexible Design and a variety of Custom Control Panels	\$599.00	20%	\$479.20
MLA8	Eight channel analog Mic/Line Preamp based on the DM2000 HA: 8 XLR inputs, 25-pin D-sub and Euroblock analog output. +48V Phantom Power and HPF. 1U Rackspace	\$689.00	20%	\$551.20
MMF-SWP1-NA	Multimode fiber SFP transceiver, Neutrik opticalCON Duo panel-mount connector and 1 multimode OM4 LC to LC patch cord. SFP transceiver uses 850nm VCSEL light source.	\$299.00	20%	\$239.20
MRX7-D	Central Management of Multiple Sound Systems from a Single Processor	\$3,499.00	20%	\$2,799.20
MTX3	26 x 8 Zone Matrix DSP Processor. YDIF interface, 8 in/4 out GPI. 1U Rackspace	\$1,549.00	20%	\$1,239.20
MTX5-D	34 x 16 Matrix Mixer / Signal Processor	\$2,799.00	20%	\$2,239.20
MY16AE	16-channel AES/EBU I/O card; dual 25-pin D-sub connectors	\$709.00	20%	\$567.20
MY16-CII	16-Channel CobraNet Network I/O Card, 2x RJ-45 connectors	\$939.00	20%	\$751.20
MY16ES64	16-Channel EtherSound Network I/O Card, 2x EtherCon (for EtherSound), 2x RJ-45 (for MY16-EX), D-sub 9-pin (for HA remote)	\$1,899.00	20%	\$1,519.20

MY16EX	16-Channel EtherSound/MADI I/O Expansion Card, 4x RJ-45 connectors	\$579.00	20%	\$463.20
MY16MD64	16-Channel MADI Interface Card 2x BNC (MADI coaxial), 2x MADI optical,, 2x RJ-45 (for MY16-EX), expandable to 64IN/64OUT with MY16-EX cards	\$1,979.00	20%	\$1,583.20
MY4AD	4-channel line-level analog input card; 4x XLR3-31 connectors (balanced)	\$360.00	20%	\$288.00
MY4AEC	4-Channel Acoustic Echo Canceller Card for Yamaha DME64N/24N, MTX5-D and MRX7-D, 4x Euroblock connectors	\$1,679.00	20%	\$1,343.20
MY4DA	4-channel line-level analog output card; four balanced XLR connectors	\$315.00	20%	\$252.00
MY8AD24	8-channel line-level analog input card; 8x TRS phone jacks (balanced)	\$419.00	20%	\$335.20
MY8AD96	96 kHz Compatible 8-Channel Analog Input Card, 1x D-sub 25pin connector	\$549.00	20%	\$439.20
MY8ADDA96	96 kHz Compatible 8-Channel Analog I/O card, EuroBlock connectors (balanced)	\$899.00	20%	\$719.20
MY8AE	8-channel AES/EBU I/O card; 1x D-sub 25 pin connector	\$369.00	20%	\$295.20
MY8AE96	96kHz Compatible 8-Channel AES/EBU I/O Card, 1x D-sub 25 pin connector	\$539.00	20%	\$431.20
MY8AE96S	96kHz Compatible 8-Channel AES/EBU I/O Card with Sampling Rate Converter, 1x D-sub 25 pin connector	\$709.00	20%	\$567.20
MY8AEB	8-Channel AES/EBU I/O Card with REF Video Input, 8 x BNC(4 x AES In, 4 x AES Out), 1 x BNC (Reference Video In with eXi-Clock sync capability)	\$2,329.00	20%	\$1,863.20
MY8DA96	96kHz Compatible 8-Channel Analog Output Card, 1x D-sub 25pin connector	\$499.00	20%	\$399.20
MY8-LAKE	Affordable Lake Processing for Any Live Sound Application, D-sub 25 pin, RJ-45	\$3,359.00	20%	\$2,687.20
MY8SDI-ED	8-Channel HD-SDI/SD-SDI Embedder/De-embedder Interface Card, Input: 1 x BNC, Output: 2 x BNC (same signal)	\$4,199.00	20%	\$3,359.20
MY8TD	8-Channel TDIF-1 (TASCAM) Format I/O Card, 1x D-sub 25 pin connector for digital audio, 1x BNC connector for Word Clock out	\$349.00	20%	\$279.20
NY64-D	Network I/O card for TF digital mixers; two EtherCon connectors	\$529.00	20%	\$423.20
PA2030A	Power amp with euroblock and RCA inputs, for use as zone expansion for the MA2030 mixer amplifier or as a stand-alone power amp. Lo-Z: 30 watts x 2 channels; Hi-Z: 60 watts x 1 channel, setting available for VXS10S Subwoofer	\$329.00	20%	\$263.20
PA2120	Power amp with euroblock and RCA inputs, Zone expansion for the MA series or as a stand-alone power amp; HPF/LPF and Output EQ. Uses DCP Series wall mount controllers for remote control. Lo-Z: 120W x 2 channels; Hi-Z: 120W x 2 channels, or 200W x 1	\$705.00	20%	\$564.00
PGM1	Paging Station Microphone. Tabletop base station featuring 8 page zone buttons. Include gooseneck microphone, dual Dante ports and powered via POE. Compatible with MTX5 and MRX7 only	\$1,349.00	20%	\$1,079.20
PGX1	The PGX1 is a paging station extension that can be used with the PGM1.	\$549.00	20%	\$439.20
PT/MX AES CABLE	15 Pro Tools/MX2424 to Yamaha AES cable; two 25-pin D-sub connectors	\$150.00	20%	\$120.00
RKH1	Rack mount kit for MA2030 and PA2030	\$77.00	20%	\$61.60
SWP1-16MMF	Enterprise L2 Gigabit Network Switch. 12 Neutrik etherCON + 4 RJ45 + 2 internal SFP Slots, 1 MMF-SWP1 kit pre-installed	\$2,499.00	20%	\$1,999.20
SWP1-8	Enterprise L2 Gigabit Network Switch. 8 Neutrik etherCON + 2 internal SFP Slots	\$1,259.00	20%	\$1,007.20
SWP1-8MMF	Enterprise L2 Gigabit Network Switch. 8 Neutrik etherCON + 2 internal SFP Slots, 1 MMF-SWP1 kit pre-installed	\$1,999.00	20%	\$1,599.20
TF-RACK	Groundbreaking TF Series TouchFlow Operation in Rack-mount Form	\$2,100.00	20%	\$1,680.00
VCX-MRA	Mud ring adaptor. Attaches to existing tile ring (included with VXC series speakers and shipped in the speaker carton) to allow attachment to ceiling joists for drywall installation. Packaged in sets of 2	\$22.00	20%	\$17.60
VXC-NCB4	New construction ring for use with VXC4. Stainless steel. 7.2 speaker cut out. Drilled for support spacing between 11 and 24. Packaged in sets of 2	\$30.00	20%	\$24.00
VXC-NCB6	New construction ring for use with VXC6 / VXC3F. Stainless steel. 9.6 speaker cut out. Drilled for support spacing between 13 and 24. Packaged in sets of 2	\$35.00	20%	\$28.00
VXC-NCB8	New construction ring for use with VXC8 / VXC5F. Stainless steel. 11.1 speaker cut out. Drilled for support spacing between 15 and 24. Packaged in sets of 2	\$38.00	20%	\$30.40
VXS10ST	10 Dual Voice Coil. 70/100V Transformer model. 200/100/50/25W 70V Taps. Black finish	\$449.00	20%	\$359.20
VXS10STW	10 Dual Voice Coil. 70/100V Transformer model. 200/100/50/25W 70V Taps. White finish	\$449.00	20%	\$359.20
VXS3FT	Full range 3.5 driver. High-impedance model. Transformer-integrated bracket included. 15W/7.5W/3.8W/1.9W 70V taps. Black finish	\$274.00	20%	\$219.20

VXS3FTW	Full range 3.5 driver. High-impedance model. Transformer integrated bracket	\$274.00	20%	\$219.20
VXS-PBRKT	Pendant adaptor bracket. Facilitates installation of VXS5 and VXS8 positioned pointing straight down and suspended from 3/8 threaded rod. Packaged in sets of 2	\$20.00	20%	\$16.00
XH200	Compact, Lightweight 200W + 200W Distribution Power Amp for Installed Systems	\$959.00	20%	\$767.20
HA CONTROL CABLE	30, 9-pin D-sub HA remote control cable for connecting PM5D, M7CL, DM2000 or DM1000 to MY-cards with HA-remote tunneling or daisy-chaining AD8HR HA-remote ports	\$28.50	20%	\$22.80
VS4	2-way 4 woofer with 1 tweeter. 30W program at 8. 15/7.5/3.8/1.9W 70V taps. Black finish	\$149.00	20%	\$119.20
VS4W	2-way 4 woofer with 1 tweeter. 30W program at 8. 15/7.5/3.8/1.9W 70V taps. White finish	\$149.00	20%	\$119.20
VS6	2-way 6.5 woofer with 1 tweeter. 50W program at 8. 25/12.5/6.3/3.1W 70V taps Black finish	\$279.00	20%	\$223.20
VS6W	2-way 6.5 woofer with 1 tweeter. 50W program at 8. 25/12.5/6.3/3.1W 70V taps White finish	\$279.00	20%	\$223.20
VXC3FW	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer. Low profile, Full range 3.5 driver. 40W program at 8. 15/7.5/3.8/1.9W 70V taps. White grill	\$328.00	20%	\$262.40
VXC4	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer. Full range 4 driver. 60W program at 8. 30/15/7.5/3.8W 70V taps. Black grill	\$278.00	20%	\$222.40
VXC4W	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer.	\$278.00	20%	\$222.40
VXC5F	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer.	\$458.00	20%	\$366.40
VXC5FW	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer.	\$458.00	20%	\$366.40
VXC6	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer.	\$378.00	20%	\$302.40
VXC6W	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer.	\$378.00	20%	\$302.40
VXC8	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer.	\$538.00	20%	\$430.40
VXC8W	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer.	\$538.00	20%	\$430.40
VXS10S	10 Dual Voice Coil. Low impedance model. 200W x 2 (8). Black finish	\$399.00	20%	\$319.20
VXS10SW	10 Dual Voice Coil. Low impedance model. 200W x 2 (8). White finish	\$399.00	20%	\$319.20
VXS1MLB	Full-range 1.5 driver. Low-impedance only. 10W program at 8. Black Finish	\$89.00	20%	\$71.20
VXS1MLW	Full-range 1.5 driver. Low-impedance only. 10W program at 8. White Finish	\$89.00	20%	\$71.20
VXS3F	Full range 3.5 driver. Low-impedance model. 40W program at 8. Black finish	\$234.00	20%	\$187.20
VXS3FW	Full range 3.5 driver. Low-impedance model. 40W program at 8. White finish	\$234.00	20%	\$187.20
VXS3SB	3.5, Dual SR-Bass Compact mid low module with satellite outputs for 2 or 4 VXS1ML speakers 40W x 2 (8). Black finish	\$245.00	20%	\$196.00
VXS3SW	3.5, Dual SR-Bass Compact mid low module with satellite outputs for 2 or 4 VXS1ML speakers 40W x 2 (8). White finish	\$245.00	20%	\$196.00
VXS5	2-way, 5 woofer with 0.75 tweeter. 150W program at 8. 30/15/7.5/3.8W 70V taps. Black finish	\$358.00	20%	\$286.40
VXS5W	2-way, 5 woofer with 0.75 tweeter. 150W program at 8. 30/15/7.5/3.8W 70V taps. White finish	\$358.00	20%	\$286.40
VXS8	2-way, 8 woofer with 1 tweeter. 180W program at 8. 60/30/15/7.5W 70V taps. Black finish	\$598.00	20%	\$478.40
VXS8W	2-way, 8 woofer with 1 tweeter. 180W program at 8. 60/30/15/7.5W 70V taps. White finish	\$598.00	20%	\$478.40
XMV4140	A comprehensive line-up to power your sound solution, 4 channels x 140 watts (4/8) or 125 watts (70/100V). YDIF digital input	\$1,299.00	20%	\$1,039.20
XMV4140-D	A comprehensive line-up to power your sound solution, 4 channels x 140 watts (4/8) or 125 watts (70/100V). Dante digital audio network input	\$1,899.00	20%	\$1,519.20
XMV4280	A comprehensive line-up to power your sound solution, 4 channels x 280 watts (4/8) or 250 watts (70/100V). YDIF digital input	\$1,999.00	20%	\$1,599.20
XMV4280-D	A comprehensive line-up to power your sound solution, 4 channels x 280 watts (4/8) or 250 watts (70/100V). Dante digital audio network input	\$2,599.00	20%	\$2,079.20
XMV8140	A comprehensive line-up to power your sound solution, 8 channels x 140 watts (4/8) or 125 watts (70/100V). YDIF digital input	\$2,499.00	20%	\$1,999.20

XMV8140-D	A comprehensive line-up to power your sound solution, 8 channels x 140 watts (4/8) or 125 watts (70/100V). Dante digital audio network input	\$3,099.00	20%	\$2,479.20
XMV8280	A comprehensive line-up to power your sound solution, 8 channels x 280 watts (4/8) or 250 watts (70/100V). YDIF digital input	\$3,799.00	20%	\$3,039.20
XMV8280-D	A comprehensive line-up to power your sound solution, 8 channels x 280 watts (4/8) or 250 watts (70/100V). Dante digital audio network input	\$4,399.00	20%	\$3,519.20
XP1000	Five Superb Amplifiers Optimized for Installation Use, High definition, EEEngine power amplifier. 110W+110W (8, 20Hz-20kHz)	\$739.00	20%	\$591.20
XP2500	Five Superb Amplifiers Optimized for Installation Use, High definition, EEEngine power amplifier. 250W+250W (8, 20Hz-20kHz)	\$1,009.00	20%	\$807.20
XP3500	Five Superb Amplifiers Optimized for Installation Use, High definition, EEEngine power amplifier. 350W+350W (8, 20Hz-20kHz), compatible with 100V lines (BRIDGE)	\$1,159.00	20%	\$927.20
XP5000	Five Superb Amplifiers Optimized for Installation Use, High definition, EEEngine power amplifier. 500W+500W (8, 20Hz-20kHz)	\$1,329.00	20%	\$1,063.20
XP7000	Five Superb Amplifiers Optimized for Installation Use, High definition, EEEngine power amplifier. 700W+700W (8, 20Hz-20kHz), compatible with 70V lines (STEREO)	\$1,589.00	20%	\$1,271.20
VXC3F	Ceiling mount speakers. Selectable 8/High-impedance with built-in transformer. Low profile, Full range 3.5 driver. 40W program at 8. 15/7.5/3.8/1.9W 70V taps. Black grill	\$328.00	20%	\$262.40
XM4080	Compact, Lightweight 2U Amps Provide Four Channels of High-Power Amplification	\$959.00	20%	\$767.20
XM4180	Compact, Lightweight 2U Amps Provide Four Channels of High-Power Amplification, 4-channel, 250 watts x 4 (4), 500 watts x 2 (70V)	\$1,479.00	20%	\$1,183.20
DUGAN-MY16	Dugan 16-channel auto mixing controller card; ADAT I/O for linking to additional Dugan devices or 8 channels of auto-mixing with 8 channels of ADAT I/O. Supports 44.1kHz-96kHz. RJ45 connector for connecting to computer	\$2,650.00	20%	\$2,120.00
HA CONTROL CABLE-2	6.6 (2 meter), 9-pin D-sub HA remote control cable for connecting AD8HR to a computer serial port or daisy-chaining AD8HR HA-remote ports	\$34.00	20%	\$27.20
MY8AT	8-channel ADAT I/O card; optical I/O connector	\$369.00	20%	\$295.20
MY16AT	16-channel ADAT I/O card; dual optical I/O connectors	\$549.00	20%	\$439.20
01-ELITEEXEC8-3Y	Executive Elite 8 Channel system,w/o mics,3 year revocARE Elite	\$7,988.00	20%	\$6,390.40
01-ELITEEXEC8	Executive Elite 8 Channel system,w/o mics	\$5,989.00	20%	\$4,791.20
01-ELITEMIC-DR	Elite Directional Tabletop Microphone, 6.8 oz	\$399.00	20%	\$319.20
01-ELITEMIC-OM	Elite Omnidirectional Tabletop Microphone	\$399.00	20%	\$319.20
01-ELITEMIC-GN6	Elite 6 inch Gooseneck Microphone, 6.8 oz	\$569.00	20%	\$455.20
SWR2100P-5G	L2 Gigabit Network Switch. Features non-blocking architecture and IEEE 802.3at compliant Power Over Ethernet. Up to 30W power per port or a total of 70W power. 5-Port switch with 4 POE ports. 1/2U Rackspace.	\$449.00	20%	\$359.20
SWR2100P-10G	L2 Gigabit Network Switch. Features non-blocking architecture and IEEE 802.3at compliant Power Over Ethernet. Up to 30W power per port or a total of 70W power.10-Port switch with 9 POE ports. 1/2U Rackspace.	\$679.00	20%	\$543.20
IF2112/64Y1	Favorites with discerning contractors and engineers, these speakers feature Uni-Phase design and matching sound - even between different models - for easy system setup and tuning.	\$1,649.00	20%	\$1,319.20
IF2112/95Y1	2-way Full-range Speaker System	\$1,649.00	20%	\$1,319.20
IS1215	Favorites with discerning contractors and engineers, these speakers feature Uni-Phase design and matching sound - even between different models - for easy system setup and tuning.	\$1,539.00	20%	\$1,231.20
VAF2-2112	Vertical Array Frame for 2 x IF2112	\$430.00	20%	\$344.00
02-DSKSYS-D	xTag USB-Only System, w/ one xTag Wearable Microphone	\$249.00	20%	\$199.20
VXL1B-24	Indoor Outdoor surface mount Line Source speakers. Standard flush mount included. Optional 70V transformer and pan tilt brackets available. 24 full range 1.5 drivers. 120W program at 8 . Black finish	\$1,099.00	20%	\$879.20
VXL1W-24	Indoor Outdoor surface mount Line Source speakers. Standard flush mount included. Optional 70V transformer and pan tilt brackets available. 24 full range 1.5 drivers. 120W program at 8 . White finish	\$1,099.00	20%	\$879.20
VXL1B-16	Indoor Outdoor surface mount Line Source speakers. Standard flush mount included. Optional 70V transformer and pan tilt brackets available. 16 full range 1.5 drivers. 80W program at 12 . Black finish	\$749.00	20%	\$599.20
VXL1W-16	Indoor Outdoor surface mount Line Source speakers. Standard flush mount included. Optional 70V transformer and pan tilt brackets available. 16 full range 1.5 drivers. 80W program at 12 . White finish	\$749.00	20%	\$599.20
VXL1B-8	Indoor Outdoor surface mount Line Source speakers. Standard flush mount included. Optional 70V transformer and pan tilt brackets available. 8 full range 1.5 drivers. 40W program at 16 . Black finish	\$399.00	20%	\$319.20

VXL1W-8	Indoor Outdoor surface mount Line Source speakers. Standard flush mount included. Optional 70V transformer and pan tilt brackets available. 8 full range 1.5 drivers. 40W program at 16 . White finish	\$399.00	20%	\$319.20
ST-L1	High Impedance 70V transformer option for VXL1. Black finish	\$225.00	20%	\$180.00
ST-L1W	High Impedance 70V transformer option for VXL1. White finish	\$225.00	20%	\$180.00
WMB-L1B	PanTilt wall mount bracket for 2-axis adjustment for VXL1. Black finish	\$65.00	20%	\$52.00
WMB-L1W	PanTilt wall mount bracket for 2-axis adjustment for VXL1. White finish	\$65.00	20%	\$52.00
VCB-L1B	Bracket for vertical mounting of two VXL1 for increased SPL and projection	\$29.00	20%	\$23.20
VCSB-L1B	PanTilt wall mount bracket for 2-axis adjustment for 2 vertically linked VXL1 arrays. Black finish	\$95.00	20%	\$76.00
VCSB-L1W	PanTilt wall mount bracket for 2-axis adjustment for 2 vertically linked VXL1 arrays. White finish	\$95.00	20%	\$76.00
HCB-L1B	Bracket for side-by-side mounting of two VXL1 for increased SPL and more focused horizontal dispersion	\$58.00	20%	\$46.40
PA-L1B	Pole mount bracket for VXL. Black	\$118.00	20%	\$94.40
01-HDTBLMIC-OM-11	HD Omnidirectional Tabletop Microphone	\$349.00	20%	\$279.20
01-HDTBLMIC-DR-11	HD Directional Tabletop Microphone	\$349.00	20%	\$279.20
01-HDEXEMIC-11	HD Wearable Microphone	\$349.00	20%	\$279.20
RK-SWR	Installation -only rack-mount kit for 1 or 2 SWR2100P units.	\$119.00	20%	\$95.20
TIO1608-D	Dante Equipped I/O rack with 16 microphone/line inputs and 8 line outputs. The TIO1608 preamplifiers can be remotely controlled from a TF console. Connection between the TIO1608-D and a TF console requires only a CAT5e LAN cable.	\$1,320.00	20%	\$1,056.00
10-YVC330-DCC	YVC330 Daisy Chain Cable.Allows two YVC330s to be connected together for simultaneous use in larger rooms	\$80.00	20%	\$64.00
01-8FUSION-NM-3Y	Fusion,8 Channel Telephone Hybrid and Wireless Microphone System w/o mics includes 3 Year Gold revoCARE	\$9,100.00	20%	\$7,280.00
05-TBLMICEX-DR-11	Solo Directional Tabletop Microphone	\$370.00	20%	\$296.00
02-HDDUAL-NM	HD Dual Channel System, 2-Ch, 2 analog I/O, w/o mic	\$595.00	20%	\$476.00
02-HDSGL-EDU	Contains -HD Single system & charger base (02-HDSGL-NM)-(1) Wireless Wearable Mic (01-HDEXEMIC-11)-USB Audio Kit (01-USBAUD-KIT)	\$399.00	20%	\$319.20
YAI-1-CR-BK	Yamaha YAI-1, Conference Ensemble for Conference Room, Black Speakers	\$13,999.00	20%	\$11,199.20
YAI-1-CR-NS	Yamaha Conference Ensemble for Conferenceroom, no speakers, 8 microphones	\$11,999.00	20%	\$9,599.20
01-ELITEEXEC4-31GSA	GSA Compliant Executive Elite 4	\$8,084.00	20%	\$6,467.20
01-ELITEEXEC4-31GSA	GSA Compliant Executive Elite 4	\$6,295.00	20%	\$5,036.00
06-XLRMIC-BLK-11	Solo XLR Wireless Adapter for Dynamic Handheld Microphone	\$199.00	20%	\$159.20
05-TBLMICEX-OM-11	Solo Omnidirectional Tabletop Microphone	\$299.00	20%	\$239.20
05-TBLMICEX-DR-11	Solo Directional Tabletop Microphone	\$299.00	20%	\$239.20
01-EXEMICEX-BLK-11	Solo Wearable Microphone	\$299.00	20%	\$239.20
SWR2311P-10G	L2 Gigabit Network Switch. Features non-blocking architecture and IEEE 802.3at compliant Power Over Ethernet. Up to 30W power per port or a total of 70W power.10-Port switch with 8 POE ports. 1/2U Rackspace w/Network monitoring	\$1,299.00	20%	\$1,039.20
07-UC500PWRADP-NA	FLX UC 500, AC power cord adapter	\$10.00	20%	\$8.00
VXL1B-16P	Indoor/Outdoor surface mount Line Source Speakers. Standard flush mount included. 16 full-range 1.5 inch drivers 15W PoE Black finish. Priced as single units, packaged and sold as single units.	\$1,175.00	20%	\$940.00
VXL1W-16P	Indoor/Outdoor surface mount Line Source Speakers. Standard flush mount included. 16 full-range 1.5 inch drivers 15W PoE. White finish. Priced as single units, packaged and sold as single units.	\$1,175.00	20%	\$940.00
PK-C4B	Paintable pendant-mount kit for VXC2F/VXC4. Black	\$48.00	20%	\$38.40
PK-C4W	Paintable pendant-mount kit for VXC2F/VXC4. White	\$48.00	20%	\$38.40
07-HDMICBAT-01	HD Field Replaceable Microphone Battery for HD Microphones	\$30.00	20%	\$24.00
10MM EYEBOLT	Rated eyebolt compatible with IS Series loudspeakers	\$8.50	20%	\$6.80
AB-C2	Optional C-ring and Tile Rail for use with VXC2	\$30.00	20%	\$24.00
BBS251	Truss clamp mounting bracket for IF2208, IF2108, and IF2205	\$195.00	20%	\$156.00
BCS251	Ceiling mount bracket for IF2208, IF2108, and IF2205	\$169.00	20%	\$135.20
BWS251-300	Wall mount bracket for IF2208 and IF22	\$190.00	20%	\$152.00
BWS251-400	Wall mount bracket for IF2208 and IF2205	\$190.00	20%	\$152.00
PA700	Redundant AC power supply for SWP switches	\$150.00	20%	\$120.00
PKB-VXC3F	Black pendant mount kit with wrap for VXC3F	\$65.00	20%	\$52.00
PKB-VXC5F	Black pendant mount kit with wrap for VXC5F	\$65.00	20%	\$52.00
PKW-VXC3F	White pendant mount kit with wrap for VXC3F	\$65.00	20%	\$52.00
PKW-VXC5F	White pendant mount kit with wrap for VXC5F	\$65.00	20%	\$52.00
SWP2-10MMF	10 Neutrik etherCON + 2 multi mode fiber opticalCON ports	\$2,500.00	20%	\$2,000.00
SWP2-10SMF	10 Neutrik etherCON + 2 single mode fiber opticalCON ports	\$3,700.00	20%	\$2,960.00
UB2108	U-Braclat for IF2108 speaker. Black finish	\$115.00	20%	\$92.00
UB2108W	U-Braclat for IF2108 speaker. White finish	\$115.00	20%	\$92.00
UB2205	U-Braclat for IF2205 speaker. Black finish	\$140.00	20%	\$112.00
UB2205W	U-Braclat for IF2205 speaker. White finish	\$140.00	20%	\$112.00

UB2208	U-Bracket for IF2208 speaker. Black finish	\$150.00	20%	\$120.00
UB2208W	U-Bracket for IF2208 speaker. White finish	\$150.00	20%	\$120.00
UB-DXR8	U Bracket for VXS10S	\$145.00	20%	\$116.00
VXC-MRA	Mud ring adaptor. Attaches to existing tile ring (included with VXC series speakers and shipped in the speaker carton) to allow attachment to ceiling joists for drywall installation. Packaged in sets of 2	\$22.00	20%	\$17.60
IF2108	8inch full range 2-way speaker with a 90 X 60 degree rotatable coverage pattern, Power rating: 100W Nominal impedance: 8 , passive operation, two NL4 Speakonand barrier strip wired in parallel, FR: 75Hz-18kHz, Sensitivity (1W @ 1m): 95dB SPL, Dimensions (\$769.00	20%	\$615.20
IF2108W	8inch full range 2-way speaker with a 90 X 60 degree rotatable coverage pattern, Power rating: 100W Nominal impedance: 8 , passive operation, two NL4 Speakonand barrier strip wired in parallel, FR: 75Hz-18kHz, Sensitivity (1W @ 1m): 95dB SPL, Dimensions (\$769.00	20%	\$615.20
IF2205	Dual 5inch full range 2-way speaker with a 90 X 60 degree rotatable coverage pattern; Power rating: 100W (EIA), Nominal impedance: 8 , passive operation, barrier strip, FR: 85Hz-18kHz, Sensitivity (1W @ 1m): 91dB SPL Dimensions (HxWxD): 5.8 x 18.0 x 8.7 i	\$619.00	20%	\$495.20
IF2205W	Dual 5inch full range 2-way speaker with a 90 X 60 degree rotatable coverage pattern; Power rating: 100W (EIA), Nominal impedance: 8 , passive operation, barrier strip, FR: 85Hz-18kHz, Sensitivity (1W @ 1m): 91dB SPL Dimensions (HxWxD): 5.8 x 18.0 x 8.7 i	\$619.00	20%	\$495.20
IF2208	Dual 8inch full range 2-way speaker with a 90 X 60 degree rotatable coverage pattern; Power rating: 200W (EIA), Nominal impedance: 8 , passive operation, two NL4 Speakonand barrier strip wired in parallel, FR: 75Hz-18kHz, Sensitivity (1W @ 1m): 95dB SPL,	\$869.00	20%	\$695.20
IF2208W	Dual 8inch full range 2-way speaker with a 90 X 60 degree rotatable coverage pattern; Power rating: 200W (EIA), Nominal impedance: 8 , passive operation, two NL4 Speakonand barrier strip wired in parallel, FR: 75Hz-18kHz, Sensitivity (1W @ 1m): 95dB SPL,	\$869.00	20%	\$695.20
VXC2FB	Ceiling mount speakers. Selectable 8 /High-impedance with built-in transformer. Features easy-carry handles, anti-drop tabs, and double threaded screws. Low profile, Full range 2.5inch driver. 30W program at 8 . /7.5/3.8/1.9/1W 70V taps. O-ring and tile r	\$130.00	20%	\$104.00
VXC2FW	Ceiling mount speakers. Selectable 8 /High-impedance with built-in transformer. Features easy-carry handles, anti-drop tabs, and double threaded screws. Full range 2.5inch driver. 30W program at 8 . /7.5/3.8/1.9/1W 70V taps. O-ring and tile rail not inclu	\$130.00	20%	\$104.00
VXS1ML-PBRKT	Pendant adaptor bracket. Facilitates installation of VXS1ML positioned pointing straight down and suspended from 1/4inch threaded rod. Packaged as singles.	\$18.00	20%	\$14.40
01-HDVENU-NM	Rackmount HD 2-Channel, XLR/I/O, w/o mics	\$795.00	20%	\$636.00